

# super savers

prodist  
demand-supply-trust

# retail

Valid from 15 September – 31 December 2020 or while stocks last



LAWNMOWER BOSS COMPLETE FOR WOLF AND ROLUX AGPRO

20SA01208		49.31
	<b>WAS:</b>	71.67
11071075		

Lawnmower blade boss kit complete for Wolf and Rolux.

GA\_F\_0005

agpro



SPRINKLER BRASS EXCLUDING NOZZLE AGPRO

AGPRO35		99.00
20MM	<b>WAS:</b>	117.19
11017393		

Top quality agricultural sprinkler. 20mm Male screwed thread. Brass agricultural sprinkler for general irrigation applications. Use nozzles ranging from 2.38mm to 5.55mm. Recommended spacing is 12m to 18m.

I\_F\_0412

agpro



AIR FILTER BRIGGS AND STRATTON AGPRO

BAS272235S		55.19
	<b>WAS:</b>	72.22
YBAS272235S		

Air filter for Briggs & Stratton Sprint engines.

GA\_F\_0037

agpro



PLUNGER CUP KNAPSACK AGPRO

KSA16002		3.50
	<b>WAS:</b>	13.83
11115256		

GA\_F\_0730

agpro



PLASTIC FILTER CARTRIDGE AGPRO

AGC20376N-2PK		58.22
B1P2 HFP/655 2	<b>WAS:</b>	82.27
11097122		

"Click-fit" system for safe and secure fitment.

H\_F\_0986

agpro



SPREADER BRASS AGPRO

AGPSPR2		2.66
3.17MM	<b>WAS:</b>	3.86
11017581		

Brass spreader nozzle delivers better output, more effective spreading and thorough wetting.

I\_F\_0416

agpro



TUNE UP KIT BRIGGS AND STRATTON AGPRO

BAS992050		138.81
	<b>WAS:</b>	201.76
11035074		

Tune up kit for Briggs & Stratton Sprint engines.

GA\_F\_0042

agpro



STRAINER KNAPSACK AGPRO

KSA16003		3.40
	<b>WAS:</b>	7.74
11115259		

Tank strainer for Agpro knapsack sprayers. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0097

agpro



NOZZLE BRASS AGPRO

AGPNOZ2		3.43
4.36MM	<b>WAS:</b>	8.50
11017925		

AGPNOZ3		4.35
5.15MM	<b>WAS:</b>	8.50
11018334		

Brass nozzle has a stream-straightener for better efficiency.

I\_F\_0415

agpro



HEARING PROTECTION QB1 BAND TYPE AGPRO

AGQB1		48.70
	<b>WAS:</b>	68.82
11070763		

Soft pods rest outside the ear. Lightweight and portable. Snr 23. Outstanding comfort.

H\_F\_1011

agpro



SPRAYER KNAPSACK LID 12L AGPRO

KSA12001		1.72
	<b>WAS:</b>	14.06
11061415		

Lid for 12 litre Agpro knapsack sprayer. [<link>AGPROM12</link>](#)

GA\_F\_0094

agpro



LID KNAPSACK AGPRO

KSA16005		2.62
	<b>WAS:</b>	14.06
11061407		

Lid old type for 16 litre Agpro knapsack sprayer. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0099

agpro



**SPRAYER NEW TUPE LID 16LT KNAPSACK AGPRO**

KSA16005A	1.82
11061414	<b>WAS:</b> 14.06

Lid new type for 16 litre Agpro knapsack sprayer. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0100



**BALL GLASS KNAPSACK AGPRO**

KSA16012	0.32
11099584	<b>WAS:</b> 1.66

Glass ball on plunger for Agpro knapsack sprayers. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0107



**BLADESWING BOLTSET LAWNMOWER MIRAGE AGPRO**

LMABS43	120.65
11091048	<b>WAS:</b> 175.36

Lawnmower swing blade set 4 blades for Agpro P60 and P600 lawnmowers.

GA\_F\_0120



**BLADE EXECUTIVE/RATEL DISC 19INCH TANDEM AGPRO**

T711	74.92
11071095	<b>WAS:</b> 108.89

Lawnmower blade disc for tandem executive or Ratel models.

GA\_F\_0202



**SPRINDER BUTTON KNAPSACK AGPRO**

KSA16006	5.91
11061401	<b>WAS:</b> 25.42

Spindle button for Agpro knapsack sprayers. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0101



**SPRAY PUMP CANISTER 16L KNAPSACK AGPRO**

KSA16013A	13.33
11129552	<b>WAS:</b> 134.68

Pump canister complete for Agpro knapsack sprayers. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0109



**DISC CUTTING 2MM 3 HOLE AGPRO**

LMAD28A	114.57
11071113	<b>WAS:</b> 167.78

Lawnmower cutting disc for Agpro E46 and P46 models.

GA\_F\_0132



**TRIMMER PETROL ASSY KNOB AGPRO**

T9228331011	10.58
11071020	<b>WAS:</b> 15.38

Bumper knob for Agpro 26cc petrol trimmer nylon head.

GA\_F\_0204



**HOOK KNAPSACK AGPRO**

KSA16009	1.71
11061393	<b>WAS:</b> 7.24

Tank hook for Agpro knapsack sprayers. [<link>AGPROM12</link>](#) and [<link>AGPROM16</link>](#).

GA\_F\_0104



**PUMP HANDLE 16L KNAPSACK AGPRO**

KSA16016	11.87
11115257	<b>WAS:</b> 23.09

GA\_F\_0734



**LINE NYLON TRIMMER AGPRO**

T272KG	168.08
2.7MMX2KG	<b>WAS:</b> 244.30
11071303	

Nylon line in various colours for a string trimmer. Medium duty use.

GA\_F\_0198



**CAN COMBI 5 OR 2.5L AGPRO**

TE750156	168.12
11035057	<b>WAS:</b> 244.76

Combination fuel and oil can for chainsaws - 5 and 2.5 litre capacity.

GA\_F\_0209



**WASHER FELT KNAPSACK AGPRO**

KSA16011	3.05
11115258	<b>WAS:</b> 7.23

GA\_F\_0732



**DISC CUTTER P600 AGPRO**

LMA6P31	195.61
11071132	<b>WAS:</b> 287.78

Lawnmower cutting disc heavy duty for Agpro P600 3 wheel lawnmower.

GA\_F\_0118



**BLADE SET TANDEM AEROVAC 3 BLADES AGPRO**

T710	43.57
11071072	<b>WAS:</b> 63.34

Lawnmower blade set - aerovac for tandem 3 blades.

GA\_F\_0201



**PET KENNEL DOG EXPORT**

AD010	1,320.39
L: 101CM(H) 12	<b>WAS:</b> 2,375.34
11074021	

Fully insulated with polyethylene foam hygienic, can easily be cleaned, disinfected and are very long lasting. The export kennels are available in two sizes.

D\_f\_0351





**PET KENNEL DOG IGLOO TERRACOTTA**

AD204	475.00
S: 50CM(H) 47C	
11124197	<b>WAS:</b> 632.33

Terracotta igloo dog kennel. One-piece waterproof mould that is hygienic, these kennels can be cleaned, disinfected and are very long lasting. The Igloo kennels come in various sizes, suitable for all breeds of dogs.

D\_f\_0353



**A-KRAFT OPEN FLAT RING SPANNER**

6CWEX08	15.64
8MM	
11069470	<b>WAS:</b> 22.11

6CWEX09	16.49
9MM	
11069326	<b>WAS:</b> 23.30

6CWEX11	16.33
11MM	
11069479	<b>WAS:</b> 23.08

6CWEX13	18.71
13MM	
11069490	<b>WAS:</b> 26.44

6CWEX15	22.30
15MM	
11069528	<b>WAS:</b> 31.51

6CWEX16	24.55
16MM	
11069539	<b>WAS:</b> 34.69

6CWEX20	18.86
20MM	
11069332	<b>WAS:</b> 26.66

6CWEX21	31.95
21MM	
11069336	<b>WAS:</b> 45.14

6CWEX22	32.14
22MM	
11069590	<b>WAS:</b> 45.42

6CWEX23	28.64
23MM	
11069610	<b>WAS:</b> 40.46

6CWEX24	44.00
24MM	
11069615	<b>WAS:</b> 62.18

6CWEX25	35.04
25MM	
11069641	<b>WAS:</b> 49.51

6CWEX26	52.11
26MM	
11069643	<b>WAS:</b> 73.63

6CWEX27	48.87
27MM	
11069653	<b>WAS:</b> 69.06

6CWEX28	42.25
28MM	
11069662	<b>WAS:</b> 59.71

6CWEX30	71.67
30MM	
11069678	<b>WAS:</b> 101.28

6CWEX32	53.65
32MM	
11069699	<b>WAS:</b> 75.81

Chrome vanadium steel.

H\_f\_0285



**A-KRAFT RACHET WITH RAPID TYPE DRIVE**

H-254511	159.02
1/2IN	
11124065	<b>WAS:</b> 224.71

Chrome vanadium steel.

H\_f\_0294



**WIDE MOUTH LIDS WITH BANDS 12 PACK BALL**

JARD8070	44.77
11096860	<b>WAS:</b> 63.26

D\_f\_0448



**A-KRAFT OPEN BENT RING SPANNER**

6CWE009	18.44
9MM	
11036090	<b>WAS:</b> 26.06

6CWE020	23.42
20MM	
11036180	<b>WAS:</b> 33.10

6CWE023	49.32
23MM	
11036182	<b>WAS:</b> 69.71

6CWE025	41.00
25MM	
11036184	<b>WAS:</b> 57.93

6CWE028	52.59
28MM	
11066131	<b>WAS:</b> 74.31

6CWE030	78.88
30MM	
11066133	<b>WAS:</b> 111.46

Chrome vanadium steel.

H\_f\_0284



**A-KRAFT RATCHET TYPE 72Z R2100 DRIVE**

H-38000	104.89
3/8IN	
11069358	<b>WAS:</b> 148.22

Chrome vanadium steel.

H\_f\_0296



**BALL PRESERVING BOOK RECIPE GUIDE BLUE BOOK**

JARD8074	1.78
11096864	<b>WAS:</b> 2.52

The Ball Blue Book guide to preserving is a great resource for both current and new preservers. 124 page paperback book.

D\_f\_0135



**KIT CARE GRILL PREMIUM ALVA**

ALVABA40	108.30
11090052	<b>WAS:</b> 153.04

BBO brush: Long wooden handles with durable brass bristles. Built-in scraper removes stubborn residue. Includes replacement BBO brush head. BBO scrub: curved handle with built-in scraper. Ideal for cleaning flat and curved surfaces.

O\_f\_0265



**BALL PRESERVING JAR LIFTER PREMIUM**

JARD8075	60.92
11096865	<b>WAS:</b> 86.09

Easy-grip handles increase jar handling security with minimal effort.

D\_f\_0136



**LAMP GAS ALVA**

ALVAG008A	70.60
300 CP	
11092303	<b>WAS:</b> 99.77

100 Candlepower light source. Low gas consumption. Up to 30 hours burn time (3kg cylinder). Stainless steel burner stem. Heat resistant glass. Adjustable air intake for different altitudes. Quick start illumination. Convenient carry handle. Easy mantle replacement.

O\_f\_0303



**BALL PRESERVING PROTECTIVE HANDLER FOR HOT JAR**

JARD8077	44.35
11096867	<b>WAS:</b> 62.67

Handles hot jar with ease when moving and filling.

D\_f\_0138





**BALL PRESERVING BUBBLE REMOVER**

JARD8080	1.05
11096870	<b>WAS:</b> 1.48

Quickly removes air bubbles and measures headspace.

D\_f\_0141



**BASECAMP TUMBLER STAINLESS STEEL**

CL1CM27570	20.88
570ML	<b>WAS:</b> 29.50
11060009	

Ideal for every day use and camping.

O\_F\_0051




**COOLER BAG 42X30X30CM FOAM TOP BASECAMP**

HB5-1154	266.76
11085035	<b>WAS:</b> 345.23

Front pocket for extra storage, with hard EVA top. Comfortable webbing handles for easy carrying. 600D Polyester. Capacity is 40Liters. Foam hard top. Multiple storage capacity. Size:42cmx30cmx30cm.

O\_F\_0087



**BASKET DELUXE GAS BASECAMP**

SSGDB1500B	255.54
11094554	<b>WAS:</b> 361.11

O\_F\_0679



**BALL PRESERVING JAR LIFTER BASIC**

JARD8081	23.63
11096871	<b>WAS:</b> 33.39

Safely and easily lifts jars in and out of hot water. Perfect for beginners.

D\_f\_0142



**CHAIR MOON STEEL BASECAMP**

FC-214L	500.00
11043523	<b>WAS:</b> 691.53

600D Polyester. 16mm Powder coated steel frame with a 100kg rated capacity. Dimensions: 42cmx44cmx38/7cm. Weight: 4.7kg. Folds into compact size for storage and easy carrying.

O\_F\_0069



**COOLER VERTICAL LARGE BASECAMP**

HB5-694	78.28
38X28X42CM	<b>WAS:</b> 110.62
11084994	

Big insulated cooler compartment, with mesh pockets at front for extra storage. 600D polyester, PEVA as lining. Size: 38x28x43CM. Weight: 0.62kg.

O\_F\_0606



**BASKET FOLDABLE SINGLE HANDLE BASECAMP**

TG-358	104.09
11066589	<b>WAS:</b> 147.09

The BaseCamp Foldable Single Handle Basket is a shopping basket with a single handle and an Aluminium frame. Dimension: 37x20x25cm. Weight: 1.25Kg.

O\_F\_0112



**STRETCHER BASECAMP**

BD630-189106M	400.00
191CMX64.5CM	<b>WAS:</b> 530.25
11122001	

600D Polyester stretcher folds to compact size. Powdercoated metal frame. Carry bag included. Capacity: 120kg. Dimensions: 192\*65\*45cm. Weight:7.92kg.

O\_F\_0587



**CHAIR BUTTERFLY BASECAMP**

FC-96804B	221.44
MUD	<b>WAS:</b> 340.98
11111748	

Sofa comfortable sherpa moon chair, 600D pvc polyester, 120kg Capacity. With padded, removable seating. Light weight. Compact. Bag included. Dimension: 70\*43\*54/85cm, weight:3.7kg. Max loading capacity is 100kg.

O\_F\_1039



**BASECAMP GLASS GLOBE LANTERN**

LGLOBE225	2.45
LARGE	<b>WAS:</b> 3.46
11066262	

Glass replacement globe for paraffin lantern.

O\_F\_0098



**BAG SAND WOVEN POLYPROPYLENE MILITARY SUPA PAC**

101-BN-009	14.37
39CM X84CM 3	<b>WAS:</b> 24.38
11124153	

Woven polypropylene military brown sand bag with green drawstring that is uv stabilised, durable and reusable for use in construction, roadworks and eco wall constructions.

D\_F\_0357



**CUPBOARD EASY UP 3 SHELF PIONEER BASECAMP**

CC-1011	273.60
11111753	<b>WAS:</b> 386.65

O\_F\_1044



**BAG FISHING SMALL EXTREME BASECAMP**

FL6-068512	124.88
11117500	<b>WAS:</b> 199.69

For easy access to all your fishing accessories kept on your. Has a mesh padding at the back for comfort. 600D PU canvas fabric, and 600D polyester, 210D Lining. Nylon zipper. Size:29x18x20cm, weight: 0.56KG.

O\_f\_1130



**GAZEBO DOME 3.5X3.5M BASECAMP**

LP-70825	1,495.00
11117813	<b>WAS:</b> 1,953.86

Comes with carry bag for easy storage. Fabric: 190T - PU1000MM taffeta fabric UV50+ with Silver coated inner. Frame: D19mm powder coated steel tube. Dimension: 350x350x240/200cm. Weight: 18.57kg.

O\_f\_1131



**JUTE BAG SUPA PAC**

103-JN-020	16.36
MEDIUM 64CM	<b>WAS:</b> 28.91
11124136	

103-JN-040	25.32
LARGE 67CMX1	<b>WAS:</b> 44.72
11124146	

Natural brown jute bag that is durable, bio-degradable, and reusable for use in agricultural storage, decorative sacking and for arts and crafts.

D\_F\_0358



**TURNBUCKLE WITH HOOK EYE**

1480 20HG M20	<b>WAS:</b>	23.12 37.43
11043643		
1480 22HG M22	<b>WAS:</b>	34.03 52.21
11043644		

Galvanised. Used to tighten wire and cables.

A\_F\_0040



**HESSIAN CLOTH PREPACK SUPAPAC**

150-HCL-020 137CMX3MX214	<b>WAS:</b>	44.32 80.52
11124147		
150-HCL-030 137CMX5MX214	<b>WAS:</b>	49.81 91.09
11124148		
151-HCO-030 137CMX5MX305	<b>WAS:</b>	77.06 136.11
11124149		
152-HCT-020 183CMX3MX214	<b>WAS:</b>	43.21 76.32
11124150		
153-HCH-030 183CMX5MX305	<b>WAS:</b>	104.12 183.92
11124152		

Natural brown hessian that is bio-degradable, long lasting and reusable for use in agriculture, landscaping, construction and for arts and crafts.

D\_F\_0356



**4SEASONS PREMIUM ANTI-FREEZE**

AC001 1L	<b>WAS:</b>	29.46 46.03
11102842		

High quality 6 in 1 protection with 95% MEG and 5% high performance anti-corrosion and anti-scaling inhibitor. Formulated to meet the requirements of modern cooling systems of passenger cars, commercial vehicles, agricultural and off-highway equipment. Manufactured in compliance with SABS 1839 and SABS 1251 specifications. The requirement of ASTM D 3306 or ASTM D 4985 are fully met by the coolant - heat transfer liquid. Phosphate, nitrite and nitrates free. Protects all cooling system metals i.e. copper, brass aluminium, cast-iron, steel and solder. Has no effect on hoses and gaskets.

A\_F\_0128



**PROTECTOR BATTERY TERMINAL ACID**

AUTO008	<b>WAS:</b>	2.03 3.28
11124714		

Included 1 x positive and 1 x negative terminal acid protector.

A\_f\_0247



**GLOBE DBL FILAMENT**

AUTO035 G414	<b>WAS:</b>	11.50 18.57
11102499		

Replacement stop, tail and flasher bulb. 52,5x25mm. 21cp.

A\_f\_0260



**SWITCH TOGGLE ON/OFF/ON 12V 20A STEEL**

AUTO044	<b>WAS:</b>	5.73 15.37
11131106		

Plastic. Easy to fit. Three-position with centre off. Push-on terminals.

A\_f\_0351



**SWITCH IGNITION 4-POSITION**

AUTO045	<b>WAS:</b>	14.30 21.94
11124719		

Universal ignition switch suitable for 12V, four-stud screw-on terminals standby/off/ignition/start. Thicker shank 23mm.

A\_f\_0270



**SWITCH IGN KEY HEAVY DUTY 24V**

AUTO046	<b>WAS:</b>	14.62 23.61
11124720		

Heavy-duty, suitable for trucks, busses, tractors, 24V.

A\_f\_0271



**SWITCH PUSH BUTTON HEAVY DUTY**

AUTO048	<b>WAS:</b>	65.14 99.94
11124722		

Plastic. Easy to fit. Push-on terminals.

A\_f\_0273



**SWITCH PUSH/PULL SHORT TYPE**

AUTO050	<b>WAS:</b>	7.21 11.06
11124723		

Two screw-on terminals.

A\_f\_0275



**GREASE NIPPLE**

AUTO062 1/4 INCH UNF/S YAUTO062	<b>WAS:</b>	0.28 0.44
---------------------------------------	-------------	--------------

Precision-manufactured dustproof grease nipples.

A\_f\_0323



**ROLL PIN**

AUTO069 5X50MM	<b>WAS:</b>	1.72 2.78
11126193		

AUTO070 6X50MM	<b>WAS:</b>	2.27 3.67
11112655		

AUTO071 8X50MM	<b>WAS:</b>	2.91 4.70
11126194		

AUTO072 8X70MM	<b>WAS:</b>	5.47 8.83
11126195		

General-purpose use for joining ground engaging parts, bushings and pulleys.

A\_f\_0324



**LAMP PLOUGH RUBBER COMPLETE**

AUTO073	<b>WAS:</b>	58.76 87.72
11008981		

Sealed beam, semi-waterproof, complete with all wiring and heavy-duty mounting bracket.

A\_f\_0315



**STORAGE BOX BUZZ TRADING**

BUZZ1221 LARGE	<b>WAS:</b>	112.48 181.25
11121638		

Well designed strong extra large storage box that can fit on the back of a bakkie. Ideal for transport. A lot of space for storage & organizing

D\_F\_0424



**WASHER LEATHER WINDMILL 1PACK CB WASHERS**

CBW008 1-7/8" 11124776	<b>WAS:</b>	14.89 25.45
CBW010 2-1/4" 11124778	<b>WAS:</b>	19.32 30.08
CBW019 4-1/2" 11016600	<b>WAS:</b>	57.67 64.63
CBW020 4-3/4" 11124731	<b>WAS:</b>	23.51 65.31
CBW022 5-1/4" 11124732	<b>WAS:</b>	35.20 78.22
CBW023 5-1/2" 11124733	<b>WAS:</b>	32.09 89.13
CBW025 6" 11124736	<b>WAS:</b>	37.17 82.60

Quality leather washer. Individually packed. Used as replacement washer for brass windmill cylinders.

I\_F\_0531



**WASHER LEATHER WINDMILL LOOSE CB WASHERS**

CBW032 1-3/4" 11124748	<b>WAS:</b>	14.97 20.71
CBW039 3-1/4" 11124752	<b>WAS:</b>	21.13 32.14
CBW041 3-3/4" 11124753	<b>WAS:</b>	24.73 36.63
CBW043 4" 11060299	<b>WAS:</b>	35.26 43.20

Range of quality rubber washers to be used with borehole cylinder connections.

I\_F\_0532



**PLUNGER RUBBER RAPID CB WASHERS**

CBW054 P3 11124761	<b>WAS:</b>	29.91 53.22
--------------------------	-------------	----------------

I\_F\_0619



**WASHER LEATHER GRAPCOAT CB WASHERS**

CBW062 2" 11124742	<b>WAS:</b>	25.74 73.00
CBW065 3-1/2" 11124768	<b>WAS:</b>	39.87 73.16
CBW066 4" 11124769	<b>WAS:</b>	29.86 82.95
CBW067 4-1/2" 11124770	<b>WAS:</b>	43.75 97.23

Graphite-coated leather cups prevent fast absorption of water and act as lubricant to reduce binding of the plunger in the cylinder. Life-span three to four times longer than that of standard cups.

I\_F\_0535



**WASHER LEATHER 2 1/4 FOR HEAD**

CBW069 11124771	<b>WAS:</b>	35.14 60.13
--------------------	-------------	----------------

Range of quality rubber washers to be used with borehole cylinders and forceheads.

I\_F\_0758



**WASHER RUBBER FORCEHEAD HP CB WASHERS**

CBW078 50MM 11124783	<b>WAS:</b>	11.17 24.82
----------------------------	-------------	----------------

Range of quality rubber washers to be used with borehole cylinders and forceheads.

I\_F\_0538



**DUBBIN POLISH**

CBW092 500ML 11124739	<b>WAS:</b>	29.27 44.92
-----------------------------	-------------	----------------

D\_f\_0158



**COUPLING FULL FLOW**

CIFF1001 13MM 11065225	<b>WAS:</b>	2.34 3.59
------------------------------	-------------	--------------

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0088



**TEE FULL FLOW**

CIFF1006 13MM 11065265	<b>WAS:</b>	3.45 5.28
------------------------------	-------------	--------------

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0098



**TEE REDUCING FULL FLOW**

CIFF1024 20X13MM 11065338	<b>WAS:</b>	4.11 6.31
CIFF1025 20X15MM 11018071	<b>WAS:</b>	3.35 11.19
CIFF1070 25X15MM 11018072	<b>WAS:</b>	6.70 13.42

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0100



**COUPLING REDUCING FULL FLOW**

CIFF1120 20X13MM 11065293	<b>WAS:</b>	3.62 5.84
---------------------------------	-------------	--------------

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0089



**FLOW CONTROL FULL FLOW**

CIFF1140 13MM 11069915	<b>WAS:</b>	12.54 19.25
------------------------------	-------------	----------------

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0095



TEE MALE COMBINATION FULL FLOW

CIFF1182		7.52
15MMX3/4	<b>WAS:</b>	13.90
11065395		

Full-flow compression fittings to be used on outside diameter of Class 3 and 6 low-density polyethylene pipe.

I\_F\_0099



MOTOR WATER FILLED 100MM CRI

CRIFM4AE11LEX		916.58
1.1KW 230V	<b>WAS:</b>	1,402.36
11061160		

CRI Submersible and Surface Sewage, Drainage Pumps are suitable for pumping muddy water, storm water and sewage water.

I\_F\_0606



DEE SHACKLE AND SCREW PIN

DS19		15.77
M19	<b>WAS:</b>	24.19
11066591		

Galvanized d-shackle. Safety factor of 4:1.

A\_F\_0039



PATCH RIGID FIBERFIX

FF008		60.54
7.5X7.5CM 4 PA	<b>WAS:</b>	85.55
11099171		

FF009		60.54
5X20CM 3 PAT	<b>WAS:</b>	85.55
11099172		

H\_F\_1558



ELBOW REDUCING FULL FLOW

CIFF1256		3.71
20X15MM	<b>WAS:</b>	8.42
11031671		

Used for a pipeline which is required to turn through a 90° bend - where two pipes of different sizes are to be joined.

I\_F\_0256



PUMP SUBMERSIBLE 100MM CRI

CRIFP4P0202215M		558.05
S4P-2/22 1.50K	<b>WAS:</b>	853.81
11060687		

CRIFP4P0400605M		296.83
S4P-4/06 0.55K	<b>WAS:</b>	479.38
11060431		

I\_F\_0607



HOSE CLAMP EXT HD

EHD201213		12.19
201-213MM	<b>WAS:</b>	18.71
11127596		

Galvanized extra heavy-duty clamps for hoses and other types of pipe.

I\_F\_0728



HANDLE SLASHER

GRI135		11.36
900MM	<b>WAS:</b>	18.06
11125566		

H\_F\_1891



CLAMP WIRE ROPE CROSBY

CR22		4.71
22MM	<b>WAS:</b>	7.59
11012181		

CR26		7.68
26MM	<b>WAS:</b>	11.79
11013542		

Crosby Cable Clamps are great for ropes courses, zip line, high elements, and low ropes challenge courses. Cable Clamps, sometimes called cable stops or cable clips, are tools that are used to clamp down on wire rope commonly used in industrial applications as well as in zip lining and ropes course construction.

I\_F\_0714



FILTER DISC 3INCH 130 MICRON

DF80		1,730.52
	<b>WAS:</b>	1,950.00
11129117		

Disc filter. For use on main water line to remove impurities. Flow rate: 30m³/h. Maximum pressure: 10 bar. Cartridge length: 731mm. Filtration area: 1,699cm². Filtration grade: 130 mesh.

I\_F\_0422



JODPURS KIDS PONY 2 TONE 22-28

EQJP003KTTTP		242.18
PINK	<b>WAS:</b>	342.23
11086708		

Made of four-way stretch fabric. Ideal for every day wear as well as in the ring. They've sewn with no-chafe seams for exceptional comfort.

EQ\_F\_0168



HANDLE SLEDGE

GRI160		6.25
600MM	<b>WAS:</b>	8.83
11125567		

First grade Eucalyptus wood.

H\_F\_0835



DRAINAGE PUMP 230V CRI

CRIABGKPS05095C		1,018.54
CDR-PV03-BS	<b>WAS:</b>	1,431.09
11061170		

CRI Submersible and Surface Sewage, Drainage Pumps are suitable for pumping muddy water, storm water and sewage water.

I\_F\_0621



HANDLE RAKE GRIBBON

GRI190		14.48
28MMX1.7M	<b>WAS:</b>	25.59
11108949		

H\_F\_1526



**BOW SHACKLE AND SCREW PIN**

HA06 M6 11051318	<b>WAS:</b>	1.42 2.29
HA08 M8 11051319	<b>WAS:</b>	2.27 3.49
HA10 M10 11069380	<b>WAS:</b>	3.22 6.99
HA12 M12 11069399	<b>WAS:</b>	5.06 7.75
HA19 M19 11051315	<b>WAS:</b>	15.87 21.79
HA22 M22 11127540	<b>WAS:</b>	17.16 27.71
HA25 M25 11051317	<b>WAS:</b>	36.56 53.15

Alloy pin bow shackles to U.S. Federal Spec RR-C-271b. Rated recovery alloy bow shackle with a work load limit of 3250kg for use with kinetic snatch recovery strap and pull/winch extension straps.

A\_F\_0036



**HOSE CLAMP GALV**

HC100120 100-120MM 11094158	<b>WAS:</b>	2.08 3.37
HC120140 120-140MM 11094157	<b>WAS:</b>	1.97 3.03
HC2540 25-40MM 11127577	<b>WAS:</b>	1.30 2.10
HC4060 40-60MM 11062157	<b>WAS:</b>	1.09 1.76
HC6080 60-80MM 11094167	<b>WAS:</b>	1.60 2.59

Galvanised utility clamps for hoses and other types of pipe.

I\_F\_0199



**HOSE CLAMP MEDIUM DUTY**

HCMD3034 30-34MM 11101527	<b>WAS:</b>	2.76 4.45
HCMD3438 34-38MM 11126416	<b>WAS:</b>	2.77 4.48
HCMD3741 47-41MM 11101528	<b>WAS:</b>	2.81 4.53
HCMD4348 43-48MM 11126417	<b>WAS:</b>	3.20 4.65
HCMD8694 86-94MM 11126418	<b>WAS:</b>	4.66 7.16

Galvanized medium-duty clamps for hoses and other types of pipe.

I\_F\_0424



**INSERTER TOOL TALLI**

IISD-N5/3 11064099	<b>WAS:</b>	120.94 180.54
-----------------------	-------------	------------------

The original quality patented tool. Easily used for inserting without special efforts. For inserting connector components, drips and sprinklers into pipes. Strong modeled plastic construction, shaped for maximum comfort.

I\_F\_0404



**PUNCH QUICK 3MM PIPE 16/20 + INSERTER COMPONENT**

IISD-T1-3N 11064050	<b>WAS:</b>	59.86 94.06
------------------------	-------------	----------------

Quick-cut, the miracle punch. The easiest way of holding polyethylene pipes of different sizes, 16mm, 20mm, 30mm for inserting sprinklers and drippers. Suitable for professionals as well as DIY home garden owners.

I\_F\_0980



**TRIGGER 3 (3 IN 1) + 3 & 4MM**

IISD-TR3 11064147	<b>WAS:</b>	126.74 189.19
----------------------	-------------	------------------

The garden tool that does it all, punches, cuts and insert. Small and compact, comfortable and easy to use. Punch 3mm holes for drippers and 4mm holes for sprinklers. Cuts pipe from 5mm up to 20mm, insert drippers and sprinklers, insert connectors into main pipes.

I\_F\_0403



**PUNCH UNIVERSAL 16-32MM PIPE**

IISD-UP3 11064095	<b>WAS:</b>	92.88 145.94
----------------------	-------------	-----------------

The spiral penetration of the blade into the pipe facilitates the operation, thus thousands of holes can be punched in a short time. By turning the button at the base of the tool, the size can be adjusted between 12mm to 32mm to accommodate the desired pipe.

I\_F\_0567



**FLANGE GALV SCREWED TD**

INCL043893 D* T/D 100MM 11060345	<b>WAS:</b>	148.00 182.43
--	-------------	------------------

Galvanized flanges with international specifications. Table D screwed and holes already drilled for pipe connection.

I\_F\_0253



**FLANGE BLACK WELD ON**

INCL044380 100MM 11069966	<b>WAS:</b>	55.18 65.72
INCL044381 125MM 11061680	<b>WAS:</b>	89.07 104.26
INCL044383 200MM 11061684	<b>WAS:</b>	134.32 160.67

Black weld on Table D flanges with international specifications. These flanges can be welded onto the pipe or the fitting, and an additional connection can be made when using bolts and nuts where flange have already been drilled. The product is sprayed with a thin layer of plastic to prevent rust.

I\_F\_0252



**STAND DRAGLINE CANE TRIPOD**

IUDS20X3000 20X3000MM 11092923	<b>WAS:</b>	203.99 330.00
--------------------------------------	-------------	------------------

I\_F\_0982



**BUTT HINGE BRASS PLATED AND SCREWS MACKIE**

MC14700 100MM 11100090	<b>WAS:</b>	12.19 17.22
------------------------------	-------------	----------------

H\_F\_1609





FLUSH EB AND SCREWS MACKIE

MC14800		17.48
100MM	<b>WAS:</b>	31.34
11014358		

H\_F\_1622



DOOR STOP SN MACKIE

MC21600		14.84
11100084	<b>WAS:</b>	28.74

H\_F\_1619



SAUSAGE FILLER ALUMINIUM NO 10 MEAT O MATIC

MOMM42845		33.02
22MM	<b>WAS:</b>	51.33
11126235		

Aluminium sausage filler for a no 10 Meat O Matic mincer at code MOMM9102

D\_f\_0040



BOLT HIGH TENSILE METRIC GALV M6 EA PP

N04060701		0.34
M6X70	<b>WAS:</b>	0.94
11098162		

B\_F\_0007



HINGE TEE GALVANISED AND SCREWS MACKIE

MC15500		20.74
250MM	<b>WAS:</b>	32.86
11014366		

H\_F\_1660



PROFILE CYLINDER ONLY SOLID BRASS MACKIE

MC27200		13.55
CHROME PLAT	<b>WAS:</b>	79.07
11100105		

H\_F\_1908



BOLT AND NUT MILD STEEL GALV M10 EA PP

N00102302		3.02
M10X230	<b>WAS:</b>	8.32
11097846		

B\_F\_0038



WASHER FLAT

N08320042		15.20
1 1/4" KG	<b>WAS:</b>	35.72
11097635		

B\_F\_0063



BOLT BARREL SOLID BRASS STRAIGHT AND SCREWS MACKIE

MC18500		11.47
64MM	<b>WAS:</b>	15.77
11013307		

H\_F\_1605



PROFILE CYLINDER LOCK & CYLINDER ONLY SOLID BRASS MACKIE

MC27300		26.16
CHROME PLAT	<b>WAS:</b>	152.60
11100102		

H\_F\_1907



BOLT AND NUT MILD STEEL GALV M24 EA PP

N00240652		7.52
M24X65	<b>WAS:</b>	19.80
11098125		

N00240752		8.92
M24X75	<b>WAS:</b>	22.65
11098127		

N00242002		20.34
M24X200	<b>WAS:</b>	55.36
11098120		

N00242552		26.66
M24X255	<b>WAS:</b>	66.55
11098122		

N00243002		31.99
M24X300	<b>WAS:</b>	68.13
11098123		

B\_F\_0042



BOLT AND NUT CUP HEAD GALV M12 EA PP

N10122556		6.49
M12X255	<b>WAS:</b>	13.90
11097947		

B\_F\_0032



DOOR STOP BP MACKIE

MC21500		11.29
11100083	<b>WAS:</b>	28.74

H\_F\_1618



ACCESSORY KIT COMPRESSOR 5PCE

MC30		287.04
11098648	<b>WAS:</b>	287.12

Consists of: spray gun, washing gun, air gun, inflating gun, paraffin gun and 4m flexible hose with bayonet connectors.

GA\_F\_0481



BOLT AND NUT COUNTER SUNK M12

N12120306		0.91
M12X30	<b>WAS:</b>	1.61
11097951		

B\_F\_0073



**BOLT HIGH TENSILE UNC GALV 1INCH**

N16251141 1"x4 1/2" 11097654	<b>WAS:</b>	10.60 30.39
N16251271 1"x5" 11097655	<b>WAS:</b>	14.06 38.79
N16251521 1"x6" 11097656	<b>WAS:</b>	14.14 46.22

B\_F\_0079



**NUT NYLOC UNF**

N22220221 7/8" (EA) 11097790	<b>WAS:</b>	2.46 7.75
------------------------------------	-------------	--------------

B\_F\_0084



**THREADED BAR HIGH TENSILE EA PP**

N34240001 M24 MTR 11124859	<b>WAS:</b>	32.36 114.21
----------------------------------	-------------	-----------------

B\_F\_0060



**TOOL SET BICYCLE PARTRITE INNOVATION**

NA19ATFHK3A114 16 in 1 11124066	<b>WAS:</b>	50.00 74.63
---------------------------------------	-------------	----------------

Compact tool with 16 different tools in one. Allen keys: 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm. Sockets: 8mm, 9mm, 10mm. Screwdrivers: flat 0.8x5mm and Phillips PH2. Spanners sized: 8mm, 10mm, 15mm. Spoke wrench 14G.

H\_F\_1168



**WRENCH SET MAGICAL PARTRITE INNOVATION**

NAHTN0911 6 IN 1 11102494	<b>WAS:</b>	75.00 182.99
---------------------------------	-------------	-----------------

Exchangeable ratchet wrench. Different tool heads: 1/4inch 3/8inch, 1/2inch, 1/4inch bit connector, 8mm bit connector, 10mm bit connector.

H\_F\_1171



**WRENCH PIPE ALUMINIUM PARTRITE INNOVATION**

NAHTN0913 10 INCH 11124067	<b>WAS:</b>	75.00 159.98
----------------------------------	-------------	-----------------

Multi-angle 10 inch(25.4MM) pipe wrench. Adjust to 9 angles. Hardened steel jaws. Ideal for tight locations. Lightweight. Adjustable to work at 20 degrees. Increments up to 180 degrees.

H\_F\_1170



**T HANDLE QUICK SWIVEL PARTRITE INNOVATION**

NALHE12 11124068	<b>WAS:</b>	50.00 97.50
---------------------	-------------	----------------

High speed removal and fastening of bolts in mechanical applications. 30cm Extension with 1/2 inch drive. Chrome vanadium with aluminium swivel grip.

H\_F\_1169



**WRENCH SET 4PC MULTI SIZE PARTRITE INNOVATION**

NASY12CRW03DB 9-20MM 11.32"- 11124069	<b>WAS:</b>	75.00 215.42
---	-------------	-----------------

Easy to operate. High torque. Small head. Suitable for limited spaces. Fits different types of bolts. Efficient and fits numerous sizes. Professional use, including auto and mechanical use.

H\_F\_1172



**CONTISUIT ROYAL BLUE**

PBRB48 48/122 11123878	<b>WAS:</b>	76.51 108.11
------------------------------	-------------	-----------------

PBRB50 51/127 11106388	<b>WAS:</b>	81.88 115.71
------------------------------	-------------	-----------------

PBRB52 52/132 11122731	<b>WAS:</b>	79.38 112.18
------------------------------	-------------	-----------------

Two piece 80/20 poly-cotton. Suitable for welders. SABS fabric.

H\_F\_1016



**CROSS REDUCING NYLON**

PKV2015 20X15MM 11126047	<b>WAS:</b>	0.93 1.44
--------------------------------	-------------	--------------

PKV2515 25X15MM 11126048	<b>WAS:</b>	1.51 2.31
--------------------------------	-------------	--------------

Polypropylene reducing cross insert fitting are used with low-density polyethylene pipe.

L\_F\_0112



**INSULATION TAPE PVC 10M 10 PACK**

PVCT00910 GREEN 11131809	<b>WAS:</b>	16.75 23.67
--------------------------------	-------------	----------------

PVCT01010 RED 11125589	<b>WAS:</b>	16.75 23.67
------------------------------	-------------	----------------

E\_f\_0257



**HOSE CLAMP HD YZP**

RHC2628 26-28MM 11126407	<b>WAS:</b>	3.18 4.47
--------------------------------	-------------	--------------

RHC3639 36-39MM 11126408	<b>WAS:</b>	4.09 4.54
--------------------------------	-------------	--------------

RHC4851 48-51MM 11126409	<b>WAS:</b>	4.75 5.04
--------------------------------	-------------	--------------

RHC5255 52-55MM 11126410	<b>WAS:</b>	4.44 5.84
--------------------------------	-------------	--------------

Galvanised heavy-duty clamps for hoses and other types of pipe.

L\_F\_0200



**SOCKET ROD ELECTRO PLATED**

RSSR012X5/8 5/8X12MM 11099423	<b>WAS:</b>	9.65 14.80
-------------------------------------	-------------	---------------

Connecting the pump rods with each other as well as with the cylinder.

L\_F\_0341



TROLLEY SPRINKLER GALVANISED 50MM

RST0050	1,273.76
11018782	<b>WAS:</b> 1,552.66

Trolley with 50mm male thread. Any make of canon sprinkler can be mounted.

I\_F\_0755



JACK HIGH LIFT 3TON

T9030	735.26
4X4 60INCH	<b>WAS:</b> 796.25
11108961	

Use as lifting jack for 4x4 vehicles and tractors. Ideal for lifting of pivots. Maximum lifting capacity of 3 ton. Top quality. One year guarantee on workmanship.

A\_F\_0140



VALVE FOOT HEAVY DUTY BRASS

TB511/0020	22.41
20MM	<b>WAS:</b> 25.59
11127601	

Brass foot valve used with suction hoses. Prevents stones going through to pump and stop water flowing out again.

I\_F\_0075



COUPLING GEKA TYPE FITTING FEMALE

TB523/0015	17.50
15MM	<b>WAS:</b> 20.21
11016589	

TB523/0025	16.91
25MM	<b>WAS:</b> 17.85
11064286	

Brass quick-coupling connector. Female thread for dragline and all other types of garden hose.

I\_F\_0078



TOY HARVERSTER SIKU CLAAS FORAGE JAGUAR 960 JOHN DEERE

SIKU4058	266.04
1:32	<b>WAS:</b> 422.94
11089741	

JD\_F\_2223



HOSE CLAMP EURO TYPE

TB304/CO056	1.72
78-102MM	<b>WAS:</b> 2.65
11091471	

General purpose clamps for use on irrigation, garden and automotive hoses such as radiator tube.

I\_F\_0198



VALVE FLOAT BRASS HIGH PRESSURE

TB513/0050	345.16
50MM	<b>WAS:</b> 426.75
11127585	

High pressure float valve, rough brass. Includes brass piston, back nut, nylon seat and long arm.

I\_F\_0443



COUPLING GEKA TYPE FITTING MALE

TB524/0015	11.62
13MM	<b>WAS:</b> 17.60
11092479	

TB524/0020	18.14
19MM	<b>WAS:</b> 19.14
11092480	

Brass quick-coupling connector. Male thread for dragline and all other types of garden hose.

I\_F\_0080



TARGO CLAAS C50 SIKU

SIKU4851	83.31
1:32	<b>WAS:</b> 132.44
11089676	

JD\_f\_2253



VALVE BALL FULL BORE

TB501/0080	711.42
80MM	<b>WAS:</b> 762.50
11092645	

Brass valve with chrome finish. Steel handle to control flow of water.

I\_F\_0066



VALVE FLOAT ARM ECON BRASS

TB519/1525	4.17
15-25MM	<b>WAS:</b> 12.46
11018800	

Brass float valve arm for replacement on float valve.

I\_F\_0446



COUPLING GEKA TYPE FITTING HOSE TAIL

TB525/0013	16.35
13MM	<b>WAS:</b> 17.36
11064285	

Brass quick-coupling connector. Hose end for dragline and all other types of garden hose.

I\_F\_0079



STATONET 50L/H GREEN

STAT50LH360	0.30
360°	<b>WAS:</b> 0.49
11061052	

I\_F\_0342



VALVE GATE FULL BORE BRASS

TB502/0025	72.92
25MM	<b>WAS:</b> 80.50
11095117	

TB502/0065	352.08
65MM	<b>WAS:</b> 396.70
11016415	

Female BSP threaded both ends. Regulates water by turning the wheel.

I\_F\_0076



COUPLING GEKA TYPE FITTING BLANK

TB523/0000	15.89
11025473	<b>WAS:</b> 22.28

Brass quick coupling blank cap to stop water supply.

I\_f\_0563



**ELBOW GALV FEMALE/FEMALE 90°**

TB900/0008 8MM	<b>WAS:</b>	1.51 2.95
TB900/0010 10MM	<b>WAS:</b>	2.24 3.62
TB900/0100 100MM	<b>WAS:</b>	131.14 140.12

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0041



**BEND GALV FEMALE/FEMALE 90°**

TB907/0015 15MM	<b>WAS:</b>	3.76 5.60
TB907/0020 20MM	<b>WAS:</b>	5.20 6.99
TB907/0025 25MM	<b>WAS:</b>	5.93 10.09
TB907/0050 50MM	<b>WAS:</b>	27.40 34.94
TB907/0065 65MM	<b>WAS:</b>	52.84 69.35
TB907/0080 80MM	<b>WAS:</b>	94.69 100.27

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0044



**ELBOW GALV MALE/FEMALE 90°**

TB901/0100 100MM	<b>WAS:</b>	67.50 92.66
---------------------	-------------	----------------

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0042



**SOCKET REDUCING GALV**

TB910/0050X0015 50X15MM	<b>WAS:</b>	6.05 9.76
TB910/0065X0032 65X32MM	<b>WAS:</b>	11.80 18.10

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0046



**BEND GALV MALE/FEMALE 90°**

TB905/0050 50MM	<b>WAS:</b>	51.65 62.46
--------------------	-------------	----------------

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0043



**TEE EQUAL GALV**

TB912/0008 8MM	<b>WAS:</b>	1.82 2.93
TB912/0010 10MM	<b>WAS:</b>	1.99 3.06
TB912/0100 100MM	<b>WAS:</b>	53.41 123.98

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0047



**PLUG HOLLOW GALV**

TB923/0080 80MM	<b>WAS:</b>	21.72 27.96
--------------------	-------------	----------------

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0055



**NUT BACK GALV**

TB931/0015 15MM	<b>WAS:</b>	1.69 2.71
TB931/0080 80MM	<b>WAS:</b>	9.47 14.51

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0058



**LONGSCREW GALV COMPLETE**

TB933/0040 40MM	<b>WAS:</b>	39.00 58.15
--------------------	-------------	----------------

Galvanised malleable pipe fittings with BSP-threads. A comprehensive range of high-quality pipe fittings manufactured according to international BS1387-standards and distributed worldwide.

I\_F\_0060



**TOY TRACTOR 135 WITH CAB MASSEY FERGUSON**

TGE2697X000	<b>WAS:</b>	446.81 757.68
-------------	-------------	------------------

Detailed 1:16 scale model replica of a Massey Ferguson vintage tractor. Features include enclosed cab with interior detail, rear hitch, opening hood to show engine workings, pivoting front wheels with rubber tyres. Model construction: Die cast metal and plastic. Age rating: 14+

JD\_F\_2661



**TOY TRAILER CLASSIC KANE**

TGE43153A1X000	<b>WAS:</b>	202.43 356.96
----------------	-------------	------------------

Kane classic trailer 1/32 with a lift feature and automatic opening and closing rear silage door, including a tow bar. The rear wheel steering and special spring loaded hitch soften the impact on the tractor hitch when transporting heavy loads. Age group:

JD\_F\_2550



**PULLY BLOCK 1WHEEL**

TR9110 20X125MM	<b>WAS:</b>	151.83 245.21
--------------------	-------------	------------------

Used with a rope for lifting of for instance borehole pipes. Maximum capacity of 1.5 tons. For use with 13 mm rope.

A\_F\_0139



**PULLY BLOCK 2WHEEL**

TR9120 20X125MM 11018888	<b>WAS:</b>	168.00 271.31
--------------------------------	-------------	------------------

Used with a rope for lifting of for instance borehole pipes. Maximum capacity of 1.5 tons. For use with 13 mm rope.

A\_F\_0138



**POOL WEIR VACUUM LID POOLQUIP**

WL550-2043 WHITE 11125492	<b>WAS:</b>	15.14 24.45
---------------------------------	-------------	----------------

Weir vacuum lid for Swimquip weir. TIP: If this part is cracked, air may enter the pool pump causing strain on it and bubble will become visible at the inlet jets in the pool. Suction leaks is a cause for low circulation pressure which prevent APC (Automatic Pool Cleaner) e.g. Kreeppy to work.

I\_F\_0911



**POOL SKIMMER LEAF**

WL570-1077 AQUAC CURE 11125509	<b>WAS:</b>	31.87 70.04
--------------------------------------	-------------	----------------

Used for removing leaves and debris from the water surface.

I\_F\_0882



**POOL CLEANER COMBI PACK GEMINI**

WL630-9500 11110854	<b>WAS:</b>	317.21 600.02
------------------------	-------------	------------------

Gemini pool cleaner including hoses.

I\_F\_0846



**TIP TOP TUBE PATCH 3 54MM (30)**

TT5000067 11070341	<b>WAS:</b>	25.07 40.49
-----------------------	-------------	----------------

Tube patches for the repair of cycle, motorcycle, car, tractor, truck tubes. These patches have a double scalloped edge that ensures perfect bonding and 100% vulcanisation. On inflation the patch stretches equally in all directions. This is further assisted by its non-stepped feathered edge.

A\_F\_0164



**POOL BRUSH ALGAE QUALITY**

WL570-0001 14" 11125522	<b>WAS:</b>	24.77 156.77
-------------------------------	-------------	-----------------

Strong and durable brush to remove algae. Long hard nylon bristles.

I\_F\_0843



**POOL THERMOMETERS ANIMAL CARD AQUA CURE**

WL610-1127 AQUA CURE 11110822	<b>WAS:</b>	21.82 41.29
-------------------------------------	-------------	----------------

High quality, floating thermometer. Marked Celsius and Fahrenheit.

I\_F\_0892



**CANDLE REPELLENT BUGGER-OFF**

BUG01 250G 11085203	<b>WAS:</b>	26.84 37.92
---------------------------	-------------	----------------

BUG14 800G 11028487	<b>WAS:</b>	78.14 110.42
---------------------------	-------------	-----------------

BUG20 125G 11028489	<b>WAS:</b>	17.69 25.00
---------------------------	-------------	----------------

Tinned long burning candle made from fine paraffin waxes with lead free wicks. The wax carries a cocktail of citronella and tagetes oil, which are released as the candle burns and repels mosquitoes. Burn this candle outside or for one hour in an enclosed area.

O\_F\_0408



**HOSE CLAMP UTILITY**

U37-42 37-42MM 11126404	<b>WAS:</b>	2.30 3.72
-------------------------------	-------------	--------------

U55-61 55-61MM 11126405	<b>WAS:</b>	2.64 4.04
-------------------------------	-------------	--------------

Galvanised utility clamps for hoses and other types of pipe.

I\_f\_0580



**POOL RAKE LEAF QUALITY**

WL570-0011 WHITE 11125524	<b>WAS:</b>	40.66 72.91
---------------------------------	-------------	----------------

Used for removing leaves and debris below the water surface.

I\_F\_0878



**POOL HOSE PENTAIR**

WL630-6004 WHITE 1.2M 11110848	<b>WAS:</b>	35.59 64.80
--------------------------------------	-------------	----------------

White economical replacement hose, that fits all makes of pool cleaners.

I\_F\_0867



**SOAP REPELLENT 100G BUGGER-OFF**

BUG05 11085162	<b>WAS:</b>	10.03 14.17
-------------------	-------------	----------------

A glycerine soap with a pH of 5.5. It prevents dryness and is scented with a blend of lemongrass, geranium and citronella oils. It will lather in the hard water of the bushveld. Can be used for washing hair and clothing.

O\_F\_0422



**POOL INSERT PVC/POLY GLUED QUALITY**

WL110-5017 50MM - 40MM 11125512	<b>WAS:</b>	2.53 3.89
---------------------------------------	-------------	--------------

Fitting used to connect 50mm PVC pipe to 40mm Polyethylene pipe (LDPE or HDPE black pipe). The PVC pipe is glued to the adaptor and the polyethylene pipe.

I\_F\_0869



**POOL SWEEPER REPLACEMENT BRUSH**

WL570-0021 HI VAC 11125498	<b>WAS:</b>	27.72 42.52
----------------------------------	-------------	----------------

A brush replace replacement for the hi vac brush if the bristles are worn.

I\_F\_0888



**POOL HOSE WEIGHT C-CLIP PENTAIR**

WL630-8116 CORAL 11110886	<b>WAS:</b>	36.69 53.33
---------------------------------	-------------	----------------

This easy connectable hose weight will help your disc based pool cleaner remain flat on the pool surface.

I\_F\_0866



**SPRAY REPELLENT 100ML BUGGER-OFF**

BUG07		25.95
11034591	<b>WAS:</b>	36.67

Bugger Off hand spray provides an effective cooling insect repelling spray. It should be liberally and regularly sprayed on ankles and forearms. Can be safely sprayed onto clothing and bedding.

O\_F\_0423



**FUEL LANTERN REPELLENT RED BUGGER-OFF**

BUG39		74.89
2L	<b>WAS:</b>	105.82
11041999		

BUG51		40.99
1L	<b>WAS:</b>	57.92
11103471		

Deodorised paraffin with a low flash point. Scented with citronella, lemongrass and eucalyptus. It is best used in Bugger off lanterns/wicker basket torches to help in the repelling of insects and in creating ambience. Three different colours: green, yellow and red are available.

O\_F\_0411



**CANDLES T LITE 9PCE BUGGER-OFF**

BUG55		25.95
11085198	<b>WAS:</b>	36.67

Provides an easy solution to all night protection from mosquitoes while travelling, hiking and camping.

O\_F\_0424



**CANDLE SCENTED ECO BUGGER-OFF**

BUG62		26.84
LAVENDER	<b>WAS:</b>	37.92
11044446		

BUG64		25.96
ALOE VERA	<b>WAS:</b>	36.68
11126279		

Long burning candle in a tin gives off a pleasant odour for repelling insects. Consists of eco-friendly pure essential oils. Deet free. Ideal for repelling mosquitoes, ticks and other insects. Burns for approx 35 hours.

O\_F\_0802



**FUEL LANTERN REPELLENT GREEN BUGGER-OFF**

BUG10		74.89
2L	<b>WAS:</b>	105.83
11085271		

BUG12		40.98
1L	<b>WAS:</b>	57.91
11085229		

Deodorised paraffin with a low flash point. Scented with citronella, lemongrass and eucalyptus. It is best used in Bugger Off lanterns/wicker basket torches to help in the repelling of insects and in creating ambience. Three different colours available: green, yellow and red.

O\_F\_0410



**FUEL LANTERN REPELLENT YELLOW BUGGER-OFF**

BUG38		74.89
2L	<b>WAS:</b>	105.83
11042000		

BUG52		40.93
1L	<b>WAS:</b>	57.84
11103472		

Deodorised paraffin with a low flash point. Scented with citronella, lemongrass and eucalyptus. It is best used in Bugger off lanterns/wicker basket torches to help in the repelling of insects and in creating ambience. Three different colours: green, yellow and red are available.

O\_F\_0412



**CRÈME REPELLENT KIDS BUGGER-OFF**

BUG57		23.52
100ML	<b>WAS:</b>	33.23
11029409		

This long lasting natural insect relling crème has being specially formulated for children. It has an aqueous gel base that will not dry or clog the skin. It contains essential oils and has a baby bouquet, providing long lasting protection.

O\_F\_0414



**CONTROLLER VSD CASCADE**

CAD-10M3015		1,908.60
1.5KW 3X230V	<b>WAS:</b>	2,383.34
11129262		

CAD-10T3022		2,467.51
2.2KW 400V	<b>WAS:</b>	3,201.85
11129263		

Easy to set VSD, that ensures a constant pressure by regulating the speed of the motor as the demand varies. Dry run protection included. Can save energy from 20% to 50%. Water pressure constant. Prolonging the service life of the pipe network. Fully Stainless Steel - No pollution of water. Simple operation: All functions can be easily set, no need for professional troubleshooting. Motor soft start: improving power factor and prolonging the service life of the water pump. Wide voltage range: the pump can work stably when the voltage range is 160V-250V. Highly integrated design: combining the inverter system, control, protection, cooling and sensor system.

L\_F\_0935



**LAMP REPELLENT 3 PACK PARTY BUGGER-OFF**

BUG32		135.34
11103475	<b>WAS:</b>	191.26

The Bugger Off 3 pack party pack provides the users with three 250 ml lamps which have chimneys, wicks, fuel and travel lids in a variety of 3 different colours to brighten up any occasion whilst providing hours of protection from insects.

O\_F\_0416



**LAMP SINGLE PARTY PACK BUGGER-OFF**

BUG53		49.54
YELLOW	<b>WAS:</b>	70.00
11103473		

BUG54		49.54
RED	<b>WAS:</b>	70.00
11126278		

Single lamp with citronella oil, when ignited keeps mosquitos and bugs away from the area.

O\_F\_0593



**AEROSOL REPELLENT BUGGER-OFF**

BUG58		34.09
150 ML	<b>WAS:</b>	48.17
11096549		

BUG59		52.37
240 ML	<b>WAS:</b>	74.00
11103476		

Aerosol containing a natural mosquito repellent, providing long lasting protection from mosquitos via an easy all over application. This product contains tagetes oil and 5 other natural insect repelling ingredients.

O\_F\_0407



**SOLENOID VALVE 25MM 24V CEPEX**

CEP56114		91.70
VALVE SOLEN	<b>WAS:</b>	133.28
11110076		

Solenoid valve 25mm 24v Cepex.

L\_F\_0751





**TEE COMPRESSION MALE CEPEX**

COM01546	147.95
75X2 1/2"	<b>WAS:</b> 183.21
11066101	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these 16bar fittings to pull-out exceeds the requirements of all standards.

I\_F\_0245



**SADDLE COMPRESSION CEPEX**

COM01707	11.04
40X3/4	<b>WAS:</b> 12.40
11016794	

COM01709	10.02
50X1/2	<b>WAS:</b> 15.37
11119829	

COM01712	18.87
50X1-1/4	<b>WAS:</b> 28.50
11119830	

COM01714	15.44
63X3/4	<b>WAS:</b> 19.81
11065562	

COM01715	16.41
63X1	<b>WAS:</b> 20.69
11016766	

COM01718	23.35
75X1/2	<b>WAS:</b> 35.82
11129026	

COM01722	40.96
75X1-1/2	<b>WAS:</b> 49.40
11119834	

COM01731	63.35
110X1	<b>WAS:</b> 69.23
11065814	

COM01737	52.94
125X1	<b>WAS:</b> 76.94
11119823	

COM01745	106.15
160X1	<b>WAS:</b> 162.86
11119825	

COM01747	122.12
160X2	<b>WAS:</b> 187.36
11119826	

COM01748	111.81
160X3	<b>WAS:</b> 180.57
11066061	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal - achieved by the rubber O-ring - ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these fittings to pull out exceeds the requirements of all standards. The nominal operating pressures for the compression saddles are as follows: 16mm-63mm are 10Bar rated, 75mm - 110mm are 6Bar rated.

I\_F\_0640



**ELBOW COMPRESSION CEPEX**

COM17898	178.18
90MM	<b>WAS:</b> 186.65
11066105	

COM17899	206.04
110MM	<b>WAS:</b> 342.48
11066152	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these 16bar fittings to pull-out exceeds the requirements of all standards.

I\_F\_0239



**SAUSAGE FILLER GEARS ALUM CLAASENS**

CL3WS210	999.00
3.1LT	<b>WAS:</b> 3,220.00
11026608	

To make your own boerewors has never been easier. Epoxy coated. Aluminium barrel. Two speed gearbox with crank handle. 3.1L/3.1kg meat. Coupling for standard filling pipes. Stand to make filling easy. 2 x Filling pipes included. Packed weight: 11 kg. Package dimensions: 660X210X245MM.

D\_f\_0080



**BLADE RPLMNT ALMINM CHUNK SLICER CLAASENS**

CLACSL1151	59.00
11031823	<b>WAS:</b> 133.34

Hardened steel blade.

D\_f\_0084



**COUPLING COMPRESSION REDUCING CEPEX**

COM01563	61.50
75X63MM	<b>WAS:</b> 94.35
11129024	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these 16bar fittings to pull-out exceeds the requirements of all standards.

I\_F\_0238



**ENDCAP COMPRESSION CEPEX**

COM01600	3.49
16MM	<b>WAS:</b> 5.63
11129025	

COM17935	62.11
90MM	<b>WAS:</b> 95.28
11129028	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these 16bar fittings to pull-out exceeds the requirements of all standards.

I\_F\_0242



**ADAPTOR COMPRESSION MALE CEPEX**

COM01598	82.58
75X2 1/2"	<b>WAS:</b> 99.35
11119811	

COM09711	99.86
75X3"	<b>WAS:</b> 105.32
11065952	

COM17934	117.06
110X4"	<b>WAS:</b> 179.60
11119809	

Cepex compression fittings are suitable for use with the whole range of HD polyethylene pipe. Outer dimensions manufactured to ISO standards, from 16mm to 110mm. The perfect seal ensures complete water-tightness whether the pipe is bent or straight. It works well in high-pressure as well as low-pressure applications. The resistance of these 16bar fittings to pull-out exceeds the requirements of all standards.

I\_F\_0236



**SPARK PLUG CHAMPION**

AUTO017	8.82
N7YC	<b>WAS:</b> 14.24
11124709	

AUTO019	14.10
CJ8	<b>WAS:</b> 22.89
11131105	

For use with internal combustion petrol engines.

A\_f\_0253



**COVERCO SUBMERSIBLE MOTOR 400V**

BF0940	1,042.68
3KW	<b>WAS:</b> 1,515.52
11125535	

NWS4 100 mm Rewindable submersible motor for standard applications with maintenance free lubricated bearings and approved non-toxic cooling fluid. Dimensions and flange according to NEMA 4" and 6" standards. Water pH6.5-8.0 and maximum temperature of 35°C. Mounting horizontal or vertical. Motor can be installed to a maximum depth of 350m.

I\_F\_0226





**COVERCO CONTROL BOX 230V**

BF1005 0.55KW 230V 11017728	<b>WAS:</b>	412.09 250.88
BF1010 0.75KW 230V 11017730	<b>WAS:</b>	432.63 540.32
BF1015 1.1KW 230V 11017731	<b>WAS:</b>	439.02 370.10
BF1025 2.2KW 230V 11017733	<b>WAS:</b>	661.37 961.29

Control box with run capacitor, thermal circuit brake, special relay and hard-start capacitor for high starting torque. Control box for Coverco single phase submersible motors.

L\_F\_0398



**CRI SUBMERSIBLE MOTOR RESIN FILLED 100MM 380V**

CRIFP4P0151807M S4P-1E/18 0.75 11060581	<b>WAS:</b>	452.23 691.91
CRIFP4P0153315M S4P-1E/33 1.50 11061003	<b>WAS:</b>	669.60 1,024.48
CRIJFM4ET30LKXX 3KW 11061304	<b>WAS:</b>	1,742.67 2,666.26

L\_f\_0617



**SPICE STEAK MIX TEXAN CROWN**

CN4402210 1KG 11029303	<b>WAS:</b>	55.00 73.92
------------------------------	-------------	----------------

Legendary steak seasoning with a sweet and slightly aromatic flavour, perfect for steaks and meat on the grill.

D\_f\_0278



**SPICE BOEREWORS GOUDVELD CROWN**

CN4420000 1.1KG 11026457	<b>WAS:</b>	60.00 94.94
--------------------------------	-------------	----------------

Flavoured with the traditional Transvaal way, with strong coriander notes supported by a hint of glove, nutmeg and black pepper

D\_f\_0059



**CABLE CLIP ROUND CURRENT**

CRCS002 20 PK 5MM 11131678	<b>WAS:</b>	1.50 2.01
CRCS006 20 PK 9MM 11131682	<b>WAS:</b>	1.43 3.48
CRCS013 100PK 5MM 11131670	<b>WAS:</b>	3.76 9.11

Suitable for indoor and outdoor use. Secures cables. Keep away from children.

E\_f\_0271



**TAPE INSULATION PVC ELECTRICAL CURRENT**

CRIT003 20M GREEN 11116779	<b>WAS:</b>	5.00 9.12
CRIT005 20M YELLOW 11116781	<b>WAS:</b>	5.00 9.12
CRIT006 20M BLUE 11116782	<b>WAS:</b>	5.00 9.12
CRIT007 10M BLACK 11116783	<b>WAS:</b>	2.00 3.91
CRIT008 10M WHITE 11116784	<b>WAS:</b>	2.00 3.91
CRIT009 10M GREEN 11116785	<b>WAS:</b>	2.00 3.91
CRIT010 10M RED 11116786	<b>WAS:</b>	2.00 3.91
CRIT011 10M YELLOW 11116787	<b>WAS:</b>	2.00 3.91

Suitable for mechanical and electrical applications for insulated connection, phase labelling, sheath protection and colligation of wire and cable under the voltage of 600V and on the environment temperature between °C80°C. It can also be used for fixation, splicing, capsulation and protection in the industry.

E\_f\_0274



**LIGHTBULB 5W LED MR16 CURRENT**

CRLED005 CW 11131742	<b>WAS:</b>	30.05 42.27
----------------------------	-------------	----------------

Luminous flux: 400 lumens. Colour temperature: WW: 3000K, CW: 4000K. Beam angle: 60°. LED type: COB. Input voltage: AC 12V.

E\_f\_0276



**LIGHTBULB 3W LED MR16 2 PACK CURRENT**

CRLED007 WW 11131780	<b>WAS:</b>	20.99 29.67
----------------------------	-------------	----------------

Luminous flux: 200 lumens. Beam angle: 120°. LED type: SMD2835. Colour temperature: WW: 3000K, CW: 4000K. Input voltage: AC 12V.

E\_f\_0278



**LIGHTBULB 4W LED MR16 CURRENT**

CRLED012 WW 11131782	<b>WAS:</b>	13.65 19.27
----------------------------	-------------	----------------

Luminous flux: 320 lumens. Colour temperature: WW: 3000K, CW: 4000K. Beam angle: 60°. LED type: SMD2835. Input voltage: AC 12V.

E\_f\_0280



**LIGHTBULB 8W LED R63 CURRENT**

CRLED015 CW 11131784	<b>WAS:</b>	18.30 25.86
----------------------------	-------------	----------------

Luminous flux: 650 lumens. Beam angle: 45°. LED type: SMD2835. Colour temperature: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0282







**LIGHTBULB 4W LED CANDLE CURRENT**

CRLED019 WW E27/ES 11131775	<b>WAS:</b>	12.18 17.21
CRLED031 CW E14/SES 11131736	<b>WAS:</b>	20.86 34.01

Luminous flux: 350 lumens. Beam angle: 240°. LED type: SMD2835. Colour temperature: WW: 3000K, CW: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0284



**LIGHTBULB 12W LED G13 TUBE CURRENT**

CRLED023 60MM CW 11131789	<b>WAS:</b>	42.62 60.22
---------------------------------	-------------	----------------

Luminous flux: 1000 lumens. Beam angle: 160°. LED type: SMD2835. Colour temperature: 3000K, CW: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0287



**LIGHT SOLAR PIR FLOOD 10W 600 LUMENS CURRENT**

CRMSD0307PIR 600 LUMENS 11112288	<b>WAS:</b>	472.99 668.39
--	-------------	------------------

9V 3W Monocrystalline solar panel. 600 lumens. Wire lead: 5m with plug. Charging time: 6-8 hours. Day/Night sensor. PIR. COB white floodlight. 7.4V 2200mAh Li-Ion rechargeable battery.

GA\_F\_0683



**FLOODLIGHT 10W LED CURRENT**

JFX01-P1W10A1 750 LUMENS 11121106	<b>WAS:</b>	70.00 98.89
---	-------------	----------------

Luminous flux: 750 lumens. Size: 130mm x 90mm x 25mm. Beam angle: 120°. Protection grade: IP65. Colour temperature: 3000-6500K. Input voltage: AC 220-240; 110-130V. Operating temperature: -30°C+45°C. Shell colour: black. Slimline design.

E\_f\_0295



**LIGHTBULB 3W FILAMENT LED CANDLE CURRENT**

CRLED020 WW E14/SES 11131774	<b>WAS:</b>	20.05 28.33
------------------------------------	-------------	----------------

Luminous flux: 220 lumens. Beam angle: 360°. LED type: COB. Colour temperature: WW: 3000K, CW: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0285



**LIGHTBULB 24W LED G13 TUBE CURRENT**

CRLED024 1200MM CW 11131788	<b>WAS:</b>	56.58 79.95
-----------------------------------	-------------	----------------

Luminous flux: 1000 lumens. Beam angle: 160°. LED type: SMD2835. Colour temperature: 3000K, CW: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0288



**LIGHT SOLAR PIR FLOOD PLASTIC 400 LUMENS CURRENT**

CRPIR02SN 400 LUMENS 11112287	<b>WAS:</b>	150.00 236.29
-------------------------------------	-------------	------------------

Plastic fixture with plastic lens. SMD white LEDs. Amorphous solar panel. 400mAh AA Ni-CD battery pack (cannot be replaced). ON/OFF switch. 400 lumens for 20 minutes thereafter light gradually dims.

GA\_F\_0682



**FLOODLIGHT 10W LED DAY/NIGHT SENSOR CURRENT**

JFX01-P1W10L1 750 LUMENS 11121103	<b>WAS:</b>	111.64 157.83
---	-------------	------------------

Luminous flux: 750 lumens. Size: 130mm x 90mm x 25mm. Beam angle: 120°. Protection grade: IP65. Colour temperature: 3000-6500K. Input voltage: AC 220-240; 110-130V. Operating temperature: -30°C+45°C. Shell colour: black. Slimline design.

E\_f\_0299



**LIGHTBULB 6W FILAMENT LED CANDLE CURRENT**

CRLED021 WW E27/ES 11131776	<b>WAS:</b>	26.91 38.02
-----------------------------------	-------------	----------------

CRLED022 WW B22/BC 11131770	<b>WAS:</b>	27.11 38.31
-----------------------------------	-------------	----------------

Luminous flux: 580 lumens. Beam angle: 360°. LED type: COB. Colour temperature: WW: 3000K. Input voltage: AC 220V - 240V.

E\_f\_0286



**LIGHTBULB 8W LED A60 CURRENT**

CRLED029 WW E27/ES 11131733	<b>WAS:</b>	26.50 38.97
-----------------------------------	-------------	----------------

Luminous flux: 790 lumens. Beam angle: 270°. LED type: SMD2835. Colour temperature: 3000K - 4000K. Input voltage: AC 220V - 240V.

E\_f\_0283



**LIGHT SOLAR WALL PIR 80MM DIA CURRENT**

CRPIR06SN 100 LUMENS 11112284	<b>WAS:</b>	160.12 226.32
-------------------------------------	-------------	------------------

Diameter of 80mm. Multi-crystal solar panel. Five piece super bright white LEDs. Activated 100ml, standby 5ml. A 14500 3.2V 600mAh Li-Ion battery. One sensor, 30 second timer, 120° angle. 8' 10m Distance. Stainless steel finish with glass lens.

GA\_F\_0673



**FLOODLIGHT 10W LED MICROWAVE SENSOR CURRENT**

JFX01-P1W10M2 750 LUMENS 11121104	<b>WAS:</b>	141.83 200.29
---	-------------	------------------

Luminous flux: 750 lumens. Size: 130mm x 90mm x 29mm. Beam angle: 120°. Protection grade: IP65. Input voltage: AC 220-240; 110-130V. Operating temperature: -30°C+45°C. Shell colour: black. Slimline design.

E\_f\_0301



**LIGHTBULB 4W LED GOLF BALL CURRENT**

CRLED044 WW B22/BC 11131721	<b>WAS:</b>	22.91 32.70
-----------------------------------	-------------	----------------

Luminous flux: 350 lumens. Beam angle: 240°. LED type: SMD2835. Colour temperature: 3000K, CW: 4000K. Input voltage: AC 220V - 240V.

E\_f\_0292



**LIGHT SOLAR GARDEN SPOT PLASTIC 130MM DIA CURRENT**

CRSP02A 20 LUMENS 11112228	<b>WAS:</b>	63.85 92.45
----------------------------------	-------------	----------------

Diameter of 130mm, 80mm wide and 360mm high. Plastic fixture with clear plastic lens. One white LED. Multi-crystalline solar panel. One 1.2V 2000mAh AA Ni-MH battery. ON/OFF switch.

GA\_F\_0677



**FLOODLIGHT 20W LED DAY/NIGHT SENSOR CURRENT**

JFX02-P1W20L1 1500 LUMENS 11121102	<b>WAS:</b>	214.97 303.88
--	-------------	------------------

Luminous flux: 1500 lumens. Size: 180mm x 130mm x 30mm. Beam angle: 120°. Protection grade: IP65. Colour temperature: 3000-6500K. Input voltage: AC 220-240; 110-130V. Operating temperature: -30°C+45°C. Shell colour: black. Slimline design.

E\_f\_0300





**CABLE HOUSEHOLD DIGITECH**

DT045 1.5MM BLUE 20 11057439	<b>WAS:</b>	51.82 85.00
DT048 1.5MM GREEN 11102687	<b>WAS:</b>	36.17 85.00
DT056 2.5MM BLUE 10 11057441	<b>WAS:</b>	32.78 66.00

Is suitable for power and lighting circuits and building wiring. The cable is intended for use in semi-flush exposed conduits and embedded conduits as well as in closed installation ducts, and is ideal for the internal wiring of appliances.

E\_f\_0102



**CORD GRIP NYLON WHITE**

DT178 11102733	<b>WAS:</b>	2.93 6.00
-------------------	-------------	--------------

E\_F\_0358



**PLANT BAG PLASTIC BLACK**

DPPB25LT 225X225MM 100 11070896	<b>WAS:</b>	9.07 12.81
DPPB5LT 275X300MM 100 11098572	<b>WAS:</b>	13.16 18.56

Price indicated applicable to a pack containing 25 bags, VAT excluded. Discount for quantities more than 100. For more information call 010 045 0705.

GA\_F\_0388



**PAINT BRICK/SLASTO DRESSING DULUX**

P5146897 5L 11116601	<b>WAS:</b>	301.10 504.61
----------------------------	-------------	------------------

Recommended where a matt finish is required to hide minor imperfections. Dries to an attractive matt finish. Easy application by brush or roller. Excellent cover. Good alkali resistance. Good interior washability.

P\_F\_0067



**PAINT LUXURIOUS SILK DULUX**

P5146966 1L IVORY LACE 11101873	<b>WAS:</b>	76.37 151.13
---------------------------------------	-------------	-----------------

P5146970 1L NATURAL C 11101874	<b>WAS:</b>	76.37 151.13
--------------------------------------	-------------	-----------------

P5146993 1L BASE 6 U/DE 11116361	<b>WAS:</b>	79.16 130.10
--	-------------	-----------------

P5146994 20L BASE 6 U/D 11116363	<b>WAS:</b>	851.71 1,399.92
--	-------------	--------------------

P5146996 1L BASE 7 PAS 11116364	<b>WAS:</b>	90.06 148.92
---------------------------------------	-------------	-----------------

P5146998 5L BASE 7 PAS 11116365	<b>WAS:</b>	286.70 471.24
---------------------------------------	-------------	------------------

P5146999 1L BASE 8 MED 11116367	<b>WAS:</b>	86.93 142.89
---------------------------------------	-------------	-----------------

P5147000 20L BASE 8 ME 11116369	<b>WAS:</b>	948.65 1,537.48
---------------------------------------	-------------	--------------------

P5147001 5L BASE 8 MED 11116368	<b>WAS:</b>	275.10 452.20
---------------------------------------	-------------	------------------

P5147002 1L BASE 9 DEE 11116370	<b>WAS:</b>	82.82 136.12
---------------------------------------	-------------	-----------------

P5147003 20L BASE 9 DE 11116372	<b>WAS:</b>	891.09 1,464.65
---------------------------------------	-------------	--------------------

P5190145 1L WET CLAY 11101923	<b>WAS:</b>	76.37 151.13
-------------------------------------	-------------	-----------------

P5190514 1L MISTY MOR 11101924	<b>WAS:</b>	76.37 151.13
--------------------------------------	-------------	-----------------

Recommended for all interior walls that require a long-lasting washable and scrub resistant finish. Supreme stain resistance. Excellent clean ability and wear resistance. Superior coverage. Low outdoor. Superb appearance with even silky finish.

P\_F\_0014



**PAINT ROOFGUARD DULUX**

P5147012 5L ATLANTIC B 11116378	<b>WAS:</b>	287.93 380.28
---------------------------------------	-------------	------------------

For application to new galvanised iron, fibre cement and cement tiles. Although essentially a roof paint, it also has other applications such as side cladding, galvanised iron garage doors, gutters and downpipes, garden pots and suitably prepared Chromadek surfaces. High quality pure acrylic finish. Colour fade and UV resistant. superior Adhesion. Sheds dirt. Excellent water resistance.

P\_F\_0351



**PAINT ROOFGUARD DULUX**

P5147008 5L BRAZILIAN B 11116382	<b>WAS:</b>	331.22 380.28
--	-------------	------------------

P5147024 5L REDDENED 11116392	<b>WAS:</b>	316.16 380.28
-------------------------------------	-------------	------------------

For application to new galvanised iron, fibre cement and cement tiles. Although essentially a roof paint, it also has other applications such as side cladding, galvanised iron garage doors, gutters and downpipes, garden pots and suitably prepared Chromadek surfaces. High quality pure acrylic finish. Colour fade and UV resistant. superior Adhesion. Sheds dirt. Excellent water resistance.

P\_F\_0351



**PAINT WEATHERGUARD 5L DULUX**

P5147079 5L MALAGA 11126002	<b>WAS:</b>	165.95 362.27
-----------------------------------	-------------	------------------

P5147083 5L PALOMINO 11116548	<b>WAS:</b>	299.00 362.27
-------------------------------------	-------------	------------------

P5147089 5L CASTILLE 11011544	<b>WAS:</b>	199.47 362.27
-------------------------------------	-------------	------------------

P5147091 5L MARBELLA 11126003	<b>WAS:</b>	209.72 362.27
-------------------------------------	-------------	------------------

P5147097 5L ALCUDIA 11116528	<b>WAS:</b>	252.81 362.27
------------------------------------	-------------	------------------

P5147107 5L CHALK STO 11116534	<b>WAS:</b>	62.29 362.27
--------------------------------------	-------------	-----------------

P5147111 5L LEOPARDS 11116540	<b>WAS:</b>	299.00 362.27
-------------------------------------	-------------	------------------

P5147119 5L PHEASANT 11116550	<b>WAS:</b>	258.06 362.27
-------------------------------------	-------------	------------------

Ideal as a finishing coat for exterior raw or previously painted concrete, plaster or fibre cement surfaces. Particularly recommended for direct application to exterior plastered surfaces where hairline cracks are present. Capable of completely covering hairline cracks on ageing. Good exterior durability makes it ideal for use on high rise buildings, major building projects, flats, townhouses and homes. Recommended for exterior walls. Fine textured finish. Unique texture hides plaster imperfections. Maxiflex provides lasting elasticity against hairline cracks. Excellent weather resistance. Tough, durable and water resistant.

P\_F\_0357



**PAINT WEATHERGUARD 20L DULUX**

P5147120 20L CINNAMON 11116537	<b>WAS:</b>	791.32 884.64
--------------------------------------	-------------	------------------

Ideal as a finishing coat for exterior raw or previously painted concrete, plaster or fibre cement surfaces. Particularly recommended for direct application to exterior plastered surfaces where hairline cracks are present. Capable of completely covering hairline cracks on ageing. Good exterior durability makes it ideal for use on high rise buildings, major building projects, flats, townhouses and homes. Recommended for exterior walls. Fine textured finish. Unique texture hides plaster imperfections. Maxiflex provides lasting elasticity against hairline cracks. Excellent weather resistance. Tough, durable and water resistant.

P\_F\_0029





**PAINT PRIMER FOR GALVANISED IRON DULUX**

P5147203		127.99
1L	<b>WAS:</b>	200.41
11116613		

Primer for galvanised iron with anti-corrosive pigment. Must be recoated after 18 hours but before 36 hours. Water-base. Spreading rate: approximately 13m<sup>2</sup>/L.

P\_F\_0150



**PAINT EGGSHELL ENAMEL DULUX**

P5147275		104.38
1L BASE 6 U/DE	<b>WAS:</b>	177.92
11116300		

P5147276		406.00
5L BASE 6 U/DE	<b>WAS:</b>	494.21
11116301		

P5147279		101.56
1L BASE 8 MED	<b>WAS:</b>	195.40
11116304		

P5147280		445.90
5L BASE 8 MED	<b>WAS:</b>	542.78
11116305		

P5147281		153.63
1L BASE 9 DEE	<b>WAS:</b>	186.14
11116306		

Highly recommended for plaster, metal and woodwork. Appropriate primers and undercoats must always be used, particularly on new work. Ideal for kitchens, bathrooms and children's playrooms. Exceptionally tough finish. Scratch resistant. Stain resistant. Superb appearance with an even eggshell finish.

P\_F\_0070



**DULUX PAINT ENAMEL GLOSS**

P5147221		62.77
500ML CREAM	<b>WAS:</b>	74.72
11116340		

P5147229		67.01
1L MIDDLE BRO	<b>WAS:</b>	143.46
11025157		

P5147248		64.04
500ML BROWN	<b>WAS:</b>	74.72
11116343		

P5147258		121.59
1L BURGUNDY	<b>WAS:</b>	143.46
11116338		

P5147259		39.71
500ML BURGU	<b>WAS:</b>	74.72
11116337		

P5147265		119.73
1L BASE 8 MED	<b>WAS:</b>	140.60
11116314		

P5147266		300.95
5L BASE 8 MED	<b>WAS:</b>	390.55
11116315		

P5147267		85.54
1L BASE 9 DEE	<b>WAS:</b>	133.95
11116326		

Highly recommended for plaster, metal and woodwork. Appropriate primers and undercoats must always be used, particularly on new work. Extremely durable. Colour fade resistant. Scratch and stain resistant. Superb appearance with even gloss finish.

P\_F\_0011



**PAINT CLEANER FOR GALVANISED IRON DULUX**

P5147287		171.08
5L	<b>WAS:</b>	263.59
11116655		

For cleaning galvanised iron and removing oil, grease and soot. Suitable for removing stubborn grease and grime from garage floors and drains. Spreading rate: approximately 4.5m<sup>2</sup>/L.

P\_F\_0146



**BLADE STEEL 2-TOOTH 255MM EFCO**

EF4095-567		47.40
	<b>WAS:</b>	68.89
YEF4095-567		

Brush cutter steel blade 255m diameter 2 tooth.

GA\_F\_0062



**GEARBOX GREASE BRUSHCUTTER EFCO**

EF4174-238		53.74
	<b>WAS:</b>	78.11
11035046		

EfcO brush cutter gearbox grease.

GA\_F\_0066




**BRUSHCUTTER AIR FILTER 8530 EFCO**

EF6112-0018R		41.28
	<b>WAS:</b>	60.00
11091042		

Air filter for EfcO 8530 brush cutter.

GA\_F\_0081



**FILTER AIR BRUSH CUTTER STARK 42 EFCO**

EF6120-0025R		20.64
	<b>WAS:</b>	30.00
11091043		

Air filter for EfcO stark 44 brush cutter.

GA\_F\_0084



**BRUSHCUTTER NYLONHEAD STARK 42 EFCO**

EF6301-9001A		77.45
	<b>WAS:</b>	112.57
11091044		

Nylon cutting head for EfcO stark 44 petrol brush cutter.

GA\_F\_0086



**HEATER WALL PANEL ELEMENTS**

PH08H-DP		243.39
	<b>WAS:</b>	343.93
11129299		

425 watts. Save more than 50% on your room heating costs. Suitable for room size of 12m<sup>2</sup>. Wall mount, slimline design for space saving. Easy to install. Includes drill bits and screws. Paintable to suit your home décor.

D\_F\_0425



**PENLITE ENERGIZER**

E300266400		21.43
	<b>WAS:</b>	34.07
11126670		

Reliable LED technology. 1 White LED gives 7 lumens of light. Bright concentric beam. Beam distance of 11m. Energy efficient LED bulb never need replacing. Compact and lightweight - fits easily in pocket, purse or bag. Sturdy clip secures penlight to pocket, file or objects. Tail and push button switch for easy on/off, one-handed operation. Runtime: approx. 21 hours per set of batteries.

O\_F\_1276



**LIGHT BOOK ENERGIZER**

E300477600		43.80
BLACK	<b>WAS:</b>	69.63
11034490		

Simple to fix with clamp base - hands free. Flexible neck, in order to align light. Foldable for easy storage. Smooth and compact design for easy transport. For books, laptops, E-book reader and terminal boards.

O\_F\_1274





**MAGNET LIGHT ENERGIZER**

E300682400	42.59
11126669	<b>WAS:</b> 67.70

Light Output: 25 lumens. Run Time: 14 hours. Beam Distance: area. Impact Resistant: 1 meter. Water Resistant: IPX4. Totally hands free. Compact, unique design. Powerful magnetic fastening system. Wearable, attaches to clothing & bag straps. Attaches to any magnetic surface. Weatherproof. Lens diffuser for area illumination. Designed to last 10 years. 2 x 2032 Specialty batteries included.

O\_F\_1277



**TORCH PRODIGY LED 2AA ENERGIZER**

MLED2AA	134.93
11126663	<b>WAS:</b> 190.66

O\_f\_0840



**FELCO SPARE BLADE 6/3**

FEL63	71.77
11071210	<b>WAS:</b> 101.42

GA\_F\_0237



**FRANKLIN SUBMERSIBLE MOTOR 230V**

BI0035-DP	1,763.36
2.2KW 100MM	<b>WAS:</b> 2,697.91
11130133	

All single and three-phase motors must be installed with approved surge arrestors, to be fitted as close to the borehole as possible and earthed to the motor casing. Three-phase motors must have adequate overload protection. Matching Franklin control box or BlacBocs must be installed with single-phase motors, codes 302100-302106. Motors fitted with lead-out cable. Standard construction motors.

I\_F\_0033



**FRANKLIN SUBMERSIBLE MOTOR 400V**

BI0040	996.55
0.37KW 100MM	<b>WAS:</b> 965.65
11061365	

All single and three-phase motors must be installed with approved surge arrestors, to be fitted as close to the borehole as possible and earthed to the motor casing. Three-phase motors must have adequate overload protection. Matching Franklin control box or BlacBocs must be installed with single-phase motors, codes 302100-302106. Motors fitted with lead-out cable. Standard construction motors.

I\_F\_0225



**MOTOR SUBMERSIBLE 400V FRANKLIN**

BI0060	1,251.22
1.5KW 100MM	<b>WAS:</b> 2,020.71
11021228	
BI0085	4,677.63
4.0KW 100MM	<b>WAS:</b> 7,554.31
11130136	
BI0127	17,671.65
45.0KW 150MM	<b>WAS:</b> 17,671.65
11125533	

All single and three-phase motors must be installed with approved surge arrestors, to be fitted as close to the borehole as possible and earthed to the motor casing. Three-phase motors must have adequate overload protection. Matching Franklin control box or BlacBocs must be installed with single-phase motors, codes 302100-302106. Motors fitted with lead-out cable. Standard construction motors.

I\_F\_0225



**FRANKLIN CONTROL BOX 230V**

BI0135	420.26
0.75KW	<b>WAS:</b> 638.16
11060478	

Standard control box for use with 230V Franklin electric motors.

I\_F\_0034



**FRANKLIN CONTROL BOX BLAC BOCS PLUS**

BI1805	1,167.92
0.37KW 400V	<b>WAS:</b> 1,697.56
11061194	

Protects Franklin three phase electric submersible motors by monitoring the supply voltage, current and shaft loads. Data is collected on the control box and can be downloaded via data reader for effective fault finding.

I\_F\_0038



**VELLIE MENS GARTH LIMESTONE FREESTYLE**

174205GARTH6	334.17
6	<b>WAS:</b> 500.00
11125570	

Garth Veldskoek: limestone full grain leather. Classic veldskoek with a distressed finish. Handcrafted in a rugged stitch down construction. The soles are moulded in-house from imported Italian material for greater durability and comfort. It features a padded lining for extra comfort.

CA\_F\_0003



**BLADE CIRCULAR SAW FUSION**

FSNCC001	22.92
185MMX24TX22	<b>WAS:</b> 32.40
11102485	
FSNCC002	28.31
185MMX36TX22	<b>WAS:</b> 40.00
11102486	
FSNCC003	35.12
210MMX48TX22	<b>WAS:</b> 49.62
11102487	
FSNCC004	60.25
254MMX60TX22	<b>WAS:</b> 85.14
11102488	

Suitable for ripping or crosscutting hard and soft woods.

H\_F\_1367



**CUTTING DISC STONE/MASONRY SHAPE 42 FUSION**

FSNCD003	3.22
115X3.0X22.2M	<b>WAS:</b> 4.56
11107453	

Suitable for cutting masonry and stone

H\_F\_1386



**CUTTING DISC STONE/MASONRY SHAPE 41 FUSION**

FSNCD001	3.28
115X1.6X22.2M	<b>WAS:</b> 4.63
11107452	
FSNCD004	7.23
230X3.0X22.2M	<b>WAS:</b> 10.21
11107454	

Suitable for cutting masonry and stone

H\_F\_1385



**CUTTING DISC STEEL SHAPE 41 FUSION**

FSNCD006	8.18
41 230X3.0X22.	<b>WAS:</b> 11.55
11121444	

Suitable for cutting steel.

H\_F\_1384



**GRINDING DISC STEEL SHAPE 27 FUSION**

FSNCD009	13.51
230X4.5X22.2M	<b>WAS:</b> 19.09
11107456	

Suitable for cutting steel

H\_F\_1403





**CUTTING DISC FLAT STEEL 5 PCE FUSION**

FSNCD015 230X3.0X22.2M 11131762	<b>WAS:</b>	41.20 58.22
---------------------------------------	-------------	----------------

Multi-purpose /steel disc, cutting of bricks, steel.

H\_F\_1383



**BLADE DIAMOND TURBO 3PCE FUSION**

FSNDB011 115MM 11107478	<b>WAS:</b>	43.39 99.94
-------------------------------	-------------	----------------

For cutting stone, concrete and brick.

H\_F\_1374




**DRILL BIT TILE AND GLASS SAND FINISHED FUSION**

FSNDG001 3.0MM 11107446	<b>WAS:</b>	7.38 20.11
-------------------------------	-------------	---------------

For drilling tiles and glass, profiled tungsten carbide tip, for drilling at low speed with a coolant, such as water.

H\_F\_1398




**DRILL BIT GEN PURPOSE FULL GRND 118 DEG HSS FUSION**

FSNDH026 14MM 11121457	<b>WAS:</b>	38.00 116.20
------------------------------	-------------	-----------------

For drilling steel, aluminium, cast iron and plastics, suitable for use on a wide range of materials with low risk breakage

H\_F\_1862



**BLADE DIAMOND CONTINUOUS FUSION**

FSNDB002 230MM 11118001	<b>WAS:</b>	57.58 142.85
-------------------------------	-------------	-----------------

Suitable for cutting slate, ceramic and porcelain tiles.

H\_F\_1369



**BLADE DIAMOND CON/SEGMD/TRO 3PCE FUSION**

FSNDB012 115MM 11107479	<b>WAS:</b>	24.49 99.94
-------------------------------	-------------	----------------

For drilling soft wood, medium wood and hard wood, centered spiral tip for precision drilling which limits drill walking

H\_F\_2254



**BLADE DIAMOND GRANITE FUSION**

FSNDB008 230MM 11102491	<b>WAS:</b>	92.38 234.31
-------------------------------	-------------	-----------------

For cutting granite.

H\_F\_1371




**DRILL BIT COBALT 5% 135 SPLIT PNT HSS FUSION**

FSNDC002 3.0MM 11107359	<b>WAS:</b>	8.15 23.55
-------------------------------	-------------	---------------

Designed for drilling steel, aluminium, cast iron and plastics, stainless steel, high heat and wear resistance.

H\_F\_1392




**DRILL BIT GEN PURPOSE 118 DEG HSS FUSION**

FSNDH001 1.0MM 11107328	<b>WAS:</b>	3.88 11.42
-------------------------------	-------------	---------------

For drilling steel, aluminium, cast iron and plastics, suitable for use on a wide range of materials with low risk of breakage, suitable for drilling into multi-layer material

H\_F\_1397



**DRILL BIT SET HSS 13PCE 118DEG PLASTIC BOX FUSION**

FSNDH033 2-BMM 11107343	<b>WAS:</b>	95.39 238.58
-------------------------------	-------------	-----------------

For drilling steel, aluminium, cast iron and plastics, suitable for drilling into multi-layer materials.

H\_F\_1396



**BLADE DIAMOND SEGMENTED 3PCE FUSION**

FSNDB010 115MM 11121434	<b>WAS:</b>	41.41 99.94
-------------------------------	-------------	----------------

For cutting slate, hard stone and granite.

H\_F\_1372



FSNDC006 7.0MM 11107362	<b>WAS:</b>	14.32 42.52
-------------------------------	-------------	----------------

FSNDC007 8.0MM 11107363	<b>WAS:</b>	26.56 53.51
-------------------------------	-------------	----------------

FSNDC008 9.0MM 11107364	<b>WAS:</b>	22.09 68.13
-------------------------------	-------------	----------------

FSNDC009 10MM 11107365	<b>WAS:</b>	42.99 86.85
------------------------------	-------------	----------------

FSNDC010 12MM 11107366	<b>WAS:</b>	44.34 130.69
------------------------------	-------------	-----------------

FSNDC011 13MM 11107367	<b>WAS:</b>	65.31 164.35
------------------------------	-------------	-----------------

For drilling soft wood, medium wood and hard wood, centered spiral tip for precision drilling which limits drill walking

H\_F\_1391



**DRILL BIT SET HSS 10PCE 118DEG PLASTIC TUBE FUSION**

FSNDH034 6MM 11118009	<b>WAS:</b>	63.96 193.07
-----------------------------	-------------	-----------------

For drilling steel, aluminium, cast iron and plastics, suitable for drilling into multi-layer materials.

H\_F\_1396





**DRILL MASONRY SET 10PCS IN PLASTIC BOX FUSION**

FSNDM022 6MM	30.72	
	<b>WAS:</b>	68.69
11107383		

*For drilling brick, stone, plaster and concrete, can be used with standad and impact drills*

H\_F\_1401



**DRILL BIT MASONRY SAND FINISHED FUSION**

FSNDM001 3.0X60MM	2.20	
	<b>WAS:</b>	5.93
11121470		
FSNDM002 4.0X75MM	3.28	
	<b>WAS:</b>	6.65
11107368		
FSNDM009 10.0X120MM	7.05	
	<b>WAS:</b>	13.44
11107374		
FSNDM012 13.0X150MM	13.58	
	<b>WAS:</b>	21.46
11107377		
FSNDM014 15.0X150MM	14.56	
	<b>WAS:</b>	28.16
11107379		
FSNDM016 18.0X160MM	20.84	
	<b>WAS:</b>	40.26
11107381		
FSNDM017 20.0X160MM	25.79	
	<b>WAS:</b>	50.79
11107382		
FSNDM018 22.0X160MM	24.40	
	<b>WAS:</b>	62.84
11121465		
FSNDM019 24.0X160MM	21.75	
	<b>WAS:</b>	70.83
11121467		
FSNDM020 25.0X160MM	39.25	
	<b>WAS:</b>	76.52
11121469		
FSNDM024 5.0X200MM	4.14	
	<b>WAS:</b>	9.52
11107385		
FSNDM027 9.0X200MM	7.37	
	<b>WAS:</b>	16.34
11107388		
FSNDM028 10.0X200MM	6.91	
	<b>WAS:</b>	17.54
11107389		
FSNDM029 11.0X200MM	10.15	
	<b>WAS:</b>	21.71
11107390		
FSNDM030 12.0X200MM	8.97	
	<b>WAS:</b>	21.71
11107391		
FSNDM031 13.0X200MM	12.21	
	<b>WAS:</b>	25.90
11107392		
FSNDM032 14.0X200MM	14.38	
	<b>WAS:</b>	28.50
11107393		
FSNDM033 18.0X200MM	18.05	
	<b>WAS:</b>	42.66
11107394		
FSNDM034 20.0X200MM	24.23	
	<b>WAS:</b>	50.10
11118003		
FSNDM035 22.0X200MM	28.47	
	<b>WAS:</b>	63.58
11121466		
FSNDM036 24.0X200MM	30.41	
	<b>WAS:</b>	71.22
11121468		

FSNDM037 6.0X400MM	8.16	
	<b>WAS:</b>	17.65
11107396		
FSNDM039 10.0X400MM	13.22	
	<b>WAS:</b>	26.46
11107398		

*For drilling steel, aluminium, cast iron and plastics, suitable for use on a wide range of materials with low risk breakage*

H\_F\_1393



**DRILL BIT SDS PLUS HAMMER SAND FINISHED FUSION**

FSNDS002 5.0X110MM	9.35	
	<b>WAS:</b>	18.31
11107404		
FSNDS003 6.5X110MM	12.68	
	<b>WAS:</b>	18.31
11118008		
FSNDS004 6.6X160MM	10.93	
	<b>WAS:</b>	19.45
11107408		
FSNDS005 7.0X110MM	9.45	
	<b>WAS:</b>	19.46
11107406		
FSNDS007 8.0X160MM	12.16	
	<b>WAS:</b>	23.21
11107409		
FSNDS008 10.0X160MM	11.20	
	<b>WAS:</b>	23.21
11107410		
FSNDS009 11.0X160MM	14.01	
	<b>WAS:</b>	30.62
11118005		
FSNDS010 12.0X160MM	15.64	
	<b>WAS:</b>	30.62
11107412		
FSNDS011 13.0X160MM	18.80	
	<b>WAS:</b>	40.83
11107413		
FSNDS012 14.0X160MM	17.85	
	<b>WAS:</b>	40.83
11107414		
FSNDS013 6.0X210MM	11.67	
	<b>WAS:</b>	29.17
11118007		
FSNDS015 10.0X210MM	16.02	
	<b>WAS:</b>	33.36
11107417		
FSNDS016 12.0X210MM	17.29	
	<b>WAS:</b>	35.99
11107418		
FSNDS017 13.0X210MM	15.83	
	<b>WAS:</b>	35.98
11107419		
FSNDS019 15.0X210MM	19.91	
	<b>WAS:</b>	42.24
11107421		
FSNDS020 16.0X210MM	30.11	
	<b>WAS:</b>	50.73
11107422		
FSNDS021 17.0X120MM	23.58	
	<b>WAS:</b>	50.73
11121473		
FSNDS022 18.0X210MM	30.97	
	<b>WAS:</b>	62.64
11107423		
FSNDS023 19.0X210MM	28.70	
	<b>WAS:</b>	62.64
11118006		
FSNDS024 20.0X210MM	36.80	
	<b>WAS:</b>	71.57
11107425		

*Suitable for drilling into brick and masonry, suitable for SDS compatible drills only*

H\_F\_1388





**DRILL BIT TIN COATED 135 SPLIT PNT HSS FUSION**

FSNDT001 1.0MM 11107346	<b>WAS:</b>	4.00 13.51
FSNDT003 3.0MM 11107348	<b>WAS:</b>	8.82 22.20
FSNDT007 7.0MM 11107351	<b>WAS:</b>	10.63 31.24
FSNDT009 9.0MM 11107353	<b>WAS:</b>	16.12 51.19
FSNDT010 10MM 11107354	<b>WAS:</b>	32.49 63.26
FSNDT011 12MM 11107355	<b>WAS:</b>	42.06 88.31
FSNDT012 13MM 11107356	<b>WAS:</b>	47.46 103.40

*Suitable for drilling steel, aluminium, cast iron and plastics, titanium nitride coating reduces friction and wear of bit,*

H\_F\_1399



**DRILL BIT TIN COATED FULL GRND 135 SPLIT PNT HSS FUSION**

FSNDT013 14MM 11121475	<b>WAS:</b>	40.55 125.53
FSNDT014 14MM 11121476	<b>WAS:</b>	48.87 145.96
FSNDT015 16MM 11121477	<b>WAS:</b>	75.12 176.72
FSNDT016 17MM 11121478	<b>WAS:</b>	65.49 199.62
FSNDT017 18MM 11121479	<b>WAS:</b>	72.56 224.65
FSNDT018 19MM 11121480	<b>WAS:</b>	81.74 247.87
FSNDT019 20MM 11121481	<b>WAS:</b>	106.06 278.46

*Suitable for drilling steel, aluminium, cast iron and plastics, Titanium nitride coating reduces friction and wear of bit*

H\_F\_1863



**DRILL BIT SET 13PCS TIN COAT 135 SPLIT PNT FUSION**

FSNDT020 2-8MM 11107357	<b>WAS:</b>	133.15 278.63
-------------------------------	-------------	------------------

*For drilling brick, stone, plaster and concrete, can be used with standard and impact drills*

H\_F\_1394



**DRILL BIT FLAT WOOD FUSION**

FSNDW001 6.0X150MM 11107426	<b>WAS:</b>	4.73 11.77
FSNDW002 8.0X150MM 11107427	<b>WAS:</b>	4.73 11.77

FSNDW003 10.0X150MM 11107428	<b>WAS:</b>	6.21 12.25
FSNDW004 12.0X150MM 11121446	<b>WAS:</b>	6.15 12.25
FSNDW005 13.0X150MM 11107429	<b>WAS:</b>	5.70 12.79
FSNDW006 14.0X150MM 11107430	<b>WAS:</b>	6.01 12.79

FSNDW009 20.0X150MM 11107433	<b>WAS:</b>	7.54 14.84
FSNDW010 22.0X150MM 11107434	<b>WAS:</b>	7.50 15.93
FSNDW011 26.0X150MM 11107435	<b>WAS:</b>	8.12 19.45
FSNDW012 28.0X150MM 11107436	<b>WAS:</b>	8.10 21.07
FSNDW013 30.0X150MM 11107437	<b>WAS:</b>	9.44 22.01

*For drilling soft wood, medium wood and hard wood, great for drilling large diameter holes*

H\_F\_1387



**DRILL BIT SPIRAL WOOD WORKING FUSION**

FSNDW014 6.0MM 11107438	<b>WAS:</b>	2.32 7.19
FSNDW015 7.0MM 11118011	<b>WAS:</b>	2.05 7.84
FSNDW016 8.0MM 11107440	<b>WAS:</b>	2.68 8.77
FSNDW017 9.0MM 11107441	<b>WAS:</b>	2.97 9.95
FSNDW018 10.0MM 11107442	<b>WAS:</b>	4.57 11.05
FSNDW019 12.0MM 11107443	<b>WAS:</b>	6.12 13.72
FSNDW020 16.0MM 11107444	<b>WAS:</b>	9.54 23.26

*For drilling soft wood, medium wood and hard wood, can be used with standard and impact drills*

H\_F\_1390



**DRILL BIT SET SPIRAL WOOD WORKING 5PCS FUSION**

FSNDW021 4-10MM 11107445	<b>WAS:</b>	16.50 34.52
--------------------------------	-------------	----------------

*Suitable for drilling into brick and masonry, suitable for SDS compatible drills only*

H\_F\_1389



**BLADE JIGSAW HCS 2PCE SET FUSION 8-12TPI**

FSNJB001 8-12TPI D234X 11107458	<b>WAS:</b>	10.56 26.29
FSNJB002 8-12TPI T234X 11107459	<b>WAS:</b>	10.82 26.29

*Available in U and T shank. 90Mm Cutting Depth. Wood And Plastic. Clean Cut. High Carbon Steel.*

H\_F\_1377



**BLADE JIGSAW HSS 21-10TPI 2PCE SET FUSION**

FSNJB003 D123X 11107460	<b>WAS:</b>	8.84 26.29
FSNJB004 T123X 11107461	<b>WAS:</b>	10.53 26.29

*Available in U and T shank. 65Mm Cutting Depth. Metal. Fast Cut. High Speed Steel.*

H\_F\_1379



**BLADE JIGSAW BIM 2PCE SET FUSION**

FSNJB005 5-10TPI D345XF 11107462	<b>WAS:</b>	16.70 44.63
FSNJB006 5-10TPI T345XF 11107463	<b>WAS:</b>	16.50 44.63

*Available in U and T shank. 110Mm Cutting Depth. Metal And Wood. Long Life. Bi Metal.*

H\_F\_1376



**BLADE JIGSAW HCS 5PCE SET FUSION**

FSNJB007 12TPI D119B0 11107464	<b>WAS:</b>	7.98 17.80
FSNJB008 12TPI T119B0 11107465	<b>WAS:</b>	6.81 17.80

*Available in U and T shank. 50Mm Cutting Depth. Wood And Plastic. Curve Cut. High Carbon Steel.*

H\_F\_1378





**BLADE JIGSAW HCS 2PCE SET FUSION 12TPI**

FSNJB009 12TPI D119BO 11107466	<b>WAS:</b>	3.65 9.18
FSNJB010 12TPI T119BO 11107467	<b>WAS:</b>	3.30 9.18

Available in U and T shank. 50mm Cutting Depth. Wood And Plastic. Curve Cut. High Carbon Steel.

H\_F\_2262



**BLADE JIGSAW HSS 21TPI 2PCE SET FUSION**

FSNJB015 D118A 11107472	<b>WAS:</b>	7.96 19.50
FSNJB016 T118A 11107473	<b>WAS:</b>	7.15 19.50

Available in U and T shank. 50Mm Cutting Depth. Metal. Fast Cut. High Speed Steel.

H\_F\_1380



**BLADE JIGSAW HCS 2PCE SET FUSION 10TPI**

FSNJB011 10TPI D101B 11107468	<b>WAS:</b>	4.96 15.39
FSNJB012 10TPI T101B 11107469	<b>WAS:</b>	5.70 15.39

Available in U and T shank. 75mm Cutting Depth. Wood And Plastic. Clean Cut. High Carbon Steel.

H\_F\_2263



**BLADE JIGSAW HSS 21TPI 5PCE SET FUSION**

FSNJB017 D118A 11107474	<b>WAS:</b>	12.67 17.90
FSNJB018 T118A 11107475	<b>WAS:</b>	16.66 43.80

Available in U and T shank. 50Mm Cutting Depth. Metal. Fast Cut. High Speed Steel.

H\_F\_1381



**BLADE JIGSAW HCS 2PCE SET FUSION 6TPI**

FSNJB013 6TPI D144D 11107470	<b>WAS:</b>	6.00 19.86
------------------------------------	-------------	---------------

Available in U and T shank. 75mm Cutting Depth. Wood And Plastic. Fast Cut. High Carbon Steel.

H\_F\_2264



**ALLEN KEY 42 GEDORE**

GED012010 9MM 11069434	<b>WAS:</b>	16.82 23.76
------------------------------	-------------	----------------

For hexagon socket head bolts. Chrome vanadium steel. Gun metal finish.

H\_F\_0356



**SPRAY FAN PREMIUM GRO**

GRO2004 11129532	<b>WAS:</b>	49.67 55.19
---------------------	-------------	----------------

High quality adjustable spray gun for the watering of shrubs and plants. Easy on/off switch with firm grip and lock function.

GA\_F\_0615



**TRANSPLANTER ALUMINIUM SOFT GRIP GRO**

GRO2094W 11129547	<b>WAS:</b>	35.00 41.98
----------------------	-------------	----------------

Premium garden transplanter. Cast aluminium handle with mirror-polished surface. Ergonomic soft TRP grip. Size: 295 mm (L) x 70 mm (W).

GA\_F\_0633



**SPRAY GUN ADJUSTABLE PREMIUM GRO**

GRO2036L 11099634	<b>WAS:</b>	57.58 59.20
----------------------	-------------	----------------

Adjustable spray gun. Can spray fine mist and a powerful jet stream.

GA\_F\_0568



**WEEDER ALUMINIUM SOFT GRIP GRO**

GRO2095W 11129548	<b>WAS:</b>	35.00 54.50
----------------------	-------------	----------------

Premium garden weeder. Cast aluminium handle with mirror-polished surface. Ergonomic soft TRP grip. Size: 305 mm (L) x 40 mm (W).

GA\_F\_0636



**SPRAY GUN METAL 8 PATTERN GRO**

GRO2070 11129533	<b>WAS:</b>	53.67 59.64
---------------------	-------------	----------------

Premium 8 pattern metal spray gun. High quality adjustable spray gun. 8 Easy to dial spray patterns. Easy on/off switch with firm grip and lock function.

GA\_F\_0627



**TROWEL ALUMINIUM SOFT GRIP GRO**

GRO2096W 11129549	<b>WAS:</b>	35.00 42.04
----------------------	-------------	----------------

Premium garden trowel. Cast aluminium handle with mirror-polished surface. Ergonomic soft TRP grip. Size: 297 mm (L) x 84 mm (W).

GA\_F\_0634



**FORK ALUMINIUM SOFT GRIP GRO**

GRO2093W 11129546	<b>WAS:</b>	35.00 42.04
----------------------	-------------	----------------

Cast aluminium handle with mirror-polished surface. Ergonomic soft TRP grip. Size: 275 mm (L) x 83 mm (W).

GA\_F\_0616



**CULTIVATOR ALUMINIUM SOFT GRIP GRO**

GRO2097W 11129550	<b>WAS:</b>	35.00 41.94
----------------------	-------------	----------------

Cast aluminium handle with mirror-polished surface. Ergonomic soft TRP grip. Size: 265mm(L) X 84mm(W).

GA\_F\_0613







TOOL SET GARDEN 3PC ALUMINIUM GRO

GRO2500W	115.18
11129551	<b>WAS:</b> 121.58

Three piece aluminium garden tool set. Cast aluminium handle with mirror polished surface, ergonomic soft TPR grips. Included in set is one fork (27.5 cm), one transplanter (29.5cm) and a weeder (30.5 cm).

GA\_F\_0617



SPRINKLER OSCILLATING 17 HOLES GRO

GRO7020X	105.00
11099625	<b>WAS:</b> 117.89

Oscillating sprinkler with 17 holes. Gear driven motor operation. Maintenance free. Has a non corrosive motor and built-in special needles for cleaning out spray nozzles.

GA\_F\_0570



HOSE CONNECTOR BRASS GRO

GRO8010R	25.19
11129536	<b>WAS:</b> 44.45

Premium Brass Hose Connector. Premium quick-connector to connect a garden hose to a tap with an adaptor. Quick locking feature to connect a hose to a tap. Solid brass construction with anti-slip grip.

GA\_F\_0620



DOOR PHONE 2WAY AUDIO GUARDIAN

GS-ADP1	133.48
11127526	<b>WAS:</b> 188.62

One to one, two wire system. Eight different melodies, two way audio communication and a slim line design. Splash cover included. IP66 weather proof rating.

E\_f\_0264



HOSE NOZZLE ADJUSTABLE LUXURY GRO

GRO3011LA	27.40
11099621	<b>WAS:</b> 28.96

Luxury adjustable hose nozzle.

GA\_F\_0559



SPRINKLER OSCILLATING 17 HOLE LUX GRO

GRO7056	145.11
11129535	<b>WAS:</b> 163.65

Premium luxury oscillating sprinkler - 17 holes. Maintenance free oscillating sprinkler with 17 holes. 17 Pattern brass spray nozzles. Oscillating sprinkler. Gear drive motor operation. Wide adjustment. Built-in special needles to clean spray needles. Durable impact-resistant plastic base.

GA\_F\_0629



HOSE ANGLE CONNECTOR ADJUSTABLE GRO

GRO8050DL	23.42
11121297	<b>WAS:</b> 25.30

Premium adjustable hose connector. Provides flexibility to move the hose with ease during use by preventing twisting and kinking of the hose connected at the tap. Manufactured from high-quality engineering ABS plastic. The universal hose fitting enables fast and easy exchange of nozzles and watering equipment.

GA\_F\_0618



ALARM KIT WIRELESS GARAGE OR CARPORT GUARDIAN

GS-CAS1	114.40
11127527	<b>WAS:</b> 161.66

Transmission distance: 100m (open air), hi and low alarm volume control. 75 Degree sensor angle detection, 8m sensor distance detection. IP44 weather proof rating. Outdoor sensor unit: 9V battery required (not included). Indoor receiver unit: 3 x AA batteries required, not included. Operating frequency: 433MHz.

E\_f\_0265



SPRINKLER 8 PATTERN GRO

GRO6028P	50.48
11121300	<b>WAS:</b> 51.88

Premium 8 pattern sprinkler. Stationary 8 pattern sprinkler with a metal base for additional stability. Metal base increases stability. Twist the head to select spray variation.

GA\_F\_0628



HOSE MENDER PREMIUM GRO

GRO8014DL	12.19
11099617	<b>WAS:</b> 16.49

Premium hose mender. Provides a neat, permanent, leak-proof method of joining two hoses. Simple and speedy.

GA\_F\_0557



TIMER WATER MULTI FUNCTION PRE SET GRO

GRO906	501.56
11121302	<b>WAS:</b> 565.65

Dual outlet, superior easy to use, no programming required. Multi-function pre-set watering selections plus on/off. Digital LCD time display. Reliable diaphragm designed for long battery life. Tap adaptor with reducer fits 3/4" and 1" taps. Only 9V batteries required (not included).

GA\_F\_0635



CAMERA KIT 2X CAMERA AND 4.3INCH MONITOR GUARDIAN

GS-CCTV2	569.92
11127528	<b>WAS:</b> 805.37

Kit boasts a 4.3" colour LCD HD monitor. Resolution: 480(RGB)x272. DC 12V input. Adjustable colour/contrast/brightness and volume. Also included in the kit: 2x outdoor cameras with mounting brackets and 2x18m cables. Night vision up to 5m. AV IN/OUT, support NTSC/PAL.

E\_f\_0303



HOSE REEL WALL AND FREE STANDING GRO

GRO622B	228.14
11099641	<b>WAS:</b> 254.74

Free standing and wall mounted hose reel. Store up to 40m 1/2 inch hose. Angled hose connection prevents hose from wrapping, kinking and twisting.

GA\_F\_0562





**INDICATOR PARK DISTANCE CONTROL WIRELESS GUARDIAN**

GS-PDCS1		104.93
11127529	<b>WAS:</b>	148.28

Colour changing LED indicator. Red for stop, orange for caution, green for go. Ultrasonic, wave detection and a low battery indicator. Requires 4 x AA batteries, (not included). Operating Frequency: 433MHz.

E\_f\_0266



**DOOR CHIME WIRELESS SOFT TOUCH GUARDIAN**

GS-WDC4	1 TRANSMITTE		71.83
11127533	<b>WAS:</b>		101.50

GS-WDC5	2 TRANSMITTE		87.24
11127534	<b>WAS:</b>		123.28

120m Wireless range, 16 different melodies, P44 weather proof rating with soft touch design. Operating frequency: 433MHz.

E\_f\_0259



**TERMINAL PRE-PACK #30 1S5A HELLERMANN**

PRPK30	10 PER PACK		8.00
11125780	<b>WAS:</b>		10.11

A\_F\_0117



**BOOTS OVERREACH RUBBER WITH VELCRO BLACK**

B001-LBL	LARGE		33.29
11129173	<b>WAS:</b>		59.59

B001-MBL	MEDIUM		33.15
11129175	<b>WAS:</b>		59.33

B001-SBL	SMALL		33.00
11129177	<b>WAS:</b>		59.07

Ribbed rubber with velcro fastenings for easy closure. Protects the horse's coronet band against injury caused by the hind hoofs.

EQ\_F\_0232



**PHONE DOOR COLOUR VIDEO GUARDIAN**

GS-VDP1	7 INCH		828.84
11127530	<b>WAS:</b>		1,171.24

GS-VDP2	4.3 INCH		630.96
11127531	<b>WAS:</b>		891.62

Touch screen design with 8 different melodies and a gate release function. Two way audio communication, 720P high definition camera, night vision and a splash cover included. IP66 weather proof rating.

E\_f\_0267



**DOOR CHIME WIRELESS SOFT TOUCH WITH 2 RECEIVERS GUARDIAN**

GS-WDC6			129.34
11127535	<b>WAS:</b>		182.77

120m Wireless range, 16 different melodies, P44 weather proof rating with soft touch design. Operating frequency: 433MHz.

E\_f\_0261



**CABLE TIE NATURAL PP10 HELLERMAN**

T18RNTMIN	100MM 2.3MM		3.00
11125784	<b>WAS:</b>		5.62

Ideal for use in a variety of applications where fastening or servicing/replacement is required. One piece and is made of plastic. Quick, simple fixing by hand or tensioning tool. Withstands temperatures between -50 and 85 °C.

A\_F\_0086



**BOOTS OVERREACH RUBBER WITH VELCRO WHITE**

B001-LW	LARGE		33.72
11129174	<b>WAS:</b>		60.36

B001-MW	MEDIUM		33.58
11129176	<b>WAS:</b>		60.11

B001-SW	SMALL		33.43
11129178	<b>WAS:</b>		59.85

Ribbed rubber with velcro fastenings for easy closure. Protects the horse's coronet band against injury caused by the hind hoofs.

EQ\_F\_0253



**DOOR CHIME WIRELESS GUARDIAN**

GS-WDC3	2 RECEIVERS		82.73
11127532	<b>WAS:</b>		116.90

120m Wireless range, 16 different melodies, P44 weather proof rating. Operating frequency: 433MHz.

E\_f\_0268



**ALARM SENSOR WIRELESS WINDOW OR DOOR GUARDIAN**

GS-WMC2	2PACK		47.87
11127537	<b>WAS:</b>		67.65

Wireless, ultra loud alarm, small and compact design. Peel and stick-no, tools required. 4 x LR44 batteries included. Operating frequency: 433MHz.

E\_f\_0262



**HAYNET WITH RINGS**

AT006T			20.10
11129247	<b>WAS:</b>		37.10

Nylon net used to hold telf or grass for horses to eat from. Metal rings at the top used for drawing to close the net. One size.

EQ\_F\_0231



**SNAFFLE NICKEL PLATED JOINTED HILLTOP**

BIT001S			39.75
11098881	<b>WAS:</b>		80.24

A soft nickel plated jointed, loose ring bit for use on young horses or those that have a soft mouth.

EQ\_F\_0176



**ANCHOR NAILIN HANDY LAD**

HLCNS536	5MMX36MM 100		11.01
11130020	<b>WAS:</b>		17.78

H\_F\_1107





**BLANKET STABLE DUVET DARK GREY WITH TURQ BINDING**

BL001/125 1.25M Back Len	<b>WAS:</b>	288.40 458.49
-----------------------------	-------------	------------------

BL001/130 1.3M Back Lengt	<b>WAS:</b>	288.40 458.49
------------------------------	-------------	------------------

Warm blanket for indoor use. Double chest buckles. Cross-over belly straps, tail flap and shoulder movement pleat for added comfort.

EQ\_F\_0247



**BRIDLE WEB AND BIT HILLTOP**

BR021R RED	<b>WAS:</b>	84.49 151.96
---------------	-------------	-----------------

A basic bridle with noseband made of soft webbing. Comes in assorted colours together with a nickel plated loose ring snaffle bit

EQ\_F\_0181



**BRIDLE PVC WINTEC**

EQ6010 BLUE	<b>WAS:</b>	289.06 327.94
----------------	-------------	------------------

The bridle is made from high quality soft pvc and is easy to clean and maintain. The cavesson noseband, poll piece and brow band are lined with white pvc.

EQ\_F\_0146



**HILLTOP T-SHIRT KIDS HORSE BLACK**

EQCO01K10 10 TO 12	<b>WAS:</b>	74.70 105.55
-----------------------	-------------	-----------------

EQCO01K2 2 TO 4	<b>WAS:</b>	74.63 105.47
--------------------	-------------	-----------------

EQCO01K6 6 TO 8	<b>WAS:</b>	74.70 105.55
--------------------	-------------	-----------------

EQCO01K8 8 TO 10	<b>WAS:</b>	74.70 105.55
---------------------	-------------	-----------------

A high quality black t-shirt with a colour horse print on the front and the same picture in black and white on the back. With many different designs to chose from, these t-shirts are a firm favourite. Available in all sizes.

EQ\_F\_0089



**BLANKET WATERPROOF NAVY WITH GREY BINDING**

BL004/130 1.3M Back Lengt	<b>WAS:</b>	351.10 558.16
------------------------------	-------------	------------------

Waterproof ripstop material blanket. Double chest buckles. Cross-over belly straps ideal for outdoor use.

EQ\_F\_0233



**PVC ENDURANCE BRIDLE AND BREASTPLATE SE**

BR046BL BLACK	<b>WAS:</b>	438.43 857.85
------------------	-------------	------------------

BR046G GREEN	<b>WAS:</b>	436.38 853.82
-----------------	-------------	------------------

BR046O ORANGE	<b>WAS:</b>	434.08 849.33
------------------	-------------	------------------

BR046P PINK	<b>WAS:</b>	437.57 695.62
----------------	-------------	------------------

BR046R RED	<b>WAS:</b>	435.11 851.34
---------------	-------------	------------------

BR046RB ROYAL BLUE	<b>WAS:</b>	435.27 851.67
-----------------------	-------------	------------------

Complete bridle, breastplate and martingale attachment made from strong PVC. Fully adjustable with extra padding ensures the perfect fit. Bridle can unhook to become a halter. One size.

EQ\_F\_0234



**HILLTOP HORSE BOOTS FULL HIND TEKNA**

EQB0011 BLACK	<b>WAS:</b>	203.77 287.94
------------------	-------------	------------------

A hard wearing synthetic boot that protects the hind fetlocks and tendons from injury. These boots are padded with soft neoprene for comfort and have Velcro fastenings to secure the boot in place.

EQ\_F\_0126



**HILLTOP T-SHIRT KIDS HORSE ASSORTMENT**

EQCO01KC2 2 TO 4	<b>WAS:</b>	75.15 106.20
---------------------	-------------	-----------------

A high quality t-shirt in an assortment of bright fun colours with a colour horse print on the front. With many different colours and designs to chose from, these t-shirts are a firm favourite. Available in children's sizes.

EQ\_F\_0091



**BRIDLE ECONOMY LEATHER HILLTOP**

BR004RPBL PONY BLACK	<b>WAS:</b>	162.38 292.91
-------------------------	-------------	------------------

BR004RPBR PONY BROWN	<b>WAS:</b>	160.80 292.91
-------------------------	-------------	------------------

A soft leather bridle with flash noseband and cleated web reins. Available in black or brown in 3 sizes - pony, cob & full

EQ\_F\_0182



**STIRRUP LEATHERS EQUIBETTE**

EQ6004 BROWN	<b>WAS:</b>	117.97 166.70
-----------------	-------------	------------------

The stirrup leather is lined with nylon where the stainless steel buckles are stitched on.

EQ\_F\_0143



**TIE SHOW TARTAN KIDS HILLTOP**

EQC004TT	<b>WAS:</b>	56.22 79.44
----------	-------------	----------------

A revolutionary ready made tie that easily and quickly slides on and off with an elastic neck tie. Ideal for the competitive child rider as it is shorter than an average tie. Available in a variety of tartan colours.

EQ\_F\_0130



**HILLTOP T-SHIRT ADULT HORSE BLACK**

EQCO01M MEDIUM	<b>WAS:</b>	83.74 118.33
-------------------	-------------	-----------------

EQCO01XL EXTRA LARGE	<b>WAS:</b>	83.74 118.33
-------------------------	-------------	-----------------

A high quality black t-shirt with a colour horse print on the front and the same picture in black and white on the back. With many different designs to chose from, these t-shirts are a firm favourite. Available in all sizes.

EQ\_F\_0003



**HILLTOP HELMET UNISEX ENDURANCE RIDING BLACK**

EQC001EL LARGE	<b>WAS:</b>	374.27 528.89
-------------------	-------------	------------------

Specifically made with the long distance endurance rider in mind, this hat is ultra lightweight and has ventilation slits all round. Fully adjustable, this comfortable hat is a favourite with riders. Available in large.

EQ\_F\_0038





LADIES JODHPUR NAVY CHECK SIZES 30 -38

EQJP002CL	298.40
11086723	<b>WAS:</b> 421.67

These practical knitted ladies breeches are manufactured with a panelled design and stylishly cut for a flattering and comfortable fit. In addition the breeches feature navy knee patches and belt loops. Fully machine washable. Colours: navy with lime/purple/pink check stripes.

EQ\_F\_0099



HILLTOP JODS TWO TONE BEIGE AND TAN

EQJP003B	303.33
30-38	<b>WAS:</b> 428.64
11086714	

These locally manufactured jodhpurs are made from 100% ribbed nylon twill. They have a four way stretch which makes them very comfortable to wear. Hardware and machine washable. These breeches are suitable for every day wear as well as in the show ring.

EQ\_F\_0170



COTTON PADDED GIRTH

G001DP20	60.00
20 INCH	<b>WAS:</b> 117.75
11129193	

G001DP22	60.00
22 INCH	<b>WAS:</b> 117.75
11129194	

G001DP24	60.00
24 INCH	<b>WAS:</b> 117.75
11129195	

G001DP26	60.00
26 INCH	<b>WAS:</b> 117.75
11129196	

G001DP28	60.00
28 INCH	<b>WAS:</b> 117.75
11129197	

G001DP30	60.00
30 INCH	<b>WAS:</b> 121.12
11129198	

G001S36	60.00
36 INCH	<b>WAS:</b> 117.75
11129199	

G001S38	60.00
38 INCH	<b>WAS:</b> 117.75
11129200	

G001S40	60.00
40 INCH	<b>WAS:</b> 117.75
11129201	

G001S42	60.00
42 INCH	<b>WAS:</b> 117.75
11129202	

G001S44	60.00
44 INCH	<b>WAS:</b> 117.75
11129203	

G001S46	60.00
46 INCH	<b>WAS:</b> 117.75
11129204	

G001S48	60.00
48 INCH	<b>WAS:</b> 117.75
11129205	

G001S50	60.00
50 INCH	<b>WAS:</b> 117.75
11129206	

Soft cotton padded girth with 2 buckles on each side. For dressage or trail saddles. Black

EQ\_F\_0239



ROPE KNOT HALTER AND LEAD

HA005ABLC	36.70
BLACK	<b>WAS:</b> 73.37
11129208	

HA005ABLU	36.39
BLUE	<b>WAS:</b> 71.19
11129209	

HA005ARED	36.52
RED	<b>WAS:</b> 71.46
11129210	

Rope halter and lead with knots at strategic places on the horses head to provide added control(\*)One size.

EQ\_F\_0256



HILLTOP JODS LADIES CHECK NAVY

EQJP002CL30	298.40
30 INCH	<b>WAS:</b> 421.67
11125856	

EQJP002CL32	298.40
32 INCH	<b>WAS:</b> 421.67
11130044	

These practical knitted ladies breeches are manufactured with a panelled design and stylishly cut for a flattering and comfortable fit. In addition the breeches feature navy knee patches and belt loops. Fully machine washable. Colours: navy with lime/purple/pink check stripes.

EQ\_F\_0099



KIDS JODPURS PONY 2 TONE BLUE SIZES 22-28

EQJP003KTTB	242.18
	<b>WAS:</b> 342.23
11086707	

Made of four-way stretch fabric. Ideal for every day wear as well as in the ring. They've sewn with no-chafe seams for exceptional comfort.

EQ\_F\_0168



LADIES JODPUR 2 TONE BLUE & NAVY SIZES 30-38

EQJP003N	283.39
	<b>WAS:</b> 400.45
11086715	

These practical knitted ladies breeches are manufactured with a panelled design and stylishly cut for a flattering and comfortable fit. In addition the breeches feature navy knee patches and belt loops. Fully machine washable. Colours: navy with lime/purple/pink check stripes.

EQ\_F\_0098



JODS LADIES NAVY CHECK HILLTOP

EQJP002CL38	332.99
38 INCH	<b>WAS:</b> 775.39
11130043	

These practical knitted ladies breeches are manufactured with a panelled design and stylishly cut for a flattering and comfortable fit. In addition the breeches feature navy knee patches and belt loops. Fully machine washable. Colours: navy with lime/purple/pink check stripes.

EQ\_F\_0099



LADIES JODPUR 2 TONE PINK & BLACK SIZES 30-38

EQJP003P	301.96
	<b>WAS:</b> 426.70
11086716	

These practical knitted ladies breeches are manufactured with a panelled design and stylishly cut for a flattering and comfortable fit. In addition the breeches feature navy knee patches and belt loops. Fully machine washable. Colours: navy with lime/purple/pink check stripes.

EQ\_F\_0242



WESTERN STRING GIRTH

G001WS	42.65
ONE SIZE	<b>WAS:</b> 83.70
11129207	

White string girth with large round buckle on each end(\*)For use with western saddles.

EQ\_F\_0252





**HILLTOP HORSE HALTER AND LEAD NYLON ECONOMY**

HA012BCB COB BLACK 11107868	<b>WAS:</b> 40.31 74.39
HA012BCG COB GREEN 11129211	<b>WAS:</b> 37.50 67.37
HA012BCR COB RED 11129212	<b>WAS:</b> 38.53 69.52
HA012BCRB COB ROYAL BL 11129213	<b>WAS:</b> 38.74 69.52
HA012BCY COB TELLOW 11129214	<b>WAS:</b> 37.66 70.93
HA012BFB FULL BLACK 11129215	<b>WAS:</b> 39.87 71.09
HA012BFG FULL GREEN 11129216	<b>WAS:</b> 38.25 69.67
HA012BPB PONY BLACK 11129217	<b>WAS:</b> 39.73 69.52
HA012BPR PONY RED 11129218	<b>WAS:</b> 38.47 69.78
HA012BPRB PONY ROYAL B 11129219	<b>WAS:</b> 37.88 70.82

A single layer nylon halter with matching lead in an assortment of bright colours.

EQ\_F\_0172



**HIDE CARE**

HC10 1L 11124691	<b>WAS:</b> 39.79 56.23
HC5 500ML 11124690	<b>WAS:</b> 26.87 37.97

EQ\_F\_0190



**HORSE HOOF DRESSING HILLTOP STABLE RANGE**

HD10 1L 11124700	<b>WAS:</b> 36.48 51.55
------------------------	----------------------------

EQ\_F\_0213



**RIDING TIGHTS COMFORT BLACK WITH DARK GREEN STITCH SIMPLY RED**

HSSRCTABDG28 28 11125863	<b>WAS:</b> 389.21 618.75
HSSRCTABDG34 34 11125864	<b>WAS:</b> 389.21 618.75
HSSRCTABDG38 38 11125865	<b>WAS:</b> 389.21 618.75

Comfortable, durable and snug(\*)Black with dark green stitch.

EQ\_F\_0265



**TIGHTS RIDING COMFORT BLK GREY STITCH SIMPLY RED HILLTOP**

HSSRCTABG32 32 11125861	<b>WAS:</b> 389.21 550.00
-------------------------------	------------------------------

Comfortable, durable and snug. Designed with style for the Endurance Rider or just to Ride your Style.

EQ\_F\_0216



**HILLTOP RIDING TIGHTS COMFORT BLACK WITH ORANGE/RED STITCH**

HSSRCTABO34 34 11125862	<b>WAS:</b> 389.21 550.00
-------------------------------	------------------------------

Comfortable, durable and snug. Designed with style for the Endurance Rider or just to Ride your Style.

EQ\_F\_0218



**MARTINGALE RUNNING BLACK**

MA001R-BL FULL 11129227	<b>WAS:</b> 78.86 154.29
-------------------------------	-----------------------------

Leather running martingale with metal rings for reins to go through. Used to discourage the horse from throwing up its head. Full size. Black

EQ\_F\_0246



**MARTINGALE RUNNING BROWN**

MA001R-BR FULL 11129228	<b>WAS:</b> 76.51 154.46
-------------------------------	-----------------------------

Leather running martingale with metal rings for reins to go through. Used to discourage the horse from throwing up its head. Full size. Brown.

EQ\_F\_0268



**HALTER LUXURY WITH LEAD**

HA012DP PONY 11129223	<b>WAS:</b> 56.42 113.91
-----------------------------	-----------------------------

Soft nylon halter with fashionable 3 colour design and soft padding on noseband and poll providing the ultimate comfort for your horse. Matching cotton twisted lead.

EQ\_F\_0258



**SHOW BRIDLE BLACK**

M00022 PONY 11129189	<b>WAS:</b> 354.21 695.15
----------------------------	------------------------------

Soft leather bridle with contrasting stitching design on noseband and browband. Comes with popular eventa reins. Detachable flash strap can change into cavesson Noseband.

EQ\_F\_0266



**SHOW BRIDLE BROWN**

M00024 COB 11129190	<b>WAS:</b> 354.21 695.15
---------------------------	------------------------------

M00026 PONY 11129192	<b>WAS:</b> 354.21 695.15
----------------------------	------------------------------

Soft leather bridle with contrasting stitching design on noseband and browband. Comes with popular eventa reins. Detachable flash strap can change into cavesson Noseband.

EQ\_F\_0267



**NAVAJO NUMNAH PADDED**

N006 11129229	<b>WAS:</b> 213.28 446.88
------------------	------------------------------

Traditional style woven western saddle pad with padding. One size

EQ\_F\_0269





**SADDLE STOCKMAN WITH HORN BLACK**

S005SBL-17 17 INCH 11129235	<b>WAS:</b> 4,362.31	2,404.23
S005SBL-18 18 INCH 11129236	<b>WAS:</b> 4,403.17	2,426.74
S005SBL-19 19 INCH 11129237	<b>WAS:</b> 4,403.17	2,426.74

Australian stockman saddle ideal for trail riding with deep seat and knee blocks for added rider stability & comfort. Western style horn on pommel.

EQ\_F\_0235



**STARTER PACK HORSE RIDING HILLTOP**

S00616SPBL 16" BLACK 11107864	<b>WAS:</b> 1,932.24	1,050.82
S00617SPBL 17" BLACK 11107860	<b>WAS:</b> 1,932.24	1,081.87
S00618SPBL 18" BLACK 11107862	<b>WAS:</b> 1,932.24	1,036.40

All you need to ride your horse in a handy carry bag. Set includes a saddle fully fitted with girth, stirrups and numnah as well as a bridle with snaffle bit.

EQ\_F\_0171



**SADDLE STOCKMAN WITHOUT HORN BLACK**

SA026BL-17 17 INCH 11129241	<b>WAS:</b> 4,525.68	2,494.26
SA026BL-18 18 INCH 11129242	<b>WAS:</b> 4,525.68	2,494.26
SA026BL-19 19 INCH 11129243	<b>WAS:</b> 4,259.84	2,359.20

Australian stockman saddle ideal for trail riding with deep seat and knee blocks for added rider stability & comfort.

EQ\_F\_0244



**BALM LEATHER HILLTOP**

XEN0022 500G BROWN 11125807	<b>WAS:</b> 154.76	109.51
-----------------------------------	--------------------	--------

Leather balm with beeswax and other natural ingredients to care for all leather goods. Hilltop leather balm is made from the highest quality raw materials and is formulated to penetrate deep into leather to nourish, soften and preserve your leather products. Apply to clean, dry leather with a cloth and leave to dry. Buff to a gently sheen with a soft, dry cloth. Do not use on suede.

EQ\_F\_0061



**MAGIC SPRAY HILLTOP**

XEN0032 11125828	<b>WAS:</b> 119.60	84.64
---------------------	--------------------	-------

De-tangling and shine spray for manes and tails.

EQ\_F\_0067



**HILLTOP HORSE TAR STOCKHOLM**

XEN0036 500ML 11125826	<b>WAS:</b> 53.57	37.91
------------------------------	-------------------	-------

Protects the hoof frog and sole in wet weather. Paint on to the underside of hoof and bottom of outer wall. Avoid the coronary band.

EQ\_F\_0073



**POWDER GARLIC HILLTOP**

XEN0045 500G 11125806	<b>WAS:</b> 43.84	31.03
XEN0049 5KG 11125805	<b>WAS:</b> 231.74	164.00

An immune booster for dogs and horses that aids in repelling biting insects and ticks. Mix thoroughly with daily feed. Recommended daily dosage is 15g per day for horses 4g-6g per day for dogs.

EQ\_F\_0056



**STICKY FLY TAPE 200M HILLTOP**

XEN0061 11125816	<b>WAS:</b> 217.00	153.56
---------------------	--------------------	--------

EQ\_F\_0200



**ENGINE PETROL 6.0KW TPR SHAFT F GENERATOR BUILD HONDA**

GX270VX 11125877	<b>WAS:</b> 7,037.14	6,033.60
---------------------	----------------------	----------

Honda GX160VX 3.6KW tapered shaft engine with recoil start, 3.6 litre fuel tank. This Honda engine is suitable for generators. One year warranty.

PP\_F\_0052



**SPRINKLER POP UP ECO ROTATOR ULTRA 10CM PLUS MP3000 90-210 HUNTER**

HUNECO-04-3090 6.7M TO 9.1M 11064042	<b>WAS:</b> 63.40	56.02
--	-------------------	-------

Hunter PS Ultra pop up body with MP300090 rotating nozzle.

L\_F\_0127



**ROTATOR MP1000 OLIVE 2.5 TO 4.6M 360° HUNTER**

HUNMP1000360 11061919	<b>WAS:</b> 135.10	75.99
--------------------------	--------------------	-------

360 degrees MP rotator with covering distance of 2.5-4.6M.

L\_F\_0130



**ROTATOR MP1000 MAROON 90° TO 210° HUNTER**

HUNMP100090 11061920	<b>WAS:</b> 135.10	86.94
-------------------------	--------------------	-------

Adjustable MP rotator from 90 degrees to 210 degrees covering a distance of 2.5-4.6m.

L\_F\_0131



**ROTATOR MP2000 GREEN 210° TO 270° HUNTER**

HUNMP2000210 4M TO 6.4M 11061922	<b>WAS:</b> 135.10	69.16
--	--------------------	-------

Adjustable MP rotator from 210 degrees to 270 degrees covering a distance of 4-6.4m.

L\_F\_0132



**ROTATOR MP2000 RED 360° HUNTER**

HUNMP2000360 4M TO 6.4M 11061923	<b>WAS:</b> 135.10	87.17
--	--------------------	-------

360 Degrees MP rotator with covering distance of 4-6.4M.

L\_F\_0201





**ROTATOR MP3000 YELLOW 210° TO 270° HUNTER**

HUNMP3000210 6.7M TO 9.1M	86.68	
<b>WAS:</b>	135.10	
11061928		

Adjustable MP rotator from 210 degrees to 270 degrees covering a distance of 6.7-9.1m.

I\_F\_0133



**ROTATOR MP CORNER LEFT STRIP IVORY HUNTER**

HUNMPLCS515 1.5M TO 4.5M 11091085	84.57	
<b>WAS:</b>	135.10	

This MP rotator is designed for application in areas where less than 90 degrees of arc area necessary.

I\_F\_0137



**CONTROLLER MODULE 9 STATION PRO-C HUNTER**

HUNPCM900 11110307	1,852.94	
<b>WAS:</b>	2,966.06	

Controller module 9 station for use in the Hunter Pro-C controller.

I\_F\_0717



**PLIERS LINESMAN HURRICANE**

10-2022 180MM 11121419	19.74	
<b>WAS:</b>	27.90	

Chrome vanadium steel. Soft grip.

H\_F\_0001



**ROTATOR MP3000 GRAY 360° HUNTER**

HUNMP3000360 6.7M TO 9.1M 11061929	68.00	
<b>WAS:</b>	135.10	

360 Degrees MP rotator with covering distance of 6.7-9.1m.

I\_F\_0134



**ROTATOR MP CORNER RIGHT STRIP COPPER HUNTER**

HUNMPRCS515 1.5M TO 4.5M 11061925	75.21	
<b>WAS:</b>	135.10	

This MP rotator is designed for application in areas where less than 90 degrees of arc area necessary.

I\_F\_0138



**SPRAYER PGJ00 SHRUB BODY ADJ ARC NO CHECK VALVE HUNTER**

HUNPGJ-00 11101508	126.72	
<b>WAS:</b>	190.61	

Overall height: 18cm. Exposed diameter: 3cm. Inlet size: 1/2"

I\_f\_0581



**PLIERS LONG NOSE HURRICANE**

10-2024 150MM 11043768	27.32	
<b>WAS:</b>	38.60	

Chrome vanadium steel. Long with narrow jaws and cutter. Insulated handles.

H\_F\_0002



**ROTATOR MP3000 BLUE 90° TO 210° HUNTER**

HUNMP300090 6.7M TO 9.1M 11031072	68.56	
<b>WAS:</b>	135.10	

Adjustable MP rotator from 90 degrees to 210 degrees covering a distance of 6.7-9.1m.

I\_F\_0135



**ROTATOR MP SIDE STRIP BROWN HUNTER**

HUNMPSS530 1.5M TO 9.1M 11061453	103.70	
<b>WAS:</b>	135.10	

All MP Side Strip models feature matched precipitation even after radius reduction with head to head spacing.

I\_F\_0139



**SPRINKLER PGS ADJUSTABLE ARC HUNTER**

HUNPGS-ADJ 4.9M TO 14M 11064045	140.26	
<b>WAS:</b>	210.51	

Rotor that easily adjusts from 40-360 degrees. 3/4" Inlet with a 5 year warranty period.

I\_F\_0142



**PLIERS CIRCLIP STRAIGHT EXTERNAL HURRICANE**

10-2039 200MM 11043775	25.09	
<b>WAS:</b>	35.46	

Chrome vanadium steel. Soft grip.

H\_F\_0008



**ROTATOR MP CORNER TURQUOISE 45° TO 105° HUNTER**

HUNMPCORNER 2.5M TO 4.6M 11061921	52.10	
<b>WAS:</b>	135.10	

This MP rotator is designed for application in areas where less than 90 degrees of arc area necessary.

I\_F\_0136



**CONTROLLER PROC OUTDOOR 3 STATION HUNTER**

HUNPC401E 11110304	1,666.67	
<b>WAS:</b>	2,853.82	

Finally, there's an affordable, full-featured indoor/outdoor controller for both commercial and residential applications. Hunter Industries is pleased to introduce the Pro-C Professional Controller for commercial and residential use. Designed with the needs of the customer in mind, the Pro-C offers simplified dial programming and an impressive range of features.

I\_F\_0719



**MANIFOLD PVC HUNTER**

HUNUP26MFD2OU 2 OUTLETS 11061449	65.41	
<b>WAS:</b>	103.11	

HUNUP26MFD3OU 3 OUTLETS 11065423	135.52	
<b>WAS:</b>	174.51	

Use to assemble valve sprinkler manifold. Expandable manifolds easily connect together and no special tools required. For use with 1" fittings. Use only nylon or PVC fittings.

I\_F\_0156



**WRENCH PIPE HURRICANE**

10-5142 250MM 11043804	57.20	
<b>WAS:</b>	114.26	

10-5145 450MM 11043806	101.51	
<b>WAS:</b>	172.33	

High grade carbon steel jaws. Cast handles heavy duty.

H\_F\_0011





HURRICANE AUTO WIRE STRIPPER

10-7010		27.52
180MM	<b>WAS:</b>	38.88
11043733		

For stripping electric wire.

H\_F\_0015



HAMMER CLUB ONE PCE HURRICANE

11-4132		111.33
1.8KG	<b>WAS:</b>	157.32
11043760		

11-4331		72.18
2.3KG	<b>WAS:</b>	253.92
11043761		

Solid steel shaft with rubber grip.

H\_F\_0020



WRENCH ADJUSTABLE HURRICANE

12-1062		48.29
200MM	<b>WAS:</b>	68.23
11121420		

12-1063		64.22
250MM	<b>WAS:</b>	90.76
11043808		

Chrome vanadium steel with hardened adjustment nut.

H\_F\_0027



SCREWDRIVER STUBBY HURRICANE

13-1861		4.69
FLAT	<b>WAS:</b>	6.62
11043798		

13-1862		3.62
STAR	<b>WAS:</b>	5.12
11043799		

Manufactured from chrome vanadium steel. Black tipped.

H\_F\_0031



HAMMER CLAW FIBREGLASS HURRICANE

11-1142		68.81
455G	<b>WAS:</b>	130.76
11043757		

Unbreakable fibre handle with rubber grip.

H\_F\_0016



HAMMER SLEDGE FIBREGLASS 8LB HURRICANE

11-4412		267.26
3.6KG	<b>WAS:</b>	466.72
11043762		

Unbreakable fibre handle with rubber grip.

H\_F\_0021



SCREWDRIVER PHILIPS HURRICANE

13-1811		6.07
3MMX75MM	<b>WAS:</b>	10.26
11043793		

13-1812		5.89
5MMX75MM	<b>WAS:</b>	13.92
11043794		

13-1813		4.93
5MMX100MM	<b>WAS:</b>	6.96
11102483		

13-1814		10.91
6MMX100MM	<b>WAS:</b>	17.42
11043795		

13-1815		8.93
6MMX125MM	<b>WAS:</b>	12.62
11051313		

13-1817		6.37
8MMX150MM	<b>WAS:</b>	9.00
11051314		

13-1818		5.88
8MMX200MM	<b>WAS:</b>	20.14
11043797		

Manufactured from chrome vanadium steel. Black tipped.

H\_F\_0029



KEY HEX LEFT HAND 10PC 2-10MM HURRICANE

13-2101		59.99
	<b>WAS:</b>	177.18
11043734		

Three way multi L handle. The holder serves as a handle.

H\_F\_0032



HAMMER CLAW ONE PCE HURRICANE

11-1312		110.17
454G	<b>WAS:</b>	200.10
11069682		

Solid steel shaft with rubber grip.

H\_F\_0017



AXE SOFT RUBBER GRIP HURRICANE

11-5311		63.18
	<b>WAS:</b>	165.43
11121404		

Carbon steel, hardened and tempered. Unbreakable polypropylene shaft. Used to chop all types of wood.

H\_F\_0024



KEY HEX BALL 8PC HURRICANE

13-3805		17.88
1.5MM-8MM	<b>WAS:</b>	25.27
11069555		

Long hex key handle. Ball point.

H\_F\_0035



HAMMER ROOFING MASONRY TUBULAR HURRICANE

11-2056		43.75
600G	<b>WAS:</b>	61.83
11069594		

Solid steel shaft with rubber grip.

H\_F\_0019



WRENCH ADJUSTABLE ANGLED HURRICANE

12-1021		20.97
150MM	<b>WAS:</b>	68.43
11069330		

12-1024		79.38
300MM	<b>WAS:</b>	148.73
11069342		

Chrome vanadium steel with hardened adjustment nut.

H\_F\_0026



CHISEL SET WOOD 4PC HURRICANE

15-1960		121.80
	<b>WAS:</b>	240.64
11043846		

CR V Steel blades. Soft grip handle. 6mm 12mm 19mm 25mm.

H\_F\_0036







**FILE RASP HALF ROUND HURRICANE**

15-4118 200MM		25.96
	<b>WAS:</b>	43.42
11069456		
15-4120 300MM		24.78
	<b>WAS:</b>	66.09
11043814		

Bastard - coarse, 2nd cut - medium, smooth to fine. Complete with handle.

H\_F\_0038



**FILE RASP SQUARE HURRICANE**

15-4129 150MM		9.07
	<b>WAS:</b>	26.29
11043819		
15-4131 250MM		9.95
	<b>WAS:</b>	33.89
11069443		

Bastard - coarse, 2nd cut - medium, smooth to fine. Complete with handle.

H\_F\_0041



**SAW BOARD 150MM HURRICANE**

15-5184 150MM		20.24
	<b>WAS:</b>	46.64
11043823		

Premium alloy steel blade. 2-Angles ground hardened teeth. Fully polished and clear lacquer coated blade. Ergonomic rubberised soft handle. Used for cutting drywall, wood and plastic work.

H\_F\_0046



**SAW HACKSAW HURRICANE**

15-5501 300MM		80.80
	<b>WAS:</b>	129.83
11068675		

H\_F\_0050



**FILE RASP TAPER HURRICANE**

15-4121 150MM		16.66
	<b>WAS:</b>	26.34
11043815		
15-4122 200MM		8.94
	<b>WAS:</b>	30.39
11069439		
15-4123 250MM		10.63
	<b>WAS:</b>	36.44
11051327		

Bastard - coarse, 2nd cut - medium, smooth to fine. Complete with handle.

H\_F\_0039



**SAW BACK WOODEN HURRICANE**

15-5152 300MM		17.53
	<b>WAS:</b>	24.77
11043822		

Crosscut wood handsaw with poly handle and a polished blade. Used for general woodworking. With wooden handle.

H\_F\_0042



**SAW HAND BI-MATERIAL HURRICANE**

15-5223 400MM		51.06
	<b>WAS:</b>	90.18
11043824		
15-5225 500MM		59.75
	<b>WAS:</b>	92.64
11068670		

Crosscut wood handsaw with poly handle and polished blade. Used for general woodworking.

H\_F\_0047



**CLAMP G HURRICANE**

15-7004 75MM		26.90
	<b>WAS:</b>	64.48
11043739		
15-7008 200MM		83.21
	<b>WAS:</b>	179.12
11043741		

Multi purpose clamp. Various uses on metal and wood.

H\_F\_0055



**FILE RASP ROUND HURRICANE**

15-4127 250MM		12.24
	<b>WAS:</b>	36.52
11051325		

Bastard - coarse, 2nd cut - medium, smooth to fine. Complete with handle.

H\_F\_0040



**SAW SET NYLON BAG HURRICANE**

15-5181 3PCE		97.61
	<b>WAS:</b>	192.54
11068676		

3 PIECE SAW SET with NYLON BAG. Premium steel alloy blade. Ergonomic rubberised soft handle. 150mm Wallboard saw. 300mm Back saw. 400mm Hand saw.

H\_F\_0043



**BLADE HACKSAW 10PCE HURRICANE**

15-5500 300MM		14.17
	<b>WAS:</b>	20.02
11043827		
15-5600 150MM		5.87
	<b>WAS:</b>	16.72
11131719		

Blades made of high quality carbon steel.

H\_F\_0049



**CLAMP G HURRICANE S**

15-7055 100MM		22.96
	<b>WAS:</b>	32.45
11069563		

Multi purpose clamp. Various uses on metal and wood.

H\_F\_0056



**SAW HAND HURRICANE**

15-5182 400MM		26.88
	<b>WAS:</b>	37.98
11068668		

Crosscut wood handsaw with poly handle and polished blade. Used for general woodworking.

H\_F\_0044





**CLAMP SASH HURRICANE**

15-7305 50MMx300MM 11069435	<b>WAS:</b>	19.79 44.01
15-7323 120MMx1000M 11069673	<b>WAS:</b>	124.67 210.71
15-7326 120MMx2000M 11069735	<b>WAS:</b>	147.08 207.84

Adjustable woodworking clamp for use on flat pieces of wood.

H\_F\_0057



**LEVEL TORPEDO HURRICANE**

19-2501 11043834	<b>WAS:</b>	11.33 20.23
---------------------	-------------	----------------

Used for small surfaces.

H\_F\_0064



**PLIER/WRENCH SET 4PCE HURRICANE**

40-1167 4PCE 11069728	<b>WAS:</b>	116.02 163.96
-----------------------------	-------------	------------------

100mm Adjustable wrench. 200mm Adjustable wrench. 250mm Adjustable wrench. 250mm Locking plier curved jaw.

H\_F\_0080



**TROWEL SQUARE HURRICANE**

56-1630 300MMx300MM 11069613	<b>WAS:</b>	39.52 55.84
------------------------------------	-------------	----------------

H\_F\_0095



**BOLSTER BRICK HURRICANE**

18-1530 56MMx19MMx2 11069626	<b>WAS:</b>	75.14 106.18
18-1532 100MMx22MMx 11069648	<b>WAS:</b>	89.99 127.17

Carbon steel, hardened and tempered. Epoxy coated. Used for brick cutting.

H\_F\_0058



**VICE CARPENTER HURRICANE**

19-5510 250MM 11069764	<b>WAS:</b>	184.82 416.79
------------------------------	-------------	------------------

Used for woodworking. Used for any holding, clamping of objects.

H\_F\_0067



**SCREWDRIVER PRECISION HURRICANE**

40-1321 11PCE 11043801	<b>WAS:</b>	27.73 45.57
------------------------------	-------------	----------------

For delicate and accurate work.

H\_F\_0085



**TROWEL SLIM HURRICANE**

56-1640 6MMx500MM 11069430	<b>WAS:</b>	4.61 17.32
----------------------------------	-------------	---------------

Wooden handle. Through tang and capped. Drop forged.

H\_F\_0096



**SQUARE MULTI-PURPOSE HURRICANE**

20-2022 11043838	<b>WAS:</b>	92.55 152.66
---------------------	-------------	-----------------

Metal combination square with a centre and angle finder. It can be used separately. The square is adjustable with a level and a metal marking gauge/scraper. One can measure 45 and 90 degree angles. The ruler is marked in mm and cm. The angle finder has a built in level and can measure straight edges and horizontal levels. The centre finder is used to measure the centre of circles or round based items and can also be used as a depth gauge.

H\_F\_0069



**BUCKET ORGANISER SQUARE HURRICANE**

50-0010 11043750	<b>WAS:</b>	73.97 104.53
---------------------	-------------	-----------------

Square bucket with pockets to put your tools in when working.

H\_F\_0091



**SCREWDRIVER SLOT 5 x 75 HURRICANE**

80-1002 5 x 75 11121425	<b>WAS:</b>	6.65 9.40
-------------------------------	-------------	--------------

Triangular, haped handle for more turning power. Non slip grip handle. Chromevanadium steel shot finished shank. Hardened tip with magnetic.

H\_F\_2250



**CHISEL COLD HURRICANE**

18-1535 22MMx300MM 11035837	<b>WAS:</b>	60.90 86.05
18-2113 13MMx150MM 11069423	<b>WAS:</b>	8.11 11.45

Carbon steel, hardened and tempered. Epoxy coated. Used for a variety of applications in metal work such as cutting bolts and may be used in masonry and bricks.

H\_F\_0059



**FILE RASP SET HURRICANE**

40-1166 6PCE 11043821	<b>WAS:</b>	87.87 124.17
-----------------------------	-------------	-----------------

Flat rasp. Round rasp. Half round. Rasp mill. 3X Round file.

H\_F\_0079



**BELT TOOL HURRICANE**

50-0035 1470MM 11096292	<b>WAS:</b>	109.30 319.93
-------------------------------	-------------	------------------

Belt with carry bags to carry tools in it.

H\_F\_0092



**HURRICANE FLAT SCREWDRIVER 1/4 INCH**

80-1005 6X100MM 11129171	<b>WAS:</b>	6.31 8.92
80-1006 6X125MM 11121423	<b>WAS:</b>	6.53 9.22

H\_F\_1409





**SCREWDRIVER FLAT HURRICANE**

13-1801 5MMX75MM 11043788	<b>WAS:</b>	6.29 14.09
13-1802 5MMX100MM 11051311	<b>WAS:</b>	5.17 7.31
13-1803 5MMX125MM 11043789	<b>WAS:</b>	8.82 14.45
13-1804 6MMX100MM 11043790	<b>WAS:</b>	7.62 15.17
13-1806 6MMX150MM 11043791	<b>WAS:</b>	6.66 17.80
13-1807 8MMX150MM 11051312	<b>WAS:</b>	12.05 17.02
13-1808 8MMX200MM 11043792	<b>WAS:</b>	17.74 34.65
80-1008 8MMX150MM 11129172	<b>WAS:</b>	8.47 11.96

Manufactured from chrome vanadium steel. Black tipped.

H\_F\_0028



**PLIERS END CUTTING TYRE GRIP 6 INCH HURRICANE**

80-1181 160MM 11121418	<b>WAS:</b>	25.48 36.00
------------------------------	-------------	----------------

Harden cutting edge chrome vanadium steel construction. Superior-rust resistant micro finish. Ergonomic non slip soft grip.

H\_F\_2251



**KNIFE UTILITY FOLDING POCKET HURRICANE**

90-0002 11121428	<b>WAS:</b>	25.57 36.13
---------------------	-------------	----------------

High grade carbon steel for long life and sharp edge. Blade for 90-0002. 5 Per packet.

H\_F\_0111



**KNIFE AUTO CHANGE INCL BLADE 3 PIECES HURRICANE**

90-0037 11121427	<b>WAS:</b>	45.79 64.71
---------------------	-------------	----------------

H\_F\_1102



**BLADE KNIFE SNAP OFF HURRICANE**

90-0105 8MM 10PIECE 11096216	<b>WAS:</b>	1.54 2.65
------------------------------------	-------------	--------------

High grade carbon steel of long life and sharp edge.

H\_F\_0116



**BRAAI DISPOSABLE PICNIC IGNITE**

IGBBOPIC 11084916	<b>WAS:</b>	14.94 34.37
----------------------	-------------	----------------

Normal size. 300mm(L)x240mm(W)x55mm(H), disposable barbecue filled with instant light charcoal. Very convenient, because it lights with just one match. After lighting, the barbecue is ready to cook in 20 minutes.

O\_F\_0165



**VALVE FOOT ADAPTOR JOOSTE**

AF80 AS80 11112485	<b>WAS:</b>	331.55 342.98
--------------------------	-------------	------------------

The foot-valve is used in the cylinder to allow water through and to stop water flowing out. The Adaptor Foot Valve can be fitted to the bottom of the cylinder to accommodate a submersible pump or extension pipes.

I\_F\_0690



**CYLINDER PRESSURE SURFACE JOOSTE**

AS50F40 50X500MM 11112452	<b>WAS:</b>	2,305.93 2,943.00
AS60F40 60X500MM 11112453	<b>WAS:</b>	2,163.10 3,241.00
AS70F40 70X500MM 11112454	<b>WAS:</b>	1,911.38 3,818.00
AS80F40 80X500MM 11112455	<b>WAS:</b>	2,919.57 4,428.50

The Jooste pressure cylinder is used to pump water at great heights and distances out of dams or wells. The pressure cylinder consists of a normal Jooste borehole cylinder and a force head mounted on top. At the bottom of the cylinder a base plate is mounted to fasten on the surface of a dam or well. 500mm Cylinder with 370mm stroke length.

I\_F\_0657



**CYLINDER DEEP 50-50 JOOSTE**

AS70RDS AS70 11027166	<b>WAS:</b>	1,669.19 2,091.00
-----------------------------	-------------	----------------------

Effective in boreholes of 60m and deeper. A rust retainer is fitted on the last galvanised rod preventing rust or sand from settling in the cylinder. It is mounted at the top of the cylinder which has a pump rod support that makes the cylinder longer than the normal AS-models. As pressure on the plunger rings is higher in the ASRDS models than in the AS models, they have a double plunger set. The foot valve on these models work on the same principle. Cylinder 550mm with 360mm stroke length.

I\_F\_0656



**CYLINDER DOUBLE PLUNGER JOOSTE**

AS70RDS-111 RDS70 11112447	<b>WAS:</b>	83.19 179.55
AS80RDS-111 RDS80 11112448	<b>WAS:</b>	78.81 199.89

The plunger moves up and down in the cylinder and is part of the plunger set. The new design has a better rounding that stops the plunger from getting stuck in the cylinder and has less problems with sand. The plungers on cylinders for deep holes and force heads have two rings next to each other.

I\_F\_0667



**CYLINDER DEEP 50-40 JOOSTE**

AS60RDS AS60 11025120	<b>WAS:</b>	1,375.55 1,413.76
-----------------------------	-------------	----------------------

Effective in boreholes of 60m and deeper. Rust protector is mounted at the top of the cylinder which have a pump rod support that makes the cylinder 50mm longer than the normal AS-models. As pressure on the plunger rings is higher in the ASRDS models than in the AS models, they have a double plunger set. The foot valve on these models work on the same principle. Cylinder 550mm with 360mm stroke length.

I\_F\_0655



**CYLINDER DOUBLE PLUNGER SET JOOSTE**

AS50RDS-112 RDS50 11039736	<b>WAS:</b>	154.84 196.36
AS60RDS-112 RDS60 11112450	<b>WAS:</b>	146.94 216.89
AS80RDS-112 RDS80 11039738	<b>WAS:</b>	246.88 278.79

Double plunger complete with 2 rings, plunger valve and spring.

I\_F\_0669



**CYLINDER PLUNGER JOOSTE**

AS70-11 AS70 11028586	<b>WAS:</b>	74.34 85.57
AS80-11 AS80 11028587	<b>WAS:</b>	109.73 162.50

The plunger moves up and down in the cylinder and is part of the plunger set. The new design has a better rounding that stops the plunger from getting stuck in the cylinder and has less problems with sand.

I\_F\_0692





**FORCEHEAD HOUSING 12MM JOOSTE**

FA40-28	166.23
11112441	<b>WAS:</b> 233.30

The housing is a part of the force head and consists of a nut and housing.

I\_F\_0676

**JOOSTE**



**WASHER HIGH PRESSURE 120BAR 1.6KW K3 KARCHER**

KAW601-812	2,100.00
380L/H	<b>WAS:</b> 2,500.00
11127399	

The "K3" high-pressure cleaner is ideal for occasional use and normal dirt, e.g. on bicycles, garden fences, motorbikes, etc. High-pressure gun, standard quick connect. Various power jet. Dirt blaster. Pressure hose, 6 m. Detergent application via tank. Integrated water filter. A3/4" garden hose connector adaptor.

A\_f\_0346



**CONTROLLER OUTDOOR RPS469 K-RAIN**

KR3604-220	826.88
4 STATION	<b>WAS:</b> 913.66
11117467	
KR3606-220	940.69
6 STATION	<b>WAS:</b> 1,038.50
11117468	
KR3609-220	979.93
9 STATION	<b>WAS:</b> 1,075.00
11117469	

4, 6, 9 and 12 Station models available. Indoor/Outdoor weatherproof enclosure ensures long product life. System test allows a full system check for valve operation. Permanent memory saves programs during power outages. 6 Fully independent programs up to 6 separate start times per program. Max. 36 starts per day. Water conservative with an adjustment of watering durations in 10% increments, 10% to 200%. Rain sensor ready, allows individual stations to be set and controlled by the sensor. Flexible manual operation: automatic, semi-automatic and single station manual.

I\_F\_0778



**ROTATOR SPRAY DIY 3/4 K2 INTELLIGENT FLOW TECH K-RAIN**

KRDIYK2I	140.57
11117484	<b>WAS:</b> 158.75

Adjust distance and water flow at the same time -saves time and water! Shut off water at the head for quick adjustments and nozzle changes. Installs in minutes - adjusts in seconds. 5" Pop-Up height - Ideal for grasses with thick thatch. Operating range is 20' to 45'. Comes standard with vandal resistant clutch with auto reset.

I\_F\_0792



**SUB ASSEMBLY JOOSTE**

SUB60	314.27
AS60	<b>WAS:</b> 585.29
11062337	
SUB70	441.14
AS70	<b>WAS:</b> 488.93
11112478	
SUB80	470.13
AS80	<b>WAS:</b> 571.34
11112479	

An effective adaptation of a submersible onto the existing borehole cylinder. The complete assembly comprises of an acetal adaptor to fit in the cylinder, 2 stainless steel nipples, a tee piece, 1 check valve and a set of self tapping screws. Designed for water to enter from the side.

I\_F\_0687

**JOOSTE**



**WASHER HIGH PRESSURE 110BAR 1.4KW K2 COMPACT KARCHER**

KAW673-140	1,151.65
360L/H	<b>WAS:</b> 1,493.51
11127401	

The "K2 Compact" is compact and powerful. This high-pressure cleaner is very versatile, mobile and easy to store after use. Features include a trigger gun, 4 m high-pressure hose, spray lance, dirt blaster with rotating pencil jet for removing stubborn dirt and a water filter which reliably protects the pump against the ingress of dirt particles.

A\_f\_0345



**CONTROLLER OUTDOOR RPS624 K-RAIN**

KR3912-220	1,807.12
12 STATION	<b>WAS:</b> 1,937.29
11117470	

4, 6, 9 and 12 Station models available. Indoor/Outdoor weatherproof enclosure ensures long product life. System test allows a full system check for valve operation. Permanent memory saves programs during power outages. 6 Fully independent programs up to 6 separate start times per program. Max. 36 starts per day. Water conservative with an adjustment of watering durations in 10% increments, 10% to 200%. Rain sensor ready, allows individual stations to be set and controlled by the sensor. Flexible manual operation: automatic, semi-automatic and single station manual.

I\_F\_0835



**ROTATOR SPRAY DIY 3/4 K5 K-RAIN**

KRDIYK5	121.99
11117482	<b>WAS:</b> 133.90

With the superior ability to deliver even water distribution from precision engineered nozzles, the K5 Rotor Sprinkler is unequalled for reliability, durability, versatility and value. This rotor sprinkler gear drive is designed for basic residential and light commercial applications and is a direct replacement for Hunter PGP® rotors. The reversing mechanism, a K-Rain patented feature, is the same mechanism used in the Hunter PGP®.

I\_F\_0790



**VACUUM CLEANER WET/DRY 1000W KARCHER**

KAV348-110	1,588.24
20L MV4	<b>WAS:</b> 2,142.86
11127393	

Only available from Karcher: a filter system from the professional area, teamed with unique patented filter removal technology. The filter can be removed in an instant every time, free from contact with dirt. Middle class machines deliver the power of a 1600 Watt vacuum but with very low power consumption (1000 W). Thanks to the optimised accessories, all types of dirt can be removed quickly and conveniently.

A\_t\_0306



**SENSOR RAIN WIRELESS FOR PRO EX 2.0 K-RAIN**

KR3208-WRFS	496.32
11117464	<b>WAS:</b> 625.35

Automatically shut off your irrigation system during rain or wet conditions with KR3205 rain sensor. Moisture sensing works in a variety of climates.

I\_F\_0776




**ROTATOR SPRAY DIY 1/2 K1 K-RAIN**

KRDIYK1	115.59
11117481	<b>WAS:</b> 127.85

Patented easy top arc indication. Easiest sprinkler to set! 4" Pop up height replaces fixed sprays and promotes water conservation. Low flow nozzles, ideal for use in areas with restricted water flow. Patented reversing mechanism prolongs life of sprinkler. Ratcheting riser allows the riser to be turned to direct the water flow. Radius reduction screw adjust water flow and fallout pattern up to 25%. Replaces all major brand 1/2" rotor sprinklers and sprayers.

I\_F\_0789





**LAMPS AA 2CD MAGLITE**

ML3003	19.50
11003840	<b>WAS:</b> 27.55

Replacement bulbs for 2 x AA/AAA flashlights. Made in the U.S.A.

O\_F\_0195



**HOSE DRAGLINE 25MM 5 YEAR WITH BLUE STRIPE MEGAFLEX**

MADL25030	301.13
30M PER ROLL	<b>WAS:</b> 462.01
11129939	

MEGAFLEX Dragline Hoses present a cost effective, high pressure PVC hose specially designed to provide reliability without compromising on the quality standards expected from a robust hose.

I\_F\_0724



**MASONRY DRILL TUBE MITCO**

MIT1405C	21.81
14.0MMX150MM	<b>WAS:</b> 30.82
11124036	
MIT1505C	23.75
15.0MMX150MM	<b>WAS:</b> 33.55
11124037	
MIT1806C	32.70
18.0MMX160MM	<b>WAS:</b> 46.22
11124038	
MIT2006C	40.13
20.0MMX160MM	<b>WAS:</b> 56.71
11124039	

Mitco Masonry DIY drill bits are made from carbon steel, nickel plated with carbide tip to DIN 8039 specifications and can be used to drill into all plaster, cement, brick and concrete. Mitco drill bits will fit all electric and hand drills.

H\_F\_1306



**KNIFE SKINNING 150MM MUNDIAL**

MK0003	110.25
BLACK	<b>WAS:</b> 155.81
11113668	

Mundial 15cm skinning knife. When it comes to cuts of meat, the more finishing work you're willing to do at home, the less you'll spend at the butcher's shop. With that in mind, is it time to add a boning knife to the collection? The best word to describe Mundial knives is classic: classic shape, classic feel, classic construction. The quality of Mundial cutlery is undeniable. Like most traditional European knives, these blades are hefty and rugged. At the same time, they're expertly balanced and admirably sharp. Mundial knives are hand-forged from high-carbon stainless steel, fitted with durable polyacetal handles that will not stain or crack.

D\_F\_0002



**PAINT FLEXIBOND CLEAR MEGABOND**

MBAFBL1L	18.61
1L	<b>WAS:</b> 26.30
11124045	

A concrete additive used to provide flexibility, strength and adhesion properties to cement screeds. Used in a cement slurry or screed it could be used to create an interface between bitumen and an Acrylic system. Used with cement it provides a sound substrate to waterproof over. Will act as an accelerator and will greatly advance the curing time of various cement mixes.

P\_F\_0033



**MASONRY DRILL CARDED MITCO**

MIT0452C	4.31
4.5MMX85MM	<b>WAS:</b> 6.09
11124024	
MIT1305C	18.65
13.0MMX150MM	<b>WAS:</b> 26.35
11124035	

Mitco Masonry DIY drill bits are made from carbon steel, nickel plated with carbide tip to DIN 8039 specifications and can be used to drill into all plaster, cement, brick and concrete. Mitco drill bits will fit all electric and hand drills.

H\_F\_1305



**DRILL BIT MASONRY DIY BLISTER PACK MITCO**

MITCO41-2102	45.28
25.0X160MM	<b>WAS:</b> 63.99
11124042	

H\_F\_2120



**NEPTUN GUMBOOT KID GUMBEEES RED/YELLOW**

CRYGP6	27.28
6	<b>WAS:</b> 38.56
11122480	

The Clipper range is an ideal gumboot for children and is very popular in SA. The boot has an excellent grip, with a long lasting sole.

D\_I\_0144



**WATERPROOFING FLEXIBLE MEGABOND**

MBRGE1	49.12
GREEN 1L	<b>WAS:</b> 69.41
11072594	

A non toxic, fibre-reinforced acrylic waterproofing system used in a wide variety of colours. Multiple applications, cover rate 2m<sup>2</sup>/L. Touch dry: 3 - 4 hours.

P\_F\_0043



**DRILLBIT STEEL DIY CARDED SINGLE MITCO**

MIT0850C	10.72
8.5MM	<b>WAS:</b> 15.14
11124029	

Mitco Steel DIY drill bits are made at a 118° point angle, roll forged drill made of 4241 material to DIN 338 specifications and designed to be used on mild steel, aluminium and brass. Mitco drill bits will fit all electric and hand drills.

H\_F\_1308



**KNIFE DEBONING WIDE BLADE 150MM MUNDIAL**

MK0001	82.77
BLACK	<b>WAS:</b> 116.97
11113667	

Mundial wide stiff 15 cm deboning knife. When it comes to cuts of meat, the more finishing work you're willing to do at home, the less you'll spend at the butcher's shop. With that in mind, is it time to add a boning knife to the collection? The best word to describe Mundial knives is classic: classic shape, classic feel, classic construction. The quality of Mundial cutlery is undeniable. Like most traditional European knives, these blades are hefty and rugged. At the same time, they're expertly balanced and admirably sharp. Mundial knives are hand-forged from high-carbon stainless steel, fitted with durable polyacetal handles that will not stain or crack.

D\_F\_0004



**NEPTUN GUMBOOT LADIES MARINA CALF LENGTH WHITE/GREY**

MWG253	41.60
3	<b>WAS:</b> 58.79
11092719	

The Marina range is made up of women's calf length lightweight boots. This is the most popular woman's gumboot in South Africa.

D\_I\_0150



**MEGABOND PAINT WATERPROOFING EXTERIOR CLAD WALL WHITE**

MBWW1	35.90
1L	<b>WAS:</b> 50.73
11072114	

Penetrates wood primer to seal and treat timber. Cover: 2-8m<sup>2</sup>/L. Dry time: 24-36 hours.

P\_F\_0058





ACCESSORY KIT COMPRESSOR 14 PIECE

MC14		77.43
11108968	<b>WAS:</b>	81.51

Accessory kit consist of female quick coupler, 4 Nitto type 1/4"(0.64cm)PT male quick plugs, air chuck, 2 hose connectors, 2 nitto type 1/4"(0.64cm)PT female quick plugs, 1 safety nozzle, 1 inflation needle, 1 blow gun, 1 tyre gauge.

GA\_F\_0483



ADHESIVE 100% PATTEX

HEN1943193		94.98
290G	<b>WAS:</b>	107.85
11125760		

100% Power glue, 0% solvent offer strong bonding in and around the house. Used on All materials. Flexible, transparent adhesive.

H\_F\_1716



PHILIPS LIGHT BULB METAL HALIDE DOUBLE ENDED

PH112		58.97
W/W 150W	<b>WAS:</b>	83.34
11102602		

High intensity discharge, retail flood and spot lighting, high quality light. Double ended.

E\_f\_0053



LIGHT BULB LED COOL WHITE 7W PHILIPS

PH134		43.92
ES 7=40W	<b>WAS:</b>	62.07
11102610		

80% Energy saving, non dimmable, 40W equivalent. Cool white, 15 000 hours lifetime.

E\_f\_0399



COMPRESSOR HEAVY DUTY 34L 4X4

MC21		459.60
11108953	<b>WAS:</b>	532.68

Suitable for most vehicles including bicycles and sports equipment. 23 AMP-12 Volt, 150 PSI, 35 L/M with a flow rate of 1.94CFM. Set includes extendable coiled high pressure hose, 150 PSI pressure gauge, battery clips for easy connection, 3 sports equipment adaptors, on/off rocker switch and storage bag.

GA\_F\_0485



LIGHT BULB GENIE CFLI NG 11W LIGHT E27 HV PHILIPS

929689239206		22.58
COOL DAY	<b>WAS:</b>	33.79
11126298		

E\_f\_0369



PHILIPS LIGHT BULB HPS ELLIPTICAL (EXT.IGN)

PH121		30.67
ES 70W	<b>WAS:</b>	43.34
11102603		

High intensity discharge, flood and factory lighting, low quality high output light. External ignitor.

E\_f\_0056



PHILIPS LIGHT BULB LED CANDLE COOL WHITE 40W EQUIVALENT

PH135		42.42
BC 7=40W	<b>WAS:</b>	59.94
11102634		

80% Energy saving, non dimmable, 40W equivalent. Cool white, 15 000 hours lifetime.

E\_f\_0067



COMPRESSOR HOSE COUPLER 6.3MM

MC63		12.45
11099860	<b>WAS:</b>	11.10

Precision-made. Can be used for air lines, compressors etc.

GA\_F\_0487



PHILIPS LIGHT BULB ENERGY SAVER GOLFBALL WARM WHITE

PH055		33.87
SES 8W	<b>WAS:</b>	47.87
11126308		

80% Energy saving, non dimmable, 40W equivalent. Warm white, frosted, 10 000 hours lifetime.

E\_f\_0033



PHILIPS LIGHT BULB LED WARM WHITE 25W EQUIVALENT

PH129		34.56
EC 5=25W	<b>WAS:</b>	48.83
11102612		

80% Energy saving, non dimmable, 25W equivalent. Warm white, 15 000 hours lifetime.

E\_f\_0061



PHILIPS LIGHT BULB LED COOL WHITE 9W

PH138		50.51
EC	<b>WAS:</b>	71.38
11126312		

80% Energy saving, non dimmable, 60W equivalent. Cool white, 15 000 hours lifetime.

E\_f\_0068



JACK HYDRAULIC BOTTLE PARTRITE

T91504		314.55
16TON	<b>WAS:</b>	366.48
11051346		

For a wide range of applications - lifting, bending and pushing. Jacks can be operated vertically or horizontally for greater versatility. Fitted with over-load valve.

A\_f\_0284



LIGHT BULB METAL HALIDE ELLIPTICAL PHILIPS

PH108		82.56
GES 250W	<b>WAS:</b>	131.25
11126310		

PH109		94.35
GES 400W	<b>WAS:</b>	133.33
11102599		

High intensity discharge, factory lighting, high quality light.

E\_f\_0051



PHILIPS LIGHT BULB LED WARM WHITE 7.5W

PH132		47.18
ES	<b>WAS:</b>	66.66
11126311		

PH133		42.42
BC	<b>WAS:</b>	59.94
11102615		

80% Energy saving, non dimmable, 40W equivalent. Warm white, 15 000 hours lifetime.

E\_f\_0062



PHILIPS LIGHT BULB LED WARM WHITE 12.5W

PH140		55.04
BC	<b>WAS:</b>	77.78
11122652		

80% Energy saving, non dimmable, 75W equivalent. Warm white, 15 000 hours lifetime.

E\_f\_0064





PHILIPS LIGHT BULB LED WARM WHITE 90W EQUIVALENT

PH143 BC 7=40W 11102631	<b>WAS:</b>	74.70 105.55
-------------------------------	-------------	-----------------

80% Energy saving, non dimmable, 90W equivalent. Warm white, 15 000 hours lifetime.

E\_f\_0065



PHILIPS LIGHT BULB LED GOLFBALL WARM WHITE FR 4W BLISTER PACK 1

PH151 ES 11102630	<b>WAS:</b>	46.63 65.90
-------------------------	-------------	----------------

80% Energy saving, non dimmable, 25W equivalent. Warm white, 15 000 hours lifetime.

E\_f\_0075



PHILIPS LIGHT BULB LED WARM WHITE 7W

PH178 230V ES 11126314	<b>WAS:</b>	40.02 56.56
------------------------------	-------------	----------------

E\_f\_0247



WATER FOUNT 3L LID ONLY POLTEK

CM202 11125396	<b>WAS:</b>	10.00 27.63
-------------------	-------------	----------------

Use with CM200

D\_F\_0475



PHILIPS LIGHT BULB LED COOL WHITE 14W

PH145 ES 11102633	<b>WAS:</b>	74.70 105.55
-------------------------	-------------	-----------------

80% Energy saving, non dimmable, 90W equivalent. Cool white, 15 000 hours lifetime.

E\_f\_0070



PHILIPS LIGHT BULB LED GOLFBALL WARM WHITE CL 4W BLISTER PACK 1

PH152 SES 11122650	<b>WAS:</b>	39.27 55.50
--------------------------	-------------	----------------

PH153 ES 11102627	<b>WAS:</b>	40.88 57.77
-------------------------	-------------	----------------

80% Energy saving, non dimmable, 25W equivalent. Warm white, clear, 15 000 hours lifetime.

E\_f\_0076



LIGHT BULB LED WARM WHITE 9.5W PHILIPS

PH182 ES 230V 11126316	<b>WAS:</b>	44.82 63.34
------------------------------	-------------	----------------

E\_f\_0308



WATER FOUNT 4L LID ONLY POLTEK

CM203 11125421	<b>WAS:</b>	20.00 33.39
-------------------	-------------	----------------

Use with CM201

D\_F\_0474



LIGHT BULB LED CANDLE WW FR 4W BLI PHILIPS

PH146 SES 11122646	<b>WAS:</b>	32.30 45.64
--------------------------	-------------	----------------

80% Energy saving, non dimmable, 25W equivalent. Warm white, frosted, 15 000 hours lifetime.

E\_f\_0071



PHILIPS LIGHT BULB LED SPOT WARM WHITE 2W BLISTER PACK 2

PH154 GU10 11102611	<b>WAS:</b>	51.11 72.22
---------------------------	-------------	----------------

80% Energy saving, non dimmable, 35W equivalent. GU10. Warm white, 10 000 hours, 50 deg.

E\_f\_0077



WATER FOUNT 12L BASE ONLY POLTEK

CM1010 11125392	<b>WAS:</b>	45.00 52.88
--------------------	-------------	----------------

Use With CM1012

D\_F\_0485



TUBE FEEDER SMOOTH ADJUSTER ROD COMPLETE WITH S-HOOK POLTEK

CM309C 11114567	<b>WAS:</b>	20.00 34.11
--------------------	-------------	----------------

D\_F\_0530



PHILIPS LIGHT BULB LED CANDLE WARM WHITE FR 7W BLISTER PACK 2

PH149 SES 11102624	<b>WAS:</b>	167.40 236.55
--------------------------	-------------	------------------

80% Energy saving, non dimmable, 40W equivalent. Warm white, frosted, 15 000 hours lifetime.

E\_f\_0074



PHILIPS LIGHT BULB LED SPOT R50 DIMMABLE WARM WHITE 4W BLISTER PACK 1

PH156 SES 11102636	<b>WAS:</b>	59.72 84.39
--------------------------	-------------	----------------

80% Energy saving, non dimmable, 40W equivalent. Warm white, 15 000 hours, 36 deg.

E\_f\_0079



POULTRY BASE WATER FOUNTAIN POLTEK

CM1017 10L 11027792	<b>WAS:</b>	45.00 61.09
---------------------------	-------------	----------------

Replacement water fountain base only.

D\_f\_0199



POULTRY BASE TANK WATER POLTEK

CM4002 11125403	<b>WAS:</b>	31.62 42.16
--------------------	-------------	----------------

D\_f\_0210





VALVE ASSEMBLY BODY MK4/5/6 DRINKERS  
POLTEK

CM519		8.00
11114587	<b>WAS:</b>	10.76

D\_F\_0531



HOSE ACETYLENE RED 100M ROLL PROMAX

WELD28-HOSE-AC		9.41
PRICE PER M	<b>WAS:</b>	13.30
11042943		

H\_F\_0742



NOZZLE BRAZING SWAGGED PROMAX

WELD50-PPSW3		29.33
NO4	<b>WAS:</b>	41.45
11042937		

Swagged tips forged in copper. Excellent welding characteristics.

H\_F\_0761



POP UP SLIM BODY RAINBIRD

CIRBUS415		19.22
15FT	<b>WAS:</b>	29.49
11061443		

CIRBUS418		19.87
18FT	<b>WAS:</b>	29.69
11061444		

1/2" Female thread slim pop up with adjustable nozzle.

L\_F\_0216



POULTRY MECHANISM COMP DRINKER POLTEK

CM916		40.00
11005667	<b>WAS:</b>	64.14

D\_f\_0225



ATTACHMENT CUTTING PROMAX

WELD50-PPCUTAT		301.01
11042935	<b>WAS:</b>	480.00

Forged brass head and stainless steel tubes. Featuring a press-to-cut oxygen lever.

H\_F\_0960



INSECTICIDE COILS RAID

SC122240		4.72
10 COILS	<b>WAS:</b>	8.01
11123880		

Kills and repels mosquitoes all night long. Use indoors and outdoors.

D\_f\_0180



EAR MUFFS NON ELECTRONIC EAR TECT ETP1  
RAM

DS4215		89.13
PINK	<b>WAS:</b>	125.94
111100282		

Exceptionally comfortable, balanced design so you can wear them with ease for extended periods. Fully adjustable for small, medium or large head sizes. Low profile ear cups. Lightweight polymer plastic construction. Tested and approved to European standard EN352-1 and ISO 4869-1. 25dB Noise reduction rating (NRR). Suitable for: shooting, hunting, construction, aviation, factories, motor racing, agriculture, police, military etc.

O\_f\_1112



POULTRY PIPE FLEX GREY POLTEK

CM968		70.00
11060313	<b>WAS:</b>	94.20

The Flexible Grey pipe is used to connect the main water supply or tank to the water line.

D\_f\_0228



GLOVES CHROME LEATHER PROMAX

WELD50-PPGCL200		27.35
200MM	<b>WAS:</b>	38.65
11087256		

Chrome leather welding gloves. Double palm, open cuff. Ideal for protection while welding.

H\_F\_0727



INSECTICIDE POWER MATS RAID

SC122250		19.24
30 MATS	<b>WAS:</b>	30.36
11123881		

Mosquito mats. Contains 30 mats. Double action: Kills and repels mosquitoes. Provides all night protection. Each mat provides up to 10 hours of protection.

D\_f\_0181



ANTI SPATTER MIG PROMAX

WELD27-AS-SF		28.04
11070711	<b>WAS:</b>	46.66

H\_F\_0959



MIXER WELDING PROMAX

WELD50-PPMIX		38.17
11042933	<b>WAS:</b>	53.93

H\_F\_0760



RAINBIRD NOZZLE POP UP MP1000 360 DEGREES

CIMP1-360		67.66
11125166	<b>WAS:</b>	103.80

Full circle matched precipitation nozzle. Maximum distance 4.6M. Saves water.

L\_F\_0214







**BORE CLEANER GUN QUICK CLEAN RAM**

LITE0150 0.177 11062366	<b>WAS:</b>	50.21 70.96
LITE0160 0.243 11062368	<b>WAS:</b>	50.95 72.00
LITE0165 .270 70 11062369	<b>WAS:</b>	50.57 71.46
LITE0170 0.3 11062370	<b>WAS:</b>	50.95 72.00
LITE0185 0.45 11062373	<b>WAS:</b>	50.83 72.00
LITE0195 20G 11062375	<b>WAS:</b>	61.02 86.22
LITE0200 16G 11062376	<b>WAS:</b>	55.98 79.11

Quick-clean bore cleaner. One pass loosens large particles, scrubs out the remaining residue with a bronze brush, then swabs it all spotless with a cleaning area than a standard patch. Quick, three-step bore shine. Extremely packable. Available for rifles, shotguns and pistols. Brass weight on the pull cord is stamped with the size. Machine washable. One-piece design.

O\_F\_0429



**CLEANING KIT SHORT ROD WOOL MOP RAM**

LITE0500 12G 11054514	<b>WAS:</b>	56.77 80.22
-----------------------------	-------------	----------------

Cleaning kit containing a 12G calibre rod and wool mop.

O\_F\_0685



**CLEANING JAG GUN BRASS RAM**

LITE0605 .38 .357 RAM 11003325	<b>WAS:</b>	15.05 21.26
--------------------------------------	-------------	----------------

LITE0610 .375 RAM 11003326	<b>WAS:</b>	16.35 23.11
----------------------------------	-------------	----------------

Brass jag cleaning rod sized to the caliber of the gun. Must be used with cleaning patches to ensure thorough cleaning.

O\_F\_0667



**PLIERS CRIMPING 5 WAY RAZOR**

RAZ65015 200MM 11122031	<b>WAS:</b>	19.30 27.27
-------------------------------	-------------	----------------

H\_F\_1177



**CLEANING BRUSH GUN PHOSPHORUS BRONZE RAM**

LITE0505 .177 RAM 11054518	<b>WAS:</b>	10.50 14.85
----------------------------------	-------------	----------------

Bronze phosphorus cleaning brush sized to the caliber of the gun and used to clean the inside of the gun barrel.

O\_F\_0664



**PATCHES TARGET BLACK SQUARE 2000 RAM**

LITE0650 11003291	<b>WAS:</b>	22.65 32.00
----------------------	-------------	----------------

Self adhesive patches to cover up previous target practice on target boards.

O\_F\_0673



**STRIPPER AUTO SELF ADJUSTABLE RAZOR**

RAZ65016 175MM 11102228	<b>WAS:</b>	17.94 25.36
-------------------------------	-------------	----------------

A3 steel and ABS.

H\_F\_1322



**CLEANING KIT RIFLE ROD 1 PIECE RAM**

LITE0480 0.177 11028407	<b>WAS:</b>	38.52 54.44
-------------------------------	-------------	----------------

LITE0490 .270 .30 11003302	<b>WAS:</b>	47.81 67.55
----------------------------------	-------------	----------------

Cleaning kit containing a cleaning rod for specific calibre rifle.

O\_F\_0684



**CLEANING WOOL GUN MOP RAM**

LITE0550 .243 RAM 11028411	<b>WAS:</b>	9.75 13.78
----------------------------------	-------------	---------------

LITE0570 .375 RAM 11028413	<b>WAS:</b>	9.75 13.78
----------------------------------	-------------	---------------

LITE0575 .40 .410 RAM 11054522	<b>WAS:</b>	9.75 13.78
--------------------------------------	-------------	---------------

Wool mop sized to the caliber used to clean the inside of the gun barrel.

O\_F\_0665



**JAG BRASS 12G RAM**

LITE0701 11003328	<b>WAS:</b>	68.41 96.67
----------------------	-------------	----------------

Cleaning Jags to keep your rifle bore clean. Made of brass to protect bore.

O\_F\_0939



**KNIFE RIGHT HANDLE SNAP OFF RAZOR**

RAZ65031 11102232	<b>WAS:</b>	8.90 12.58
----------------------	-------------	---------------

Plastic with a 65mm steel blade. Snap-off blade ensures continuous sharpness. Ergonomic handle design for control and comfort during use.

H\_F\_1183



**CLAMP G CAST RAZOR**

RAZ65007 150MM 11122013	<b>WAS:</b>	36.48 51.55
-------------------------------	-------------	----------------

Die-cast iron frame. Carbon steel centred screw. Chrome plated, resists corrosion. Swivel pad design for easy clamping of work in angled work places.

H\_F\_1176



**LEVEL BUILDERS ALUMINIUM RAZOR**

RAZ65039 1000MM 11102235	<b>WAS:</b>	27.07 38.25
--------------------------------	-------------	----------------

H\_F\_1187



RAZOR TILE CUTTER T.C.T

RAZ65135		4.87
11122443	<b>WAS:</b>	6.89

H\_F\_1329



BRICK JOINTER LONG ROUND RAZOR

RAZ65231		5.61
6MM	<b>WAS:</b>	7.92
11129519		

H\_F\_1249



SCREWDRIIVER SLOTTED RAZOR

RAZ65385		3.51
3X5MM	<b>WAS:</b>	4.92
11122446		

H\_F\_1423



REMA LIQUID BUFFER SPRAY

TT5059692		49.26
500ML	<b>WAS:</b>	79.55
11070377		

Free of CFC and aromatic compounds. For quick and easy cleaning and buffing of tubes. For chemical cleaning before mechanical buffing.

A\_F\_0151



STAPLES 1000 PIECE RAZOR

RAZ65206		0.94
4MM	<b>WAS:</b>	1.33
11129513		

RAZ65207		1.31
8MM	<b>WAS:</b>	1.84
11129514		

RAZ65208		1.32
10MM	<b>WAS:</b>	1.87
11129515		

RAZ65209		1.74
14MM	<b>WAS:</b>	2.45
11129516		

H\_F\_1239



BRICK JOINTER LONG SQUARE RAZOR

RAZ65232		5.98
8MM	<b>WAS:</b>	8.51
11122015		

H\_F\_1250



REMA TUBE PATCH

RTT5000036		0.83
30MM NO.0 (10)	<b>WAS:</b>	1.34
11094614		

RTT5000043		0.87
35MM NO.1 (30)	<b>WAS:</b>	1.40
11094615		

RTT5000122		6.40
116MM NO.6 (1)	<b>WAS:</b>	10.34
11094620		

RTT5000201		1.73
74X37MM NO.7	<b>WAS:</b>	2.78
11094621		

Tube patches for the repair of cycle, motorcycle, car, tractor, truck tubes. These patches have a double scalloped edge that ensures perfect bonding and 100% vulcanisation. On inflation the patch stretches equally in all directions. This is further assisted by its non-stepped feathered edge.

A\_F\_0175



REMA TYRE REPAIR UNIT PN BLUE PER PACK

TT5126068P		54.90
NO 06 235mm	<b>WAS:</b>	88.67
11131662		

Repair patches for durable repairs to cross-ply tyres of all sizes, especially for tread, shoulder and sidewall injuries. Suitable for both self-vulcanising and hot-vulcanising processes due to the fully integrated bonding layer. Use in conjunction with the appropriate REMA TIP TOP accelerator solutions.


A\_F\_0181



TROWEL INSIDE CORNER RAZOR

RAZ65220		10.17
75MMX50MM	<b>WAS:</b>	14.37
11122018		

H\_F\_1246



BRICK JOINTER CROSS ROUND RAZOR

RAZ65233		25.55
8MM	<b>WAS:</b>	36.11
11122014		

H\_F\_1304



REMA TUBE PATCHES PER PACK

TT500-0081P		16.31
M4 (5)	<b>WAS:</b>	26.34
11070302		

Tube patches for the repair of cycle, motorcycle, car, tractor, truck tubes. These patches have a double scalloped edge that ensures perfect bonding and 100% vulcanisation. On inflation the patch stretches equally in all directions. This is further assisted by its non-stepped feathered edge.

A\_F\_0178



REMA TUBE VALVE REPLACEMENT TR13 PASS COLD CURE

TTSHR-13RP		43.58
(4)	<b>WAS:</b>	70.38
11131657		

Replacement tube valves. Before doing repairs with valve patches and rubber base valves always buff the tube mechanically.

A\_F\_0167



REMA AIR LIQUID VALVE FITTING 5880-TYRE 618A

TTSHR-5880P		81.27
49MM (4)	<b>WAS:</b>	131.25
11131664		

Air-liquid valve fitting.

A\_F\_0145





**CHLORIDE OF LIME BLEACHING POWDER BAG REVET**

REVET126 20KG 11129618	<b>WAS:</b>	590.93 939.43
------------------------------	-------------	------------------

Chloride of Lime, Bleaching Powder. It is used for bleaching dirty clothes in the laundry, as a bleaching agent for cotton and linen in the textile industry. It is a strong oxidizing agent hence used as an oxidizer in many industries.

H\_F\_2276



**RING AUTO MAIN FUSES 240V**

RARAP038 3 5 13 AMP YRARAP038	<b>WAS:</b>	7.69 11.17
-------------------------------------	-------------	---------------

A\_F\_0063



**RING AUTO BULB STOP AND TAIL (2)**

RAREW580 12V21/5W YRAREW580	<b>WAS:</b>	12.73 18.50
-----------------------------------	-------------	----------------

A\_F\_0052



**PAINT PLIOTEX ROCKGRIP**

P5255054 20L SAFARI BL 11116577	<b>WAS:</b>	394.22 614.19
---------------------------------------	-------------	------------------

P5255056 20L SERENGET 11116578	<b>WAS:</b>	369.03 614.19
--------------------------------------	-------------	------------------

Good exterior durability. Good water resistance properties. Hides fine plastering imperfections. Excellent dirt shedding. Coverage 5-6m2 per litre per coat. 7 Year guarantee.

P\_F\_0060



**TEAT DIP CONCENTRATE DAIRYCID E ADE REVET**

REVETADE05 5L 11074079	<b>WAS:</b>	649.00 894.28
------------------------------	-------------	------------------

Teat dip or spray. Dilute 1:10. quick acting, effective broad spectrum.

H\_F\_0608



**RING AUTO BULB FESTOON (2)**

RAREW264 12V 10W 11X44 YRAREW264	<b>WAS:</b>	6.09 8.85
--	-------------	--------------

RAREW272 12V 10W 11X38 YRAREW272	<b>WAS:</b>	4.09 5.95
--	-------------	--------------

A\_F\_0044



**RING AUTO LIGHT TENT SLAVE 27 LED**

RARTL045 11089056	<b>WAS:</b>	187.36 272.32
----------------------	-------------	------------------

O\_F\_1010



**PLASTER PAINT HORSE CAST SET SES**

SES01273 11127051	<b>WAS:</b>	58.26 82.34
----------------------	-------------	----------------

With this fun and easy-to-use kit, start by making the cast models by tipping the safe mixture into the plastic moulds. Once it has set and dried paint the models however you like with the pots included. A great way of developing creative, concentration and fine motor skills. 1 x Mould 1 x Plaster 6 x Paints 1 x Brush

JD\_F\_2788



**DRAIN OPENER FREE FLOW LIQUID ACID REVET**

REVETFF25 25L 11129641	<b>WAS:</b>	249.00 454.00
------------------------------	-------------	------------------

Extremely effective for removing and dissolving all sludge, grease, rags, paper, organic matter, small roots etc.

H\_F\_0627



**BULB (2)12V10W FESTOON 11X30MM**

RAREW269 YRAREW269	<b>WAS:</b>	3.95 5.74
-----------------------	-------------	--------------

A\_F\_0044



**PAINT ACRYLIC ROOF 5L ROCKGRIP**

P5147788 5L DEEP GREE 11116562	<b>WAS:</b>	170.17 208.38
--------------------------------------	-------------	------------------

P5147792 5L RUSTIC RED 11116566	<b>WAS:</b>	170.17 208.38
---------------------------------------	-------------	------------------

Pure acrylic - UV and weather resistant. Durability against roof temperature fluctuations with a good adhesion to roofs. Coverage 7-8m2 per litre per coat. 7 Year Guarantee.

P\_F\_0002



**FACE PAINT AQUA 10 COLOUR SES**

SES09696 11127055	<b>WAS:</b>	57.52 81.28
----------------------	-------------	----------------

Aqua face paint with a new colour mix. The face paint is kind to the skin and is easily removable. The face paint is a safe cosmetic product it can be used every day Super-washable from face with water (for some skins a little soap is needed) Absolutely not tested on animals! Hypo-allergenic Paraben-free

JD\_F\_2789



**GLYCERIN REVET**

REVETGL05 5L 11129616	<b>WAS:</b>	99.00 280.72
-----------------------------	-------------	-----------------

Can be used for several applications.

H\_F\_0631



**RING AUTO BULB PCB INDICATOR AND PANEL (2)**

RAREW509T 12V1.2W YRAREW509T	<b>WAS:</b>	10.32 14.25
------------------------------------	-------------	----------------

A\_F\_0050





**BATH WATER COLOURS SES**

SES13045	65.73
11127057	<b>WAS:</b> 92.89

Bath time is even more fun when the water is coloured. Give your bath water a cheerful colour with these SES Aqua colour tablets. The set contains blue, green and pink tablets. Unique colours for the bathtub. Only colours the water, not your skin or the bathtub. Skin-friendly Made in Holland. Contents: 3 x blue colour tablets 3 x pink colour tablets 3 x green colour tablets Manual.

JD\_F\_2794



**STAMP SET DINOSAUR SES**

SES14919	71.71
11127060	<b>WAS:</b> 101.34

A fun stamp set by SES with a dinosaur theme. With the 11 different stamps and water-based ink, you can make beautiful drawings. Colour the dinosaurs with the pencils included. Has the ink dried out? You can reactivate it with a few drops of water. Unique stamp set with a dinosaur theme. Simply stick the stamp designs onto the foam stamps. Extremely washable water-based ink. Stimulates creativity. Contents: 11 foam dinosaur stamps, Ink pad, Drawing paper, Colouring pencils.

JD\_F\_2798



**SAFETY GLASSES KLONVX LENS SPEC ANTI SCRATCH+MIST SKUDO**

SKKGB BLUE	25.29
11126510	<b>WAS:</b> 52.50
SKKGC CLEAR	27.94
11126511	<b>WAS:</b> 52.50
SKKGG GREEN	14.44
11126512	<b>WAS:</b> 52.50
SKKGGY GREY	22.23
11126422	<b>WAS:</b> 52.50

H\_F\_1943



**RAIN SUIT RUBBERISED ELITE YELLOW SKUDO**

SKRSYR4XL 4X-LARGE	65.76
11126540	<b>WAS:</b> 92.93

H\_F\_2007



**PLASTER PAINT GLITTER CAST SET SES**

SES14123	105.32
11127058	<b>WAS:</b> 148.83

With this Glitter dreams set by SES, you can make beautiful models in a unique princess theme, including princesses, castles and horses. Pour the plaster into the mould and let it dry. Then you can paint the models beautifully with the paint included in the set. Add glitter as a final touch for a great result! The models will look great in a little girl's room.

JD\_F\_2804



**INSECT CITY SES**

SES25005	171.06
11127063	<b>WAS:</b> 242.78

A must-have for all fans of nature and insects! A safe and fun way to look at insects up close and learn about them. Place the insects in the city and watch how they interact with each other. Contents: 1 x Plastic City

JD\_F\_2802



**GLOVES LATEX EXAMINATION POWDERED SKUDO**

SKLEGXL X-LARGE	31.71
11126515	<b>WAS:</b> 44.81

H\_F\_1996



**SAFETY GLASSES ULTME SPEC ANTI SCRATCH+MIST SKUDO CLEAR**

SKSGG GREEN	10.66
11126522	<b>WAS:</b> 35.00

H\_F\_1941



**POOL LIGHT SEALED BEAM 75W**

WL560-4052	35.97
11125525	<b>WAS:</b> 68.04

L\_F\_0972



**CLAY MY FIRST SUPER SES**

SES14411	73.95
11127059	<b>WAS:</b> 104.50

All of SES Creative's clay is safe to use. It's gluten-free and extremely salty, so children won't eat it. The clay is bright, very soft and can be used again and again because of the resealable packaging. For hours of fun.

JD\_F\_2790



**GLOVES XTRA HEAVY DUTY OPEN CUFF ROUGH PALM SKUDO**

SKHWOCRPG	9.75
11126509	<b>WAS:</b> 24.50

H\_F\_2002



**RAIN SUIT RUBBERISED ELITE NAVY SKUDO**

SKRSNR4XL 4X-LARGE	65.76
11126538	<b>WAS:</b> 92.93

H\_F\_2008



**PAINT SPRAY 250ML SPRAYON**

SPP2510 MAROON	20.23
11071906	<b>WAS:</b> 28.59
SPP2533 BEIGE	20.23
11071889	<b>WAS:</b> 28.59

Sprayon Lacquer Paints are formulated with a rust inhibitor and are lead free for absolute safety and peace of mind. Sprayon paints are suitable for interior and exterior applications.

P\_F\_0128





**PAINT SPRAY ENGINE ENAMEL 250ML SPRAYON**

SPPEE17 CLEAR 11071958	<b>WAS:</b>	25.74 36.37
------------------------------	-------------	----------------

*Sprayon Engine Enamel is a specially formulated lacquer spray with heat resistant properties up to 200°C. Engine enamel is available in deep, rich durable colours which are resistant to peeling and cracking and guarantee long life.*

P\_F\_0136



**BLADE SAW HACK CARBON STANLEY**

ST15-924A 24T 300MM 11092388	<b>WAS:</b>	7.32 10.34
------------------------------------	-------------	---------------

H\_F\_0175



**KEYRING ACCESSORY KEYTOOL TRUE UTILITY**

TU1001 11094382	<b>WAS:</b>	36.48 51.56
--------------------	-------------	----------------

*The KeyTool simply wraps stylishly around any standard door key and uses the actual door key to increase leverage for the bottle opener and for the 3 different sizes of screwdriver, including the essential eyeglass screwdriver. It also includes a nail file, nail cleaner, thread cutter and even a pair of tweezers. Contains a bottle opener, eye glass screwdriver, medium screwdriver, large screwdriver, nail file, finger nail cleaner, thread cutter, tweezers.*

O\_F\_0516



**KEYRING ACCESSORY SHACKLE SET TRUE UTILITY**

TU1060 11094385	<b>WAS:</b>	36.48 51.56
--------------------	-------------	----------------

*Strong and reliable key and accessory organiser. 302 High grade stainless steel shackles. Clip the large shackle to your belt loop/bag etc. Put your keys directly onto the smaller oval shackle, keeping them neat and tidy. Contains: 2 x shackle set. Secure to belt, key loop, bag, etc. Use for keys, car keys, accessories, USB, keylight etc.*

O\_F\_0531



**PAINT SPRAY METALIC 250ML SPRAYON**

SPPMET2551 METALIC GREE 11071945	<b>WAS:</b>	20.75 29.32
--	-------------	----------------

*Sprayon's Metallic range consists of 12 attractive metallic finishes. Metallic paints are manufactured from the finest ground metallic compounds for the most professional finish and all colours are lead free and contain a rust inhibitor.*

P\_F\_0138



**KNIFE RETRACTABLE WITH 3 BLADES STANLEY**

ST2-10-099 11035844	<b>WAS:</b>	94.16 104.49
------------------------	-------------	-----------------

H\_F\_0179



**KEY RING ACCESSORY CASH STASH BLACK**

TU1015 11123970	<b>WAS:</b>	45.60 64.45
--------------------	-------------	----------------

*Aircraft grade aluminium capsule - Stainless Steel Cash Clip. Emergency cash capsule for your keyring. Cash-clip secures one note of any currency on your keyring. As small as you key and waterproof. Make a perfect gift, especially if you put cash in it!*

O\_F\_0901



**KEYRING ACCESSORY FOBTOOL BLACK TRUE UTILITY**

TU1090 11094407	<b>WAS:</b>	63.53 89.78
--------------------	-------------	----------------

*This very thin multi-tool manages to squeeze an unbelievable amount into the tiniest of spaces. Framed within a black cowhide leather fob with outer stitching. The very thin high grade stainless steel tool includes a flat knife, screwdriver, file and bottle opener. The FobTool includes a hidden magnet within the leather to gently hold the tool in place. Strong keyring included.*

O\_F\_0545



**PAINT TRACTOR TOUCH UP 350ML SPRAYON**

SPTT4 JD YELLOW 11098688	<b>WAS:</b>	25.40 35.90
--------------------------------	-------------	----------------

P\_F\_0161



**PAINT SPRAY 250ML TRADEMARK**

TM26006 GLOSS BLACK 11126633	<b>WAS:</b>	14.94 21.11
TM26007 MATT WHITE 11126634	<b>WAS:</b>	12.97 18.34

*TM standard lacquer paints are suitable for interior and exterior applications and are designed to maintain their rich, deep colour even under the most extreme UV conditions. Quick drying TM standard lacquer paints are formulated with a rust inhibitor and are lead free for absolute safety and peace of mind. TM uses the same paint batch to colour code each cap ensuring an exact match to the can's contents, your guarantee of satisfied customers.*

P\_F\_0250



**KEYRING ACCESSORY TWISTICK TRUE UTILITY**

TU1024 11094395	<b>WAS:</b>	31.92 45.11
--------------------	-------------	----------------

*Fully functional keyring corkscrew. The stainless steel bar passes through the centre of a full size corkscrew helix, to create a beautiful and fully functional personal corkscrew for all wine lovers. Can be attached to your keyring or placed to your bag. Makes a great gift.*

O\_F\_0542



**KEYRING ACCESSORY TELEPEN BLACK TRUE UTILITY**

TU1096 11094403	<b>WAS:</b>	50.95 72.00
--------------------	-------------	----------------

*A full length telescopic pen at one end and a touch screen stylus on the other end. This truly is a modern day essential. There is a clip cleverly incorporated in the lid to enable your StylusPen to attach directly to your keyring or bag. 3 Spare refills included. Integral quick release clip in the cap. Telescopic - opens to full length. Sensitive stylus for all touchscreens.*

O\_F\_0548



**BLADE CARBIDE GRIT ROD STANLEY**

ST15-410 250MM 11092984	<b>WAS:</b>	20.12 28.44
-------------------------------	-------------	----------------

H\_F\_0169





**KEYRING ACCESSORY TELEPEN WHITE TRUE UTILITY**

TU1097		50.95
11094402	<b>WAS:</b>	72.00

A full length pen as small as a door key. Engineered in stainless steel and measuring only 65mm, yet extends telescopically to 120mm. Clip to your keyring, bag, etc. Ready for use at all times. Comfortable and easy to use. Supplied complete with 3 extra black ink refills. Contains integral quick release CleverClip in the cap.

O\_F\_0547



**BOLT CUTTER WORKSMAN**

WMBC156		73.35
3-IN-1 18IN	<b>WAS:</b>	246.47
11129328		

WMBC157		119.15
3-IN-1 24IN	<b>WAS:</b>	332.91
11121113		

Tempered steel for longer lasting durability and precision cutting.

H\_F\_1771



**PLIERS COMBINATION WORKSMAN**

WMCP096		33.41
6 IN	<b>WAS:</b>	64.05
11121147		

WMCP097		45.27
8 IN	<b>WAS:</b>	89.80
11121149		

WMCP098		42.80
10 IN	<b>WAS:</b>	139.72
11121150		

WMCP195		18.64
7 IN	<b>WAS:</b>	71.90
11121148		

Chrome vanadium with easy fit rubber grip

H\_F\_1759



**SPANNER COMBINATION 45DEG OFFSET WORKSMAN**

WMCS103		8.67
6MM	<b>WAS:</b>	28.89
11121263		

WMCS104		14.93
7MM	<b>WAS:</b>	28.89
11121264		

WMCS106		8.79
9MM	<b>WAS:</b>	29.83
11121266		

WMCS108		12.64
11MM	<b>WAS:</b>	34.85
11121249		

WMCS109		18.68
12MM	<b>WAS:</b>	36.10
11121250		

WMCS111		19.16
14MM	<b>WAS:</b>	42.70
11121252		

WMCS112		21.57
15MM	<b>WAS:</b>	46.78
11121253		

WMCS113		16.12
16MM	<b>WAS:</b>	48.98
11121254		

WMCS114		25.13
17MM	<b>WAS:</b>	52.12
11121255		

WMCS115		25.68
19MM	<b>WAS:</b>	58.40
11121256		

WMCS116		19.98
22MM	<b>WAS:</b>	76.92
11121258		

WMCS215		16.21
21MM	<b>WAS:</b>	68.13
11121257		

WMCS216		34.44
24MM	<b>WAS:</b>	99.53
11121259		

WMCS217		26.30
27MM	<b>WAS:</b>	130.29
11121260		

WMCS218		32.60
30MM	<b>WAS:</b>	150.39
11121261		

WMCS219		33.67
32MM	<b>WAS:</b>	165.77
11121262		

Chrome vanadium steel.

H\_F\_1772



**TORCH KEYRING BOTTLED USB ULTRA OPTEC**

MS8303		52.84
RED	<b>WAS:</b>	74.67
11107922		

MS8311		52.84
PINK	<b>WAS:</b>	74.67
11107923		

Hand-held flashlight USB. Red indicator lights when charging, turns green when fully charged. Charges in less than 2-3 hours. Run time of over 8 hours. Totally seals almost any wine/spirit bottle. Fits almost any water bottle (world-wide 22mm PET standard).

O\_F\_1030



**HAMMER BALL PEIN HICKORY WOODEN HANDLE WORKSMAN**

WMBH158		32.63
500G	<b>WAS:</b>	78.23
11121120		

Tempered steel with sturdy wooden handle.

H\_F\_1822



**BACK SAW WORKSMAN**

WMBS225		38.89
350MM	<b>WAS:</b>	60.55
11129330		

350mm Back saw.

H\_F\_1799



**WRENCH SET L TYPE LONG BALL POINT HEX WORKSMAN**

WMAK170		61.95
(1.5-10MM) - 9P	<b>WAS:</b>	151.60
11121211		

Chrome vanadium Allen key set

H\_F\_1781



**CRIMPER/STRIPPER PLIERS WORKSMAN**

WMCP189		89.75
	<b>WAS:</b>	129.86
11121153		

Tempered steel with easy fit rubber grip.

H\_F\_1767





**CALIPER STAINLESS STEEL DIGITAL WORKSMAN**

WMDC162		149.78
11121130	<b>WAS:</b>	244.72

Stainless steel with digital screen.

H\_F\_1777



**PLIERS LOCK GRIP WORKSMAN**

WMGP084		30.99
10IN	<b>WAS:</b>	101.16
11121164		

Chrome vanadium with easy fit rubber grip.

H\_F\_1827



**SAW HAND WITH WOOD HANDLE WORKSMAN**

WMHS224		51.23
650MM	<b>WAS:</b>	86.35
11121182		

Hand saw with wood handle.

H\_F\_1798



**PIPE WRENCH ALUMINIUM WORKSMAN**

WMPW153		58.08
12 IN	<b>WAS:</b>	183.67
11121142		

WMPW154		88.65
14 IN	<b>WAS:</b>	218.21
11121143		

WMPW155		119.34
18 IN	<b>WAS:</b>	309.26
11121144		

Medium duty pipe wrench for DIY projects.

H\_F\_1770



**PLIERS CUTTING DIAGONAL WORKSMAN**

WMDP094		20.83
6 IN	<b>WAS:</b>	58.40
11121154		

WMDP197		30.68
8 IN	<b>WAS:</b>	74.09
11121155		

Chrome vanadium with easy fit rubber grip.

H\_F\_1761



**PLIERS CUTTING HEAVY DUTY WORKSMAN**

WMHD095		28.06
7IN	<b>WAS:</b>	62.17
11121158		

Chrome vanadium with easy fit rubber grip.

H\_F\_1826



**PLIERS LONG NOSE WORKSMAN**

WMPLP092		14.98
6 IN	<b>WAS:</b>	51.81
11121165		

WMPLP093		21.05
8 IN	<b>WAS:</b>	66.87
11121167		

WMPLP196		19.90
7 IN	<b>WAS:</b>	62.48
11121166		

Chrome vanadium with easy fit rubber grip.

H\_F\_1760



**SPANNER RATCHET WORKSMAN**

WMRS131		26.03
11MM	<b>WAS:</b>	86.16
11121268		

WMRS132		33.18
12MM	<b>WAS:</b>	88.54
11121269		

WMRS134		25.78
14MM	<b>WAS:</b>	110.48
11121271		

WMRS135		34.11
15MM	<b>WAS:</b>	114.38
11121272		

WMRS136		31.39
16MM	<b>WAS:</b>	116.31
11121273		

WMRS137		56.56
17MM	<b>WAS:</b>	118.84
11121274		

WMRS138		47.30
19MM	<b>WAS:</b>	125.78
11121275		

Chrome vanadium steel.

H\_F\_1773



**SOCKET EXTENSION BAR 1/2" WORKSMAN**

WMEX051		32.45
250MM	<b>WAS:</b>	68.64
11121241		

WMEX052		18.97
125MM	<b>WAS:</b>	42.67
11121240		

Chrome vanadium steel.

H\_F\_1753



**HACKSAW QUICK CHANGE PRO BIMETAL BLADES WORKSMAN**

WMHS148		95.14
11121178	<b>WAS:</b>	156.21

Durable saw for precision cutting.

H\_F\_1776



**PLIERS SET MINI PROFESSIONAL WORKSMAN**

WMPS182		56.05
5 PC	<b>WAS:</b>	173.76
11121171		

Chrome vanadium with easy fit rubber grip

H\_F\_1765



**SAW HAND WITH PLASTIC HANDLE WORKSMAN**

WMHS223		50.77
650MM	<b>WAS:</b>	86.35
11121181		

Hand saw with plastic handle.

H\_F\_1797



**LOCK GRIP PLIERS WORKSMAN**

WMGP083		23.08
7 IN	<b>WAS:</b>	73.88
11121163		

Chrome vanadium with easy fit rubber grip.

H\_F\_1768





**RATCHET QUICK RELEASE WORKSMAN**

WMRT050		76.95
1/2 IN	<b>WAS:</b>	176.25
11121215		

Chrome vanadium steel.

H\_F\_1751



**RATCHET ALL STEEL WORKSMAN**

WMRT214		69.13
1/2 IN	<b>WAS:</b>	246.47
11121213		

Chrome vanadium steel.

H\_F\_1831



**SOCKET ADAPTOR SET 4 PCE WORKSMAN**

WMSA171		27.12
4 PCE	<b>WAS:</b>	72.73
11121239		

Chrome vanadium steel.

H\_F\_1835



**SOCKET 6 POINT 1/2" DR WORKSMAN**

WMSC003		6.84
10MM	<b>WAS:</b>	18.37
11121218		

WMSC005		5.26
12MM	<b>WAS:</b>	18.37
11121220		

WMSC006		7.99
13MM	<b>WAS:</b>	18.37
11121221		

WMSC014		9.95
21MM	<b>WAS:</b>	22.63
11121229		

WMSC015		6.68
22MM	<b>WAS:</b>	26.72
11121230		

WMSC016		10.94
24MM	<b>WAS:</b>	28.94
11121231		

WMSC017		11.05
27MM	<b>WAS:</b>	38.96
11121232		

WMSC018		11.23
28MM	<b>WAS:</b>	46.38
11121233		

WMSC019		8.84
29MM	<b>WAS:</b>	46.75
11121234		

WMSC020		14.01
30MM	<b>WAS:</b>	56.03
11121235		

WMSC021		15.45
32MM	<b>WAS:</b>	57.88
11121236		

Chrome vanadium steel. Manually operated sockets with knurled base.

H\_F\_1749



**SOCKET 6 POINT 1/2" DR WORKSMAN**

WMSC001		5.00
8MM	<b>WAS:</b>	18.37
11121237		

WMSC002		3.98
9MM	<b>WAS:</b>	18.37
11121238		

WMSC004		4.68
11MM	<b>WAS:</b>	18.37
11121219		

WMSC007		5.94
14MM	<b>WAS:</b>	18.37
11121222		

WMSC008		4.44
15MM	<b>WAS:</b>	18.37
11121223		

WMSC009		4.55
16MM	<b>WAS:</b>	18.37
11121224		

WMSC010		8.37
17MM	<b>WAS:</b>	19.18
11121225		

WMSC011		5.44
18MM	<b>WAS:</b>	20.41
11121226		

WMSC013		5.62
20MM	<b>WAS:</b>	22.63
11121228		

Chrome vanadium steel. Manually operated sockets with knurled base.

H\_F\_1749



**SCREWDRIVER PHILLIPS WORKSMAN**

WMSD057		6.71
3.2MMX75MM	<b>WAS:</b>	11.13
11121183		

WMSD062		8.43
6MMX38MM ST	<b>WAS:</b>	15.58
11121191		

WMSD064		12.34
6.5MMX150MM	<b>WAS:</b>	26.35
11121187		

Chrome vanadium with easy fit rubber grip.

H\_F\_1754



**SCREWDRIVER PHILLIPS STUBBY WORKSMAN**

WMSD065		7.18
6.5MMX38MM	<b>WAS:</b>	12.99
11121190		

Chrome vanadium with easy fit rubber grip.

H\_F\_1755



**SCREWDRIVER PHILLIPS WORKSMAN**

WMSD059		9.11
5MMX200MM nr	<b>WAS:</b>	20.41
11121184		

WMSD067		11.24
8MMX150MM	<b>WAS:</b>	28.20
11121189		

Chrome vanadium with easy fit rubber grip.

H\_F\_1754







**SCREWDRIVER SLOTTED FLAT WORKSMAN**

WMSD069 5MMX75MM 11121202	<b>WAS:</b>	5.96 14.10
WMSD070 5MMX100MM 11121199	<b>WAS:</b>	6.66 14.48
WMSD071 5MMX150MM 11121200	<b>WAS:</b>	4.72 15.22
WMSD072 5MMX200MM 11121201	<b>WAS:</b>	4.90 19.29
WMSD073 5.5MMX100MM 11121197	<b>WAS:</b>	5.47 15.22
WMSD074 5.5MMX125MM 11121198	<b>WAS:</b>	6.65 15.58
WMSD075 6MMX38MM 11121205	<b>WAS:</b>	3.03 12.99
WMSD076 6MMX100MM 11121203	<b>WAS:</b>	7.37 18.55
WMSD077 6MMX150MM 11121204	<b>WAS:</b>	8.58 20.41
WMSD079 8MMX150MM 11121206	<b>WAS:</b>	9.42 28.20
WMSD080 8MMX200MM 11121207	<b>WAS:</b>	7.85 31.54
WMSD081 9.5MMX200MM 11121208	<b>WAS:</b>	10.02 36.74

Chrome vanadium with easy fit rubber grip.

H\_F\_1756



**SOCKET SPARK PLUG 1/2" DR WORKSMAN**

WMSP101 16MM 11121246	<b>WAS:</b>	11.56 39.33
WMSP102 21MM 11121247	<b>WAS:</b>	11.67 43.04

Chrome vanadium.

H\_F\_1750



**SCREWDRIVER SET PRECISION 6PC WORKSMAN**

WMSS191 6PC 11121193	<b>WAS:</b>	37.61 80.13
----------------------------	-------------	----------------

Chrome vanadium.

H\_F\_1758



**TOOLBOX WITH ORGANIZER AND METAL CLIPS WORKSMAN**

WMTB3183 660MM 11129528	<b>WAS:</b>	219.44 310.10
-------------------------------	-------------	------------------

Plastic toolbox with a metal handle and clips.

H\_F\_1791



**SCREWDRIVER SLOTTED STUBBY WORKSMAN**

WMSD078 6.5MMX38MM 11121209	<b>WAS:</b>	3.55 12.99
-----------------------------------	-------------	---------------

Chrome vanadium with easy fit rubber grip.

H\_F\_1757



**ORGANIZER TOOLS CANTILEVER WORKSMAN**

WMTB5051B22 565X315X246M 11129335	<b>WAS:</b>	262.70 540.59
---	-------------	------------------

Tool box 460mm plastic.

H\_F\_1794



**SLIDING T HANDLE 1/2" WORKSMAN**

WMTH056 250mm 11121216	<b>WAS:</b>	35.22 81.63
------------------------------	-------------	----------------

Chrome vanadium steel.

H\_F\_1752



**TAPE MEASURE ALL STEEL WORKSMAN**

WMTM230 3M 11121136	<b>WAS:</b>	17.89 26.48
---------------------------	-------------	----------------

All steel tape measure.

H\_F\_1837



**PLIERS WATER PUMP WORKSMAN**

WMWP091 9-1/2 IN 11121173	<b>WAS:</b>	39.45 107.98
---------------------------------	-------------	-----------------

Chrome vanadium with easy fit rubber grip.

H\_F\_1763



**WIRE STRIPPER AUTO WORKSMAN**

WMWS188 11121174	<b>WAS:</b>	48.87 132.83
---------------------	-------------	-----------------

Chrome vanadium with easy fit rubber grip.

H\_F\_1766



**PUMP FOUNTAIN WORTEX 230V**

WO07-18 18W 11017713	<b>WAS:</b>	132.67 203.83
----------------------------	-------------	------------------

Fountain pump for general clean water purposes for example fish ponds and fountains. Maximum flow and head: 120W 3600lh and 4.2m.

L\_F\_0006



**CONTROL MODULE PUMP MULTIPOWER SOLAR CH WORTEX**

WO3000661110 11129142	<b>WAS:</b>	1,838.02 3,025.00
--------------------------	-------------	----------------------

The CM MultiPower control module is mounted above the ground and it monitors the electrical, hydraulic and thermal parameters thereby providing complete protection against under/over-voltage, overload and dry-running. This unit is designed to work with the Worlex by NasteC 4HS Multipower Pump Range. Solar panels available: [-link>SD250W</link>](#), [-link>SD180WHV</link>](#) and [-link>SD120WHV</link>](#).

L\_F\_0695



**PUMP SINGLE STAGE FLANGED 400V WORTEX**

WOCN32-16A 50X32MM 3.0K 11127654	<b>WAS:</b>	6,043.28 7,055.95
--	-------------	----------------------

WOCN50-20A 65X50MM 15KW 11127659	<b>WAS:</b>	11,839.76 14,332.50
--	-------------	------------------------

Single-impeller centrifugal pumps built to DIN standards, with connection to the motor by means of a support unit. Ideal for pumping clean water and other non-aggressive liquids. Easily and conveniently used for a wide variety of applications.

L\_F\_0016





**PUMP CENTRIFUGAL WORTEX**

WOCT50 25X25MM 0.37K 11105620	<b>WAS:</b> 1,209.45	952.22
-------------------------------------	----------------------	--------

WOCT55 25X25MM 0.55K 11127664	<b>WAS:</b> 1,173.05	1,027.72
-------------------------------------	----------------------	----------

Single-impeller pumps suitable to cover any small, medium or large capacity request. For domestic, agricultural and industrial purposes. With automatic water distribution through small and medium-sized tanks, for sprinkler and flood irrigation in gardening and agriculture.

L\_F\_0004



**PUMP DRY RUNNING PROTECTOR**

WODRYRUN DRY 11127647	<b>WAS:</b> 210.41	131.00
-----------------------------	--------------------	--------

Dry running protection for pumps

L\_F\_0747



**PUMP SELFPRIMING JET 0.75KW 230V WORTEX**

WOJET88HL JET 88HL 25X25 11095429	<b>WAS:</b> 1,559.00	1,469.82
---	----------------------	----------

Self-priming centrifugal pumps with a very good suction performance. Used for water supply and for household pressurised pipeline systems and small-scale irrigation of gardens.

L\_F\_0015



**PRESSURETANK HORIZONTAL WORTEX**

WOMEM25-DP 25L HORIZONTAL 11130083	<b>WAS:</b> 375.96	232.45
--	--------------------	--------

Membrane for pressure tank.

L\_F\_0003



**PUMP SUBMERSIBLE DRAINAGE 230V WORTEX**

WOPROFI-100DS 40MM 0.75KW 11100355	<b>WAS:</b> 3,399.00	2,756.90
--	----------------------	----------

Self-priming jet water pumps with a very high hydraulic performance and considerable pressure capacity. Impeller on JX80 of noryl plastic.

L\_F\_0019



**PUMP SUBMERSIBLE WORTEX 6INCH**

WOSP150-11 11KW S/S 11127487	<b>WAS:</b> 6,565.00	5,888.90
------------------------------------	----------------------	----------

WOSP150-13 11KW S/S 11127488	<b>WAS:</b> 7,850.00	5,106.48
------------------------------------	----------------------	----------

WOSP150-17 15KW S/S 11127490	<b>WAS:</b> 8,725.00	7,045.77
------------------------------------	----------------------	----------

WOSP150-19 18.5KW S/S 11127491	<b>WAS:</b> 10,296.60	7,949.21
--------------------------------------	-----------------------	----------

WOSP150-21 19KW S/S 11127492	<b>WAS:</b> 12,009.39	10,307.10
------------------------------------	-----------------------	-----------

WOSP230-07 11KW S/S 11127494	<b>WAS:</b> 5,177.50	3,527.63
------------------------------------	----------------------	----------

WOSP230-12 18.5KW S/S 11127496	<b>WAS:</b> 8,720.37	7,905.05
--------------------------------------	----------------------	----------

WOSP230-15 22KW S/S 11127497	<b>WAS:</b> 9,312.91	5,872.12
------------------------------------	----------------------	----------

WOSP300-06 11KW S/S 11127498	<b>WAS:</b> 5,450.00	4,425.13
------------------------------------	----------------------	----------

WOSP300-10 18.5KW S/S 11127500	<b>WAS:</b> 7,759.88	4,957.74
--------------------------------------	----------------------	----------

WOSP300-12 22KW S/S 11127501	<b>WAS:</b> 8,797.00	7,620.24
------------------------------------	----------------------	----------

WOSP90-04 2.2KW S/S 11127502	<b>WAS:</b> 2,995.00	2,774.13
------------------------------------	----------------------	----------

WOSP90-05 3.0KW S/S 11127504	<b>WAS:</b> 3,450.00	2,993.00
------------------------------------	----------------------	----------

WOSP90-10 5.5KW S/S 11127508	<b>WAS:</b> 5,795.00	4,656.59
------------------------------------	----------------------	----------

WOSP90-13 7.5KW S/S 11127510	<b>WAS:</b> 7,527.99	5,465.99
------------------------------------	----------------------	----------

WOSP90-17 9.2KW S/S 11127511	<b>WAS:</b> 7,965.00	5,545.99
------------------------------------	----------------------	----------

WOSP90-20 11KW S/S 11127512	<b>WAS:</b> 10,546.88	7,665.82
-----------------------------------	-----------------------	----------

Wortex stainless steel submersible borehole pumps in diameters from 131mm to 149mm. These pumps have 304 stainless steel impellers, bowls and hardware. Capacities range from 10m³/h to a maximum of 75m³/h. Motors for driving the pumps range from 2.2kW to 30kW.

L\_f\_0549



**PUMP DRAIN WORTEX 2INCH**

WOSV10M50 230V .75KW 11127484	<b>WAS:</b> 3,333.25	2,313.19
-------------------------------------	----------------------	----------

Pumps in stainless steel for drainage. Thanks to their light weight these pumps are ideal for small drainages when it is necessary to move the pump frequently.

L\_f\_0550



**PUMP DRAIN WORTEX 1-1/2IN**

WOXD10MA40 230V 0.75KW 11101538	<b>WAS:</b> 2,750.00	2,523.69
---------------------------------------	----------------------	----------

Pumps in stainless steel for drainage. Thanks to their light weight these pumps are ideal for small drainages when it is necessary to move the pump frequently.

L\_f\_0553



**YALE LOCK SET DIY**

YALE100 3L 11102326	<b>WAS:</b> 188.44	133.35
---------------------------	--------------------	--------

H\_F\_1136



**YALE LOCKED DOOR INDICATOR**

YALE2800 11130000	<b>WAS:</b> 127.26	90.06
----------------------	--------------------	-------

H\_F\_1147





**YALE DOOR LOCK PATIO**

YALE3000 GREY	44.26
<b>WAS:</b>	62.54
11129983	

H\_F\_1148



**PADLOCK CHILD COMBO ACTIVE STYLE YALE**

YALE6600 BLUE	23.59
<b>WAS:</b>	33.33
11129998	

H\_F\_1360



**PADLOCK COMBINATION ROUND YALE**

YALE8200 50MM	75.96
<b>WAS:</b>	107.33
11130009	

H\_F\_1920



**ENGINE DIESEL L48N 3.5KW YANMAR**

L48N-SYC H/S CAMSHAFT	12,803.01
<b>WAS:</b>	16,003.77
11129008	

Engine Yanmar Diesel L48N. Air-cooled, single cylinder, direct injection, compact and lightweight. Low noise level. 3.5KW (4.8HP). With parallel shaft. One year warranty. Electric start units exclude battery. For additional pricing or technical information, contact Prodist Power Products division at 010 045 070042, or visit <link>[www.yanmarengine.co.za](http://www.yanmarengine.co.za)</link>.

PP\_F\_0013



**PADLOCK AND LUGGAGE STRAP COMBIN YALE**

YALE5300 RED	58.97
<b>WAS:</b>	83.34
11107229	

YALE5400 GREY	58.97
<b>WAS:</b>	83.34
11129996	

H\_F\_1163



**PADLOCK ALUMINIUM COMBIN 28MM YALE**

YALE7100 SILVER	46.39
<b>WAS:</b>	65.55
11129985	

H\_F\_1586



**DIESEL ENGINE 13.5KW 1500RPM YANMAR**

3TNV88-GA	52,532.32
<b>WAS:</b>	66,540.94
11127753	

Yanmar TNV water cooled diesel engine. Range from a 13.5kW - 44kW. Electric start 1500rpm. Direct fuel injection system. Smooth-running with low noise and emission levels. Unique design for low fuel and oil consumption. Convenient "one-side" maintenance for easy economical servicing. Two year warranty. For additional pricing or technical information, contact Prodist Power Products division at 010 045 070042, or visit <link>[www.yanmarengine.co.za](http://www.yanmarengine.co.za)</link>.

PP\_F\_0008




**ENGINE DIESEL WATERCOOLED YANMAR**

TF120 9.0KW 2400PR	23,082.40
<b>WAS:</b>	25,923.31
11129881	

Engine Yanmar Diesel TF series. Water cooled, single cylinder, direct injection for maximum power and low fuel consumption. 5.2KW - 17KW. Robust construction with heavy duty flywheel. Ideal for pump application. crank start. One year warranty. For additional pricing or technical information, contact Prodist Power Products division at 010 045 070042, or visit <link>[www.yanmarengine.co.za](http://www.yanmarengine.co.za)</link>.

PP\_F\_0026



**YALE LOCK ONLY DIY CHROME**

YALE600 3L	98.80
<b>WAS:</b>	139.63
11130001	

H\_F\_1167



**PADLOCK ALUMINIUM COMBIN 38MM YALE**

YALE7200 BLACK	62.12
<b>WAS:</b>	87.78
11129986	

H\_F\_1587



**DIESEL ENGINE 34.6KW 1500RPM YANMAR**

4TNV98-IA	62,028.20
<b>WAS:</b>	90,656.59
11127755	

Yanmar TNV water cooled diesel engine. Ranging from 13.5kW - 44kW. Electric start 1500rpm. Direct fuel injection system. Smooth-running with low noise and emission levels. Unique design for low fuel and oil consumption. Convenient "one-side" maintenance for easy economical servicing. Two year warranty. For additional pricing or technical information, contact Prodist Power Products division at 010 045 070042, or visit <link>[www.yanmarengine.co.za](http://www.yanmarengine.co.za)</link>.

PP\_F\_0011



**POOL HOSE LONG LIFE ZODIAC**

WL630-6003 COBALT BLUE	37.83
<b>WAS:</b>	71.60
11125527	

UV resistant and non scuff hose ensures a good connection between the cleaner head and hose.

L\_F\_0865



**YALE WINDOW ALARM AND CHIME**

YALE6000	35.38
<b>WAS:</b>	50.00
11129979	

H\_F\_1358



**YALE PADLOCK COMBINATION TRAVEL 23MM**

YALE7700 RED	35.38
<b>WAS:</b>	50.00
11129991	

H\_F\_1879



**POOL HOSE LONG LIFE TWIST LOCK ZODIAC**

WL630-6012 PEARL WHITE 1	43.93
<b>WAS:</b>	75.39
11110846	

Replacement pool hose for Zodiac pool cleaners.

L\_F\_0864





**POOL WEIR ELBOW ZODIAC**

WL630-7111		19.55
45 DEGREE WH	<b>WAS:</b>	30.00
11125513		

*Pool weir elbow 45 degrees for use with a complete pool weir.*

I\_F\_0901



**POOL SEAL PLEATED E SWEEPA**

WL630-9412		75.33
	<b>WAS:</b>	152.39
11110885		

*Automatic pool cleaner generic spare part.*

I\_F\_0881

